

Blyscan Citations 2017

- Afara, I., Prasadam, I., Arabshahi, Z., reports, Y. X.-S., & 2017 Monitoring osteoarthritis progression using near infrared (NIR) spectroscopy. *Nature.com*. Retrieved from <https://www.nature.com/articles/s41598-017-11844-3>
- Ahn, G., Min, K., Kim, C., Lee, J., Kang, D., reports, J. W.-S., & 2017 Precise stacking of decellularized extracellular matrix based 3D cell-laden constructs by a 3D cell printing system equipped with heating modules. *Nature.com*. Retrieved from <https://www.nature.com/articles/s41598-017-09201-5>
- Aljitawi, O., Hopkins, R., ... M. D.-U. P., & 2017 Method for promoting hair growth comprising implanting a tissue scaffold comprising CK-19 positive cells derived from Wharton's jelly mesenchymal stromal cells. *Google Patents*. Retrieved from <https://patents.google.com/patent/US9814802B2/en>
- Almeida, H. V., Dikina, A. D., Mulhall, K. J., O'Brien, F. J., Alsberg, E., & Kelly, D. J. (2017). Porous Scaffolds Derived from Devitalized Tissue Engineered Cartilaginous Matrix Support Chondrogenesis of Adult Stem Cells. *ACS Biomaterials Science & Engineering*, 3(6), 1075-1082. <http://doi.org/10.1021/acsbiomaterials.7b00019>
- Almeida, H. V., Mulhall, K. J., O'Brien, F. J., & Kelly, D. J. (2017). Stem cells display a donor dependent response to escalating levels of growth factor release from extracellular matrix-derived scaffolds. *Journal of Tissue Engineering and Regenerative Medicine*, 11(11), 2979-2987. <http://doi.org/10.1002/term.2199>
- Almeida, H. V., Sathy, B. N., Dudurych, I., Buckley, C. T., O'Brien, F. J., & Kelly, D. J. (2017). Anisotropic Shape-Memory Alginate Scaffolds Functionalized with Either Type I or Type II Collagen for Cartilage Tissue Engineering. *Tissue Engineering Part A*, 23(1-2), 55-68. <http://doi.org/10.1089/ten.tea.2016.0055>
- Amann, E., Wolff, P., Breel, E., biomaterialia, M. van G.-A., & 2017 Hyaluronic acid facilitates chondrogenesis and matrix deposition of human adipose derived mesenchymal stem cells and human chondrocytes co-cultures. *Elsevier*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S1742706117300739>
- Ansari, T., Lange, P., Southgate, A., Greco, K., Carvalho, C., Partington, L., ... Birchall, M. A. (2017). Stem Cell-Based Tissue-Engineered Laryngeal Replacement. *STEM CELLS Translational Medicine*, 6(2), 677-687. <http://doi.org/10.5966/sctm.2016-0130>
- Armbruster, N., Krieg, J., ... M. W.-F. & 2017 Rescued chondrogenesis of mesenchymal stem cells under interleukin 1 challenge by foamyviral interleukin 1 receptor antagonist gene transfer. *Ncbi.nlm.nih.gov*. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5422547/>
- Assmann, A., Struß, M., ... F. S.-J. 2017 Improvement of the in vivo cellular repopulation of decellularized cardiovascular tissues by a detergent-free, non-proteolytic, actin-disassembling regimen. *Wiley Online Library*. Retrieved from <http://onlinelibrary.wiley.com/doi/10.1002/term.2271/full>
- Ayoub, S., Lee, C., ... K. D.-J. of T., & 2017 Regulation of valve interstitial cell homeostasis by mechanical deformation: implications for heart valve disease and surgical repair. *Rsf.royalsocietypublishing.org*. Retrieved from <http://rsif.royalsocietypublishing.org/content/14/135/20170580.abstract>
- Beiki, B., Zeynali, B., C, E. S.-M. S. and E., & 2017 Fabrication of a three dimensional spongy scaffold using human Wharton's jelly derived extra cellular matrix for wound healing. *Elsevier*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S0928493116314515>
- Berninger, M. T., Mohajerani, P., Kimm, M., Masius, S., Ma, X., Wildgruber, M., ... Meier, R. (2017). Fluorescence molecular tomography of DiR-labeled mesenchymal stem cell implants for osteochondral defect repair in rabbit knees. *European Radiology*, 27(3), 1105-1113. <http://doi.org/10.1007/s00330-016-4457-5>
- Bhatia, M., Lugo, C., Ye, Q., 9775886B2, J. E.-U. P., & 2017 Human placental collagen compositions, and methods of making and using the same. *Google Patents*. Retrieved from <https://patents.google.com/patent/US9775886B2/en>

- Bhattacharyya, S., Feferman, L., Oncotarget, J. T. Chondroitin sulfatases differentially regulate Wnt signaling in prostate stem cells through effects on SHP2, phospho-ERK1/2, and Dickkopf Wnt signaling. *Ncbi.nlm.nih.gov*. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5725016/>
- Bhattacharyya, S., Feferman, L., Terai, K., Oncotarget, A. D.-, 2017 Decline in arylsulfatase B leads to increased invasiveness of melanoma cells. *Ncbi.nlm.nih.gov*. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5354821/>
- Blanquer, S. B. G., Gebraad, A. W. H., Miettinen, S., Poot, A. A., Grijpma, D. W., & Haimi, S. P. (2017). Differentiation of adipose stem cells seeded towards annulus fibrosus cells on a designed poly(trimethylene carbonate) scaffold prepared by stereolithography. *Journal of Tissue Engineering and Regenerative Medicine*, 11(10), 2752-2762. <http://doi.org/10.1002/term.2170>
- Brady, M. A., Talvard, L., Vella, A., & Ethier, C. R. (2017). Bio-inspired design of a magnetically active trilayered scaffold for cartilage tissue engineering. *Journal of Tissue Engineering and Regenerative Medicine*, 11(4), 1298-1302. <http://doi.org/10.1002/term.2106>
- Brézillon, S., Untereiner, V., Mohamed, H., Analyst, J. H.-, & 2017 Probing glycosaminoglycan spectral signatures in live cells and their conditioned media by Raman microspectroscopy. *Pubs.rsc.org*. Retrieved from <http://pubs.rsc.org/-/content/articlehtml/2017/an/c6an01951j>
- Bruyneel, A., organs, C. C.-A., & 2017 Ambiguity in the presentation of decellularized tissue composition: the need for standardized approaches. *Wiley Online Library*. Retrieved from <http://onlinelibrary.wiley.com/doi/10.1111/aor.12838/full>
- Butler, C., Hynds, R., Crowley, C., Biomaterials, K. G.-, & 2017 Vacuum-assisted decellularization: an accelerated protocol to generate tissue-engineered human tracheal scaffolds. *Elsevier*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S0142961217300698>
- Carroll, S., Buckley, C., and, D. K.-F. in bioengineering, & 2017 Cyclic tensile strain can play a role in directing both intramembranous and endochondral ossification of mesenchymal stem cells. *Ncbi.nlm.nih.gov*. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5712005/>
- Chijimatsu, R., Ikeya, M., Yasui, Y., ... Y. I.-S. C., & 2017 Characterization of Mesenchymal Stem Cell-Like Cells Derived From Human iPSCs via Neural Crest Development and Their Application for Osteochondral Repair. *Hindawi.com*. Retrieved from <https://www.hindawi.com/journals/sci/2017/1960965/abs/>
- Choi, Y. S., Park, Y.-B., Ha, C.-W., Kim, J. A., Heo, J.-C., Han, W.-J., ... Choi, S.-J. (2017). Different characteristics of mesenchymal stem cells isolated from different layers of full term placenta. *PLOS ONE*, 12(2), e0172642. <http://doi.org/10.1371/journal.pone.0172642>
- Critchley, S., ... R. E.-J. of tissue, & 2017 Low oxygen conditions promote synergistic increases in chondrogenesis during co-culture of human osteoarthritic stem cells and chondrocytes. *Wiley Online Library*. Retrieved from <http://onlinelibrary.wiley.com/doi/10.1002/term.2602/full>
- Cruz, M. A., Hom, W. W., Tyler, D., Merrill, R., Torre, O. M., Lin, H. A., (2017). Cell-Seeded Adhesive Biomaterial for Repair of Annulus Fibrosus Defects in Intervertebral Discs. *Tissue Engineering Part A*, ten.TEA.2017.0334. <http://doi.org/10.1089/ten.TEA.2017.0334>
- Cunha, C., Lamas, S., ... R. G.-J. of O., & 2017 Joint analysis of IVD herniation and degeneration by rat caudal needle puncture model. *Wiley Online Library*. Retrieved from <http://onlinelibrary.wiley.com/doi/10.1002/jor.23114/full>
- Cunniffe, G. M., Gonzalez-Fernandez, T., Daly, A., Sathy, B. N., Jeon, O., Alsberg, E., & Kelly, D. J. (2017). Three-Dimensional Bioprinting of Polycaprolactone Reinforced Gene Activated Bioinks for Bone Tissue Engineering. *Tissue Engineering Part A*, ten.tea.2016.0498. <http://doi.org/10.1089/ten.tea.2016.0498>
- Cunniffe, G., Díaz-Payno, P., Ramey, J., & Mahon, O. (2017). Growth plate extracellular matrix-derived scaffolds for large bone defect healing. Retrieved from <http://epubs.rcsi.ie/anartart/98/>

- Damaraju, S., Shen, Y., Elele, E., Biomaterials, B. K. -, & 2017 Three-dimensional piezoelectric fibrous scaffolds selectively promote mesenchymal stem cell differentiation. *Elsevier*. Retrieved from <https://www.sciencedirect.com/science/article/pii/S0142961217306099>
- Denkovskij, J., Bagdonas, E., ... I. K.-S. cells, & 2017 Paracrine Potential of the Human Adipose Tissue-Derived Stem Cells to Modulate Balance between Matrix Metalloproteinases and Their Inhibitors in the Osteoarthritic. *Hindawi.com*. Retrieved from <https://www.hindawi.com/journals/sci/2017/9542702/abs/>
- Di Meglio, F., Nurzynska, D., Romano, V., Miraglia, R., Belviso, I., Sacco, A. M., ... Castaldo, C. (2017). Optimization of Human Myocardium Decellularization Method for the Construction of Implantable Patches. *Tissue Engineering Part C: Methods*, 23(9), 525-539. <http://doi.org/10.1089/ten.tec.2017.0267>
- Duisit, J., Maistriaux, L., Taddeo, A., ... G. O.-A. of, & 2017 Bioengineering a Human Face Graft: The Matrix of Identity. *Journals.lww.com*. Retrieved from http://journals.lww.com/annalsofsurgery/Abstract/2017/11000/Bioengineering_a_Human_Face_Graft_The_Matrix_of.9.aspx
- Elebring, E., Kuna, V., ... N. K.-J. of tissue, & 2017 Cold-perfusion decellularization of whole-organ porcine pancreas supports human fetal pancreatic cell attachment and expression of endocrine and exocrine markers. *Journals.sagepub.com*. Retrieved from <http://journals.sagepub.com/doi/abs/10.1177/2041731417738145>
- Farnaghi, S., Prasadam, I., Cai, G., Friis, T., Journal, Z. D.-T. F., & 2017 Protective effects of mitochondria-targeted antioxidants and statins on cholesterol-induced osteoarthritis. *FASEB*. Retrieved from <http://www.fasebj.org/content/31/1/356.short>
- Fischer, I., Westphal, M., Rossbach, B., ... N. B.-B., & 2017 Comparative characterization of decellularized renal scaffolds for tissue engineering. *Iopscience.iop.org*. Retrieved from <http://iopscience.iop.org/article/10.1088/1748-605X/aa6c6d/meta>
- Fumić, B., Jablan, J., Cinčić, D., ... M. K.-J. of, & 2017 Cyclodextrin encapsulation of daidzein and genistein by grinding: Implication on the glycosaminoglycan accumulation in mucopolysaccharidosys type II and III. *Taylor & Francis*. Retrieved from <http://www.tandfonline.com/doi/abs/10.1080/02652048.2017.1409819>
- Fumić, B., Končić, M., & Jug, M. (2016). Therapeutic Potential of Hydroxypropyl-β-Cyclodextrin-Based Extract of *Medicago sativa* in the Treatment of Mucopolysaccharidoses. *Planta Medica*, 83(01/02), 40-50.
- Gao, S., Guo, W., Chen, M., Yuan, Z., ... M. W.-J. of M., & 2017 Fabrication and characterization of electrospun nanofibers composed of decellularized meniscus extracellular matrix and polycaprolactone for meniscus tissue. *Pubs.rsc.org*. Retrieved from <http://pubs.rsc.org/-/content/articlehtml/2017/tb/c6tb03299k>
- Gonzalez-Fernandez, T., Sathy, B., Biomaterialia, C. H.-A., & 2017 Mesenchymal stem cell fate following non-viral gene transfection strongly depends on the choice of delivery vector. *Elsevier*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S1742706117302192>
- Harb, A., Horn, A. von, Gocalek, K., Schäck, L., Injury, J. C.-, & 2017 Lactated Ringer-based storage solutions are equally well suited for the storage of fresh osteochondral allografts as cell culture medium-based storage solutions. *Elsevier*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S0020138317303315>
- Harris, E., Liu, Y., Cuniffe, G., ... D. M.-B. and, & 2017 Biofabrication of soft tissue templates for engineering the bone-ligament interface. *Wiley Online Library*. Retrieved from <http://onlinelibrary.wiley.com/doi/10.1002/bit.26362/full>
- He, J., Jiang, Y., Alexander, P., Ulici, V., ... Y. Z.-O. and, & 2017 Infrapatellar fat pad aggravates degeneration of acute traumatized cartilage: a possible role for interleukin-6. *Elsevier*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S1063458416302667>
- He, M., Callanan, A., Lagaras, K., Steele, J. A. M., & Stevens, M. M. (2017). Optimization of SDS exposure on preservation of ECM characteristics in whole organ decellularization of rat kidneys. *Journal of Biomedical Materials Research Part B: Applied Biomaterials*, 105(6), 1352-1360. <http://doi.org/10.1002/jbm.b.33668>

- Heng, B., Gong, T., Wang, S., Lim, L., endodontics, W. W.-J. of, & 2017 Decellularized Matrix Derived from Neural Differentiation of Embryonic Stem Cells Enhances the Neurogenic Potential of Dental Follicle Stem Cells. *Elsevier*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S0099239916307968>
- Heo, J., Lee, S., International, H. K.-S. C., & 2017 The Flavonoid Glabridin Induces OCT4 to Enhance Osteogenetic Potential in Mesenchymal Stem Cells. *Hindawi.com*. Retrieved from <https://www.hindawi.com/journals/sci/2017/6921703/abs/>
- Hino, K., Horigome, K., ... M. N.-T. J. of, & 2017 Activin-A enhances mTOR signaling to promote aberrant chondrogenesis in fibrodysplasia ossificans progressiva. *Am Soc Clin Investig*. Retrieved from <https://www.jci.org/articles/view/93521>
- Hondt, M. Den, Vanaudenaerde, B., biomaterialia, E. M.-A., & 2017 An optimized non-destructive protocol for testing mechanical properties in decellularized rabbit trachea. *Elsevier*. Retrieved from <https://www.sciencedirect.com/science/article/pii/S1742706117304725>
- Hsieh, F. (2017). The role of NF- κ B signaling in cartilage development and function. Retrieved from <https://edoc.ub.uni-muenchen.de/21351/>
- Hsieh, Y., Hsieh, M., Fang, C., Jiang, C., Polymers, B. L.-, & 2017 Osteochondral Regeneration Induced by TGF- β Loaded Photo Cross-Linked Hyaluronic Acid Hydrogel Infiltrated in Fused Deposition-Manufactured. *Mdpi.com*. Retrieved from <http://www.mdpi.com/2073-4360/9/5/182/htm>
- Hu, B., Xu, C., Cao, P., Tian, Y., Zhang, Y., Shi, C., ... Chen, H. (2018). TGF- β Stimulates Expression of Chondroitin Polymerizing Factor in Nucleus Pulposus Cells Through the Smad3, RhoA/ROCK1, and MAPK Signaling Pathways. *Journal of Cellular Biochemistry*, 119(1), 566-579. <http://doi.org/10.1002/jcb.26215>
- Hu, B., Xu, C., Tian, Y., Shi, C., Zhang, Y., Deng, L., ... 2017 Inflammatory microRNA-194 and-515 attenuate the biosynthesis of chondroitin sulfate during human intervertebral disc degeneration. *Ncbi.nlm.nih.gov*. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5564769/>
- Huang, B. J., Huey, D. J., Hu, J. C., & Athanasiou, K. A. (2017). Engineering biomechanically functional neocartilage derived from expanded articular chondrocytes through the manipulation of cell-seeding density and dexamethasone concentration. *Journal of Tissue Engineering and Regenerative Medicine*, 11(8), 2323-2332. <http://doi.org/10.1002/term.2132>
- Huang, G. P., Molina, A., Tran, N., Collins, G., & Arinze, T. L. (2017). Investigating cellulose derived glycosaminoglycan mimetic scaffolds for cartilage tissue engineering applications. *Journal of Tissue Engineering and Regenerative Medicine*. <http://doi.org/10.1002/term.2331>
- Huang, Y., Tseng, F., Chang, W., Peng, I., Biomaterialia, D. H.-A., & 2017 Preparation of acellular scaffold for corneal tissue engineering by supercritical carbon dioxide extraction technology. *Elsevier*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S1742706117303513>
- Huwe, L. W., Brown, W. E., Hu, J. C., & Athanasiou, K. A. (2017). Characterization of costal cartilage and its suitability as a cell source for articular cartilage tissue engineering. *Journal of Tissue Engineering and Regenerative Medicine*. <http://doi.org/10.1002/term.2630>
- Huwe, L., Sullan, G., A, J. H.-... E. P., & 2017 Using Costal Chondrocytes to Engineer Articular Cartilage with Applications of Passive Axial Compression and Bioactive Stimuli. *Online.liebertpub.com*. Retrieved from <http://online.liebertpub.com/doi/abs/10.1089/ten.TEA.2017.0136>
- Ikeda, Y., Sakaue, M., Chijimatsu, R., ... D. H.-S. 2017 IGF-1 Gene Transfer to Human Synovial MSCs Promotes Their Chondrogenic Differentiation Potential without Induction of the Hypertrophic Phenotype. *Hindawi.com*. Retrieved from <https://www.hindawi.com/journals/sci/2017/5804147/abs/>
- Jadalannagari, S., Converse, G., McFall, C., Buse, E., Filla, M., Villar, M. T., ... Aljitawi, O. S. (2017). Decellularized Wharton's Jelly from human umbilical cord as a novel 3D scaffolding material for tissue engineering applications. *PLOS ONE*, 12(2), e0172098. <http://doi.org/10.1371/journal.pone.0172098>

- Jank, B. J., Goverman, J., Guyette, J. P., Charest, J. M., Randolph, M., Gaudette, G. R., ... Ott, H. C. (2017). Creation of a Bioengineered Skin Flap Scaffold with a Perfusable Vascular Pedicle. *Tissue Engineering Part A*, 23(13-14), 696-707. <http://doi.org/10.1089/ten.tea.2016.0487>
- Jin, Y., Chen, X., Gao, Z., Liu, K., ... Y. H.-B. and J., & 2017 The role of miR-320a and IL-1 β in human chondrocyte degradation. *Bjr.boneandjoint.org.uk*. Retrieved from <http://bjr.boneandjoint.org.uk/content/6/4/196.abstract>
- Jonitz-Heincke, A., Klinder, A., Boy, D., Salamon, A., Hansmann, D., Pasold, J., ... Bader, R. (2017). *In Vitro* Analysis of the Differentiation Capacity of Postmortally Isolated Human Chondrocytes Influenced by Different Growth Factors and Oxygen Levels. *CARTILAGE*, 194760351771931. <http://doi.org/10.1177/1947603517719318>
- Kang, L., Hu, J., Weng, Y., Jia, J., research, Y. Z.-E. cell, & 2017 Sirtuin 6 prevents matrix degradation through inhibition of the NF- κ B pathway in intervertebral disc degeneration. *Elsevier*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S0014482717300770>
- Kang, L., Yang, C., Song, Y., Zhao, K., Liu, W., Oncotarget, W. H 2017 MicroRNA-494 promotes apoptosis and extracellular matrix degradation in degenerative human nucleus pulposus cells. *Ncbi.nlm.nih.gov*. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5438614/>
- Keane, T. J., Dziki, J., Castleton, A., Faulk, D. M., Messerschmidt, V., Londono, R., ... Badylak, S. F. (2017). Preparation and characterization of a biologic scaffold and hydrogel derived from colonic mucosa. *Journal of Biomedical Materials Research Part B: Applied Biomaterials*, 105(2), 291-306. <http://doi.org/10.1002/jbm.b.33556>
- Kim, B., Ventura, R., & Lee, B.-T. (2017). Functionalization of porous BCP scaffold by generating cell-derived extracellular matrix from rat bone marrow stem cells culture for bone tissue engineering. *Journal of Tissue Engineering and Regenerative Medicine*. <http://doi.org/10.1002/term.2529>
- Kim, J. S., Choi, J. S., & Cho, Y. W. (2017). Cell-Free Hydrogel System Based on a Tissue-Specific Extracellular Matrix for In Situ Adipose Tissue Regeneration. *ACS Applied Materials & Interfaces*, 9(10), 8581-8588. <http://doi.org/10.1021/acsami.6b16783>
- Kim, J., Choi, J., Interfaces, Y. C.-A. A. M. &, & 2017 Cell-Free Hydrogel System Based on a Tissue-Specific Extracellular Matrix for In Situ Adipose Tissue Regeneration. *ACS Publications*. Retrieved from <http://pubs.acs.org/doi/abs/10.1021/acsami.6b16783>
- Kitano, K., Schwartz, D., Zhou, H., ... S. G.-N., & 2017 Bioengineering of functional human induced pluripotent stem cell-derived intestinal grafts. *Nature.com*. Retrieved from <https://www.nature.com/articles/s41467-017-00779-y>
- Kočí, Z., Výborný, K., Dubišová, J., Vacková, I., Jäger, A., Lunov, O., ... Kubinová, Š. (2017). Extracellular Matrix Hydrogel Derived from Human Umbilical Cord as a Scaffold for Neural Tissue Repair and Its Comparison with Extracellular Matrix from Porcine Tissues. *Tissue Engineering Part C: Methods*, 23(6), 333-345. <http://doi.org/10.1089/ten.tec.2017.0089>
- Kohno, Y., Mizuno, M., Ozeki, N., Katano, H., Komori, K., Fujii, S., ... Sekiya, I. (2017). Yields and chondrogenic potential of primary synovial mesenchymal stem cells are comparable between rheumatoid arthritis and osteoarthritis patients. *Stem Cell Research & Therapy*, 8(1), 115. <http://doi.org/10.1186/s13287-017-0572-8>
- Kwon, H., Haudenschild, A. K., Brown, W. E., Vapniarsky, N., Paschos, N. K., Arzi, B., ... Athanasiou, K. A. (2017). Tissue engineering potential of human dermis-isolated adult stem cells from multiple anatomical locations. *PLOS ONE*, 12(8), e0182531. <http://doi.org/10.1371/journal.pone.0182531>
- Lange, P., Greco, K., Partington, L., Carvalho, C., Oliani, S., Birchall, M. A., ... Ansari, T. (2017). Pilot study of a novel vacuum-assisted method for decellularization of tracheae for clinical tissue engineering applications. *Journal of Tissue Engineering and Regenerative Medicine*, 11(3), 800-811. <http://doi.org/10.1002/term.1979>

- Lange, P., Shah, H., Birchall, M., Sibbons, P., & Ansari, T. (2017). Characterization of a biologically derived rabbit tracheal scaffold. *Journal of Biomedical Materials Research Part B: Applied Biomaterials*, 105(7), 2126-2135. <http://doi.org/10.1002/jbm.b.33741>
- Laoharawee, K., Podetz-Pedersen, K. M., Nguyen, T. T., Evenstar, L. B., Kitto, K. F., Nan, Z., ... Mclvor, R. S. (2017). Prevention of Neurocognitive Deficiency in Mucopolysaccharidosis Type II Mice by Central Nervous System-Directed, AAV9-Mediated Iduronate Sulfatase Gene Transfer. *Human Gene Therapy*, 28(8), 626-638. <http://doi.org/10.1089/hum.2016.184>
- Lee, J., & Im, G.-I. (2017). Effects of Trichostatin A on the Chondrogenesis from Human Mesenchymal Stem Cells. *Tissue Engineering and Regenerative Medicine*, 14(4), 403-410. <http://doi.org/10.1007/s13770-017-0041-6>
- Lee, P., Chau, E., Cabello, R., Yeh, A. 2017 Inverted orientation improves decellularization of whole porcine hearts. *Elsevier*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S1742706116306432>
- Li, J., Li, X., Zhang, J., Kawazoe, N., & Chen, G. (2017). Induction of Chondrogenic Differentiation of Human Mesenchymal Stem Cells by Biomimetic Gold Nanoparticles with Tunable RGD Density. *Advanced Healthcare Materials*, 6(14), 1700317. <http://doi.org/10.1002/adhm.201700317>
- Li, T., Song, X., Weng, C., Wang, X., Sun, L., ... X. G.-A. M., & 2017 Self-crosslinking and injectable chondroitin sulfate/pullulan hydrogel for cartilage tissue engineering. *Elsevier*. Retrieved from <https://www.sciencedirect.com/science/article/pii/S2352940717303906>
- Li, Y., Wu, Q., Wang, Y., Li, L., Chen, F., Shi, Y., ... Bu, H. (2017). Construction of bioengineered hepatic tissue derived from human umbilical cord mesenchymal stem cells via aggregation culture in porcine decellularized liver scaffolds. *Xenotransplantation*, 24(1), e12285. <http://doi.org/10.1111/xen.12285>
- Li, Z., Ba, R., Wang, Z., Wei, J., Zhao, Y., & Wu, W. (2017). Angiogenic Potential of Human Bone Marrow-Derived Mesenchymal Stem Cells in Chondrocyte Brick-Enriched Constructs Promoted Stable Regeneration of Craniofacial Cartilage. *STEM CELLS Translational Medicine*, 6(2), 601-612. <http://doi.org/10.5966/sctm.2016-0050>
- Lim, H., Min, D., Yun, H., Kim, K., ... Y. S.-J. of, & 2017 Impressic acid from *Acanthopanax koreanum*, possesses matrix metalloproteinase-13 down-regulating capacity and protects cartilage destruction. *Elsevier*. Retrieved from <https://www.sciencedirect.com/science/article/pii/S0378874117319256>
- Lin, Y. M., Lee, J., Lim, J. F. Y., Choolani, M., Chan, J. K. Y., Reuveny, S., & Oh, S. K. W. (2017). Critical attributes of human early mesenchymal stromal cell-laden microcarrier constructs for improved chondrogenic differentiation. *Stem Cell Research & Therapy*, 8(1), 93. <http://doi.org/10.1186/s13287-017-0538-x>
- Liu, H., Guo, R., Shang, J., Zhang, B., OF, M. D.-I. J., & 2017 Resveratrol inhibits TNF- α -induced matrix degradation via the p38/MAPK and Akt pathways in human nucleus pulposus cells. *Ijcem.com*. Retrieved from <http://www.ijcem.com/files/ijcem0038245.pdf>
- Liu, H., Wang, J., Ren, G., Zhang, Y., & Dong, F. (2017). The relationship between proteoglycan inhibition via xylosyltransferase II silencing and the implantation of salivary pleomorphic adenoma. *Journal of Oral Pathology & Medicine*, 46(7), 504-512. <http://doi.org/10.1111/jop.12510>
- Luna-Preitschopf, A., Zwickl, H., ... S. N.-I. journal of, & 2017 Rapamycin Maintains the Chondrocytic Phenotype and Interferes with Inflammatory Cytokine Induced Processes. *Mdpi.com*. Retrieved from <http://www.mdpi.com/1422-0067/18/7/1494/htm>
- Luo, L., O'Reilly, A. R., Thorpe, S. D., Buckley, C. T., & Kelly, D. J. (2017). Engineering zonal cartilaginous tissue by modulating oxygen levels and mechanical cues through the depth of infrapatellar fat pad stem cell laden hydrogels. *Journal of Tissue Engineering and Regenerative Medicine*, 11(9), 2613-2628. <http://doi.org/10.1002/term.2162>

- Lynch, A., & M. A.-T. V. S., & 2017 Retinoic Acid Enhances the Differentiation of Adipose-Derived Stem Cells to Keratocytes In Vitro. *Tvst.arvojournals.org*. Retrieved from <http://tvst.arvojournals.org/article.aspx?articleid=2598509>
- Magno, V., Friedrichs, J., Weber, H., Biomaterialia, M. P.-A., & 2017 Macromolecular crowding for tailoring tissue-derived fibrillated matrices. *Elsevier*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S1742706117302568>
- Mao, Y., Hoffman, T., Wu, A., & Kohn, J. (2017). An Innovative Laboratory Procedure to Expand Chondrocytes with Reduced Dedifferentiation. *CARTILAGE*, 194760351774672. <http://doi.org/10.1177/1947603517746724>
- Mao, Y., Hoffman, T., Wu, A., Goyal, R., & Kohn, J. (2017). Cell type-specific extracellular matrix guided the differentiation of human mesenchymal stem cells in 3D polymeric scaffolds. *Journal of Materials Science: Materials in Medicine*, 28(7), 100. <http://doi.org/10.1007/s10856-017-5912-9>
- Masaeli, E., Karamali, F., ... S. L.-J. of M., & 2017 Bio-engineered electrospun nanofibrous membranes using cartilage extracellular matrix particles. *Pubs.rsc.org*. Retrieved from <http://pubs.rsc.org/is/content/articlehtml/2017/tb/c6tb02015a>
- Matsumura, E., Tsuji, K., Komori, K., Koga, H., Cytotherapy, I. S.-, & 2017 Pretreatment with IL-1 β enhances proliferation and chondrogenic potential of synovium-derived mesenchymal stem cells. *Elsevier*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S1465324916305837>
- Meglio, F. Di, Nurzynska, D., ... V. R.-... E. P. C., & 2017 Optimization of Human Myocardium Decellularization Method for the Construction of Implantable Patches. *Online.liebertpub.com*. Retrieved from <http://online.liebertpub.com/doi/abs/10.1089/ten.tec.2017.0267>
- Mesallati, T., Buckley, C. T., & Kelly, D. J. (2017). Engineering cartilaginous grafts using chondrocyte-laden hydrogels supported by a superficial layer of stem cells. *Journal of Tissue Engineering and Regenerative Medicine*, 11(5), 1343-1353. <http://doi.org/10.1002/term.2033>
- Miyauchi, Y., Yasuchika, K., Fukumitsu, K., reports, T. I.-S., & 2017 A novel three-dimensional culture system maintaining the physiological extracellular matrix of fibrotic model livers accelerates progression of hepatocellular. *Nature.com*. Retrieved from <https://www.nature.com/articles/s41598-017-09391-y>
- Mohamed, H. T., Untereiner, V., Sockalingum, G. D., & Brézillon, S. (2017). Implementation of infrared and Raman modalities for glycosaminoglycan characterization in complex systems. *Glycoconjugate Journal*, 34(3), 309-323. <http://doi.org/10.1007/s10719-016-9743-6>
- My, M., Nazrun, A., Busra, M., KH, C., AG, N., & Rizal, A. PRO-CHONDROGENIC PROPENSITY OF STICOPUS CHLORONOTUS AQUEOUS EXTRACTS ON HUMAN OSTEOARTHRITIS ARTICULAR. *Academia.edu*. Retrieved from <http://www.academia.edu/download/54279979/6.pdf>
- Namiri, M., Kazemi Ashtiani, M., Abbasalizadeh, S., Mazidi, Z., Mahmoudi, E., Nikeghbalian, S., ... Baharvand, H. (2017). Improving the biological function of decellularized heart valves through integration of protein tethering and three-dimensional cell seeding in a bioreactor. *Journal of Tissue Engineering and Regenerative Medicine*. <http://doi.org/10.1002/term.2617>
- O'Leary, S., Link, J., Klineberg, E., biomaterialia, J. H.-A., & 2017 Characterization of facet joint cartilage properties in the human and interspecies comparisons. *Elsevier*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S1742706117301794>
- Olvera, D., Sathy, B., Carroll, S. 2017 Modulating microfibrillar alignment and growth factor stimulation to regulate mesenchymal stem cell differentiation. *Elsevier*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S1742706117306268>
- Parate, D., Franco-Obregón, A., Fröhlich, J., reports, C. B.-S., & 2017 Enhancement of mesenchymal stem cell chondrogenesis with short-term low intensity pulsed electromagnetic fields. *Nature.com*. Retrieved from <https://www.nature.com/articles/s41598-017-09892-w>

- Parmar, P., St-Pierre, J., Chow, L., biomaterialia, C. S.-A., & 2017 Enhanced articular cartilage by human mesenchymal stem cells in enzymatically mediated transiently RGDS-functionalized collagen-mimetic hydrogels. *Elsevier*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S1742706117300284>
- Paschos, N. K., Lim, N., Hu, J. C., & Athanasiou, K. A. (2017). Functional properties of native and tissue-engineered cartilage toward understanding the pathogenesis of chondral lesions at the knee: A bovine cadaveric study. *Journal of Orthopaedic Research*, 35(11), 2452-2464. <http://doi.org/10.1002/jor.23558>
- Payr, S., Tichy, B., Atteneder, C., Michel, M., Tiefenboeck, T., Lang, N., ... Albrecht, C. (2017). Redifferentiation of aged human articular chondrocytes by combining bone morphogenetic protein-2 and melanoma inhibitory activity protein in 3D-culture. *PLOS ONE*, 12(7), e0179729. <http://doi.org/10.1371/journal.pone.0179729>
- Pellegata, A., Bottagisio, M., ... F. B.-M. S. and, & 2017 Terminal sterilization of equine-derived decellularized tendons for clinical use. *Elsevier*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S0928493116307986>
- Pentlavalli, S., Chambers, P., Sathy, B. N., O'Doherty, M., Chalanqui, M., Kelly, D. J., ... Dunne, N. J. (2017). Simple Radical Polymerization of Poly(Alginate-Graft- *N*-Isopropylacrylamide) Injectable Thermoresponsive Hydrogel with the Potential for Localized and Sustained Delivery of Stem Cells and Bioactive Molecules. *Macromolecular Bioscience*, 17(11), 1700118. <http://doi.org/10.1002/mabi.201700118>
- Philips, C., Cornelissen, R., neural, V. C.-J. of, & 2017 Evaluation methods as quality control in the generation of decellularized peripheral nerve allografts. *Iopscience.iop.org*. Retrieved from <http://iopscience.iop.org/article/10.1088/1741-2552/aaa21a/meta>
- Piccoli, M., D'Angelo, E., Crotti, S., Sensi, F., Urbani, L., Maghin, E., ... Agostini, M. (2017). Decellularized colorectal cancer matrix as bioactive microenvironment for *in vitro* 3D cancer research. *Journal of Cellular Physiology*. <http://doi.org/10.1002/jcp.26403>
- Piccoli, M., Trevisan, C., Maghin, E 2017 Mouse Skeletal Muscle Decellularization. *Springer*. Retrieved from http://link.springer.com/protocol/10.1007/7651_2017_28
- Poornejad, N. (2017). Decellularization and Recellularization Processes for Whole Porcine Kidneys. Retrieved from <http://search.proquest.com/openview/2bbaf45506564a7e9db88eff1df7dd1d/1?pg-origsite=gscholar&cbl=18750&diss=y>
- Prasadam, I., Akuien, A., Friis, T., Fang, W., ... X. M.-L., & 2017 Mixed cell therapy of bone marrow-derived mesenchymal stem cells and articular cartilage chondrocytes ameliorates osteoarthritis development. *Nature.com*. Retrieved from <https://www.nature.com/articles/labinvest2017117>
- Pu, L., Wu, J., Pan, X., Hou, Z., Zhang, J., Chen, W., ... Jiang, L. (2017). Determining the optimal protocol for preparing an acellular scaffold of tissue engineered small-diameter blood vessels. *Journal of Biomedical Materials Research Part B: Applied Biomaterials*. <http://doi.org/10.1002/jbm.b.33827>
- Rajabi, S., Jalili-Firoozinezhad, S., Ashtiani, M. K., Le Carrou, G., Tajbakhsh, S., & Baharvand, H. (2017). Effect of chemical immobilization of SDF-1 α into muscle-derived scaffolds on angiogenesis and muscle progenitor recruitment. *Journal of Tissue Engineering and Regenerative Medicine*. <http://doi.org/10.1002/term.2479>
- Romanazzo, S., Vedicherla, S., Moran, C., & Kelly, D. J. (2017). Meniscus ECM-functionalised hydrogels containing infrapatellar fat pad-derived stem cells for bioprinting of regionally defined meniscal tissue. *Journal of Tissue Engineering and Regenerative Medicine*. <http://doi.org/10.1002/term.2602>
- Roosens, A., Puype, I., Cellular, R. C.-J. of M. and, & 2017 Scaffold-free high throughput generation of quiescent valvular microtissues. *Elsevier*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S0022282817300536>

- Rothrauff, B. B., Coluccino, L., Gottardi, R., Ceseracciu, L., Scaglione, S., Goldoni, L., & Tuan, R. S. (2017). Efficacy of thermoresponsive, photocrosslinkable hydrogels derived from decellularized tendon and cartilage extracellular matrix for cartilage tissue engineering. *Journal of Tissue Engineering and Regenerative Medicine*. <http://doi.org/10.1002/term.2465>
- Rothrauff, B. B., Lauro, B. B., Yang, G., Debski, R. E., Musahl, V., & Tuan, R. S. (2017). Braided and Stacked Electrospun Nanofibrous Scaffolds for Tendon and Ligament Tissue Engineering. *Tissue Engineering Part A*, 23(9-10), 378-389. <http://doi.org/10.1089/ten.tea.2016.0319>
- Rothrauff, B. B., Yang, G., & Tuan, R. S. (2017). Tissue-specific bioactivity of soluble tendon-derived and cartilage-derived extracellular matrices on adult mesenchymal stem cells. *Stem Cell Research & Therapy*, 8(1), 133. <http://doi.org/10.1186/s13287-017-0580-8>
- Rothrauff, B., Shimomura, K., Gottardi, R., biomaterialia, P. A.-A., & 2017 Anatomical region-dependent enhancement of 3-dimensional chondrogenic differentiation of human mesenchymal stem cells by soluble meniscus extracellular matrix. *Elsevier*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S1742706116306420>
- Ryzhuk, V., Zeng, X., Wang, X., ... V. M.-M. S. and, & 2017 Human amnion extracellular matrix derived bioactive hydrogel for cell delivery and tissue engineering. *Elsevier*. Retrieved from <https://www.sciencedirect.com/science/article/pii/S0928493117318908>
- Saheli, M., Sepantafar, M., Pournasr, B., Farzaneh, Z., Vosough, M., Piryaee, A., & Baharvand, H. (2017). Three-Dimensional Liver-derived Extracellular Matrix Hydrogel Promotes Liver Organoids Function. *Journal of Cellular Biochemistry*. <http://doi.org/10.1002/jcb.26622>
- Salhiyyah, K., Sarathchandra, P., ... N. L.-A. J. of, & 2017 Hypoxia-mediated regulation of the secretory properties of mitral valve interstitial cells. *Am Physiological Soc*. Retrieved from <http://ajpheart.physiology.org/content/313/1/h14.abstract>
- Samuel, S., Ahmad, R. E., Ramasamy, T. S., Karunanithi, P., Naveen, S. V., & Kamarul, T. (2017). Platelet-rich concentrate in serum-free medium enhances cartilage-specific extracellular matrix synthesis and reduces chondrocyte hypertrophy of human mesenchymal stromal cells encapsulated in alginate. *Platelets*, 1-9. <http://doi.org/10.1080/09537104.2017.1371287>
- San-Marina, S., Sharma, A., ... S. V.-J. facial plastic, & 2017 Assessment of Scaffolding Properties for Chondrogenic Differentiation of Adipose-Derived Mesenchymal Stem Cells in Nasal Reconstruction. *Jamanetwork.com*. Retrieved from <http://jamanetwork.com/journals/jamafacialplasticsurgery/fullarticle/2566042>
- Sathy, B., Olvera, D., ... T. G.-F.-J. of M., & 2017 RALA complexed α -TCP nanoparticle delivery to mesenchymal stem cells induces bone formation in tissue engineered constructs in vitro and in vivo. *Pubs.rsc.org*. Retrieved from <http://pubs.rsc.org/-/content/articlehtml/2017/tb/c6tb02881k>
- Schussler, S. D., Uske, K., Marwah, P., Kemp, F. W., Bogden, J. D., Lin, S. S., & Livingston Arinzeh, T. (2017). Controlled Release of Vanadium from a Composite Scaffold Stimulates Mesenchymal Stem Cell Osteochondrogenesis. *The AAPS Journal*, 19(4), 1017-1028. <http://doi.org/10.1208/s12248-017-0073-9>
- Sekar, S., Shafie, S., Prasad, I., ... R. C.-S., & 2017 Saturated fatty acids induce development of both metabolic syndrome and osteoarthritis in rats. *Ncbi.nlm.nih.gov*. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5394476/>
- Shah, B., of, N. C.-J., & 2017 Optimization of Hydrostatic Pressure Loading on Nucleus Pulposus Cells using a High-throughput Bioreactor. ... *asmedigitalcollection.asme.org*. Retrieved from <http://manufacturingscience.asmedigitalcollection.asme.org/data/journals/jbendy/0/bio-17-1360.pdf?resultclick=1>
- Shimomura, K., Rothrauff, B. B., & Tuan, R. S. (2017). Region-Specific Effect of the Decellularized Meniscus Extracellular Matrix on Mesenchymal Stem Cell-Based Meniscus Tissue Engineering. *The American Journal of Sports Medicine*, 45(3), 604-611. <http://doi.org/10.1177/0363546516674184>

- Shioda, M., Muneta, T., Tsuji, K., Mizuno, M., Komori, K., Koga, H., & Sekiya, I. (2017). TNF α promotes proliferation of human synovial MSCs while maintaining chondrogenic potential. *PLOS ONE*, 12(5), e0177771. <http://doi.org/10.1371/journal.pone.0177771>
- Sidney, L. E., & Hopkinson, A. (2017). Corneal keratocyte transition to mesenchymal stem cell phenotype and reversal using serum-free medium supplemented with fibroblast growth factor-2, transforming growth factor- β 3 and retinoic acid. *Journal of Tissue Engineering and Regenerative Medicine*. <http://doi.org/10.1002/term.2316>
- Simões, I., Vale, P., Soker, S., Atala, A., Reports, D. K.-S., & 2017 Acellular Urethra Bioscaffold: Decellularization of Whole Urethras for Tissue Engineering Applications. *Nature.com*. Retrieved from https://www.nature.com/articles/srep41934?WT.feed_name=subjects_biotechnology
- Suleria, H. A. R., Masci, P. P., Addepalli, R., Chen, W., Gobe, G. C., & Osborne, S. A. (2017). In vitro anti-thrombotic and anti-coagulant properties of blacklip abalone (*Haliotis rubra*) viscera hydrolysate. *Analytical and Bioanalytical Chemistry*, 409(17), 4195-4205. <http://doi.org/10.1007/s00216-017-0367-x>
- Suleria, H., Masci, P., Zhao, K., Addepalli, R., drugs, W. C.-M., & 2017 Anti-Coagulant and Anti-Thrombotic Properties of Blacklip Abalone (*Haliotis rubra*): In Vitro and Animal Studies. *Mdpi.com*. Retrieved from <http://www.mdpi.com/1660-3397/15/8/240>
- Tamaddon, M., Burrows, M., Ferreira, S., ... F. D.-S., & 2017 Monomeric, porous type II collagen scaffolds promote chondrogenic differentiation of human bone marrow mesenchymal stem cells in vitro. *Ncbi.nlm.nih.gov*. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5335259/>
- Teng, Y., Li, X., Chen, Y., Cai, H., Cao, W., ... X. C.-J. of M., & 2017 Extracellular matrix powder from cultured cartilage-like tissue as cell carrier for cartilage repair. *Pubs.rsc.org*. Retrieved from <http://pubs.rsc.org/is/content/articlehtml/2017/tb/c7tb00640c>
- Teong, B., Wu, S.-C., Chang, C.-M., Chen, J.-W., Chen, H.-T., Chen, C.-H., ... Ho, M.-L. (2017). The stiffness of a crosslinked hyaluronan hydrogel affects its chondro-induction activity on hADSCs. *Journal of Biomedical Materials Research Part B: Applied Biomaterials*. <http://doi.org/10.1002/jbm.b.33881>
- Vapniarsky, N., Aryaei, A., Arzi, B., Hatcher, D. C., Hu, J. C., & Athanasiou, K. A. (2017). The Yucatan Minipig Temporomandibular Joint Disc Structure-Function Relationships Support Its Suitability for Human Comparative Studies. *Tissue Engineering Part C: Methods*, 23(11), 700-709. <http://doi.org/10.1089/ten.tec.2017.0149>
- VeDepo, M., Buse, E., Quinn, R., biomaterialia, T. W.-A., & 2017 Species-specific effects of aortic valve decellularization. *Elsevier*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S1742706117300089>
- Vedicherla, S., Cell, C. B.-T. and, & 2017 In vitro extracellular matrix accumulation of nasal and articular chondrocytes for intervertebral disc repair. *Elsevier*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S0040816616301689>
- Vedicherla, S., international, C. B.-B. research, & 2017 Rapid Chondrocyte Isolation for Tissue Engineering Applications: The Effect of Enzyme Concentration and Temporal Exposure on the Matrix Forming Capacity of. *Hindawi.com*. Retrieved from <https://www.hindawi.com/journals/bmri/2017/2395138/abs/>
- Vedicherla, S., Romanazzo, S., Kelly, D. J., Buckley, C. T., & Moran, C. J. (2017). Chondrocyte-based intraoperative processing strategies for the biological augmentation of a polyurethane meniscus replacement. *Connective Tissue Research*, 1-12. <http://doi.org/10.1080/03008207.2017.1402892>
- Voissiere, A., Jouberton, E., Maubert, E., Degoul, F., Peyrode, C., Chezal, J.-M., & Miot-Noirault, É. (2017). Development and characterization of a human three-dimensional chondrosarcoma culture for in vitro drug testing. *PLOS ONE*, 12(7), e0181340. <http://doi.org/10.1371/journal.pone.0181340>
- Wachs, R., Hoogenboezem, E., Huda, H., Journal, S. X.-T. S., & 2017 Creation of an injectable in situ gelling native extracellular matrix for nucleus pulposus tissue engineering. *Elsevier*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S1529943016310373>

- Wagner, E. R., Parry, J., Dadsetan, M., Bravo, D., Riester, S. M., van Wijnen, A. J., ... Kakar, S. (2017). Chondrocyte Attachment, Proliferation, and Differentiation on Three-Dimensional Polycaprolactone Fumarate Scaffolds. *Tissue Engineering Part A*, 23(13-14), 622-629. <http://doi.org/10.1089/ten.tea.2016.0341>
- Wang, J., Luo, B., Guneta, V., Li, L., Foo, S., ... Y. D.-M. S. and, & 2017 Supercritical carbon dioxide extracted extracellular matrix material from adipose tissue. *Elsevier*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S0928493116314333>
- Wang, J., Pan, H., Li, X., Zhang, K., Li, Z., Wang, H., ... Liu, H. (2017). Hypoxia suppresses serum deprivation-induced degradation of the nucleus pulposus cell extracellular matrix through the JNK and NF- κ B pathways. *Journal of Orthopaedic Research*, 35(9), 2059-2066. <http://doi.org/10.1002/jor.23486>
- Warttinger, U., Giese, C., & Krämer, R. (2017). Comparison of Heparin Red, Azure A and Toluidine Blue assays for direct quantification of heparins in human plasma. Retrieved from <http://arxiv.org/abs/1712.03377>
- Witt, A., Salamon, A., ... D. B.-I., & 2017 Gene expression analysis of growth factor receptors in human chondrocytes in monolayer and 3D pellet cultures. *Spandidos-Publications.com*. Retrieved from <https://www.spandidos-publications.com/ijmm/40/1/10?text=abstract>
- Wright, G. J., Coombs, M. C., Wu, Y., Damon, B. J., Bacro, T. H., Kern, M. J., ... Yao, H. (2017). Electrical Conductivity Method to Determine Sexual Dimorphisms in Human Temporomandibular Disc Fixed Charge Density. *Annals of Biomedical Engineering*. <http://doi.org/10.1007/s10439-017-1963-9>
- Wu, J., Ravikumar, P., Nguyen, K. T., Hsia, C. C. W., & Hong, Y. (2017). Lung protection by inhalation of exogenous solubilized extracellular matrix. *PLOS ONE*, 12(2), e0171165. <http://doi.org/10.1371/journal.pone.0171165>
- Wu, Y., Cisewski, S., Sun, Y., Damon, B., Spine, B. S.-, & 2017 Quantifying Baseline Fixed Charge Density in Healthy Human Cartilage Endplate: A Two-point Electrical Conductivity Method. *Journals.lww.com*. Retrieved from http://journals.lww.com/spinejournal/Abstract/2017/09010/Quantifying_Baseline_Fixed_Charge_Density_in.3.aspx
- Wu, Y., Yang, Z., Law, J. B. K., He, A. Y., Abbas, A. A., Denslin, V., ... Lee, E. H. (2017). The Combined Effect of Substrate Stiffness and Surface Topography on Chondrogenic Differentiation of Mesenchymal Stem Cells. *Tissue Engineering Part A*, 23(1-2), 43-54. <http://doi.org/10.1089/ten.tea.2016.0123>
- Xing, Q., Qian, Z., Tahtinen, M., Yap, A. H., Yates, K., & Zhao, F. (2017). Aligned Nanofibrous Cell-Derived Extracellular Matrix for Anisotropic Vascular Graft Construction. *Advanced Healthcare Materials*, 6(10), 1601333. <http://doi.org/10.1002/adhm.201601333>
- Xu, R., Wei, B., Li, J., Huang, C., Lin, R., ... C. T.-... medical journal of, & 2017 Investigations of Cartilage Matrix Degeneration in Patients with Early-Stage Femoral Head Necrosis. *Ncbi.nlm.nih.gov*. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5727749/>
- Xue, L., Zhang, X., Niu, G., ... B. Y.-J. of B., & 2017 Characterization of Sodium Dodecyl Sulfate Decellularized Cow Diaphragmatic Tendon Extracellular Matrix as Sling Biomaterial in Stress Urinary Incontinence. *Ingentaconnect.com*. Retrieved from <http://www.ingentaconnect.com/contentone/asp/jbte/2017/00000007/00000001/art00011>
- Yang, S.-W., Ku, K.-C., Chen, S.-Y., Kuo, S.-M., Chen, I.-F., Wang, T.-Y., & Chang, S.-J. (2018). Development of chondrocyte-seeded electrosprayed nanoparticles for repair of articular cartilage defects in rabbits. *Journal of Biomaterials Applications*, 32(6), 800-812. <http://doi.org/10.1177/0885328217740729>
- Yang, Z., Denslin, V., Wu, Y., ... E. L.-... of B. and, & 2017 Influence of Fibrinogen Concentration on Mesenchymal Stem Cells and Chondrocytes Chondrogenesis in Fibrin Hydrogels. *Ingentaconnect.com*. Retrieved from <http://www.ingentaconnect.com/contentone/asp/jbte/2017/00000007/00000011/art00010>
- Yi, H., Forsythe, S., He, Y., Liu, Q., Xiong, G., Wei, S., ... 2017 Tissue-specific extracellular matrix promotes myogenic differentiation of human muscle progenitor cells on gelatin and heparin conjugated alginate hydrogels. *Elsevier*. Retrieved from <https://www.sciencedirect.com/science/article/pii/S1742706117305251>

- Zhang, J., Zhang, Q., Chen, J., Ni, J., Zhang, Z., Wang, G., ... Lin, X. (2017). Preparation and Evaluation of Tibia- and Calvarium-Derived Decellularized Periosteum Scaffolds. *ACS Biomaterials Science & Engineering*, 3(12), 3503-3514. <http://doi.org/10.1021/acsbiomaterials.7b00548>
- Zhao, C., Wang, S., Wang, G., Su, M., Song, L., Biomaterialia, J. C.-A., & 2017 Preparation of decellularized biphasic hierarchical myotendinous junction extracellular matrix for muscle regeneration. *Elsevier*. Retrieved from <https://www.sciencedirect.com/science/article/pii/S1742706117308012>
- Zhao, X., Hwang, N. S., Bichara, D. A., Saris, D. B., Malda, J., Vacanti, J. P., ... Randolph, M. A. (2017). Chondrogenesis by bone marrow-derived mesenchymal stem cells grown in chondrocyte-conditioned medium for auricular reconstruction. *Journal of Tissue Engineering and Regenerative Medicine*, 11(10), 2763-2773. <http://doi.org/10.1002/term.2171>

Blyscan Citations 2016

- Aamodt, J., & Grainger, D. (2016). Extracellular matrix-based biomaterial scaffolds and the host response. *Biomaterials*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S0142961216001009>
- Akella, R., & Kadali, S. (2016). Amniotic fluid glycosaminoglycans in the prenatal diagnosis of mucopolysaccharidoses-A useful biomarker. *Clinica Chimica Acta*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S0009898116302674>
- Almeida, H., Mulhall, K., & O'Brien, F. (2016). Stem cells display a donor dependent response to escalating levels of growth factor release from extracellular matrix-derived scaffolds. *Journal of Tissue*. Retrieved from <http://onlinelibrary.wiley.com/doi/10.1002/term.2199/full>
- Almeida, H., Sathy, B., & Dudurych, I. (2016). Anisotropic Shape-Memory Alginate Scaffolds Functionalized with Either Type I or Type II Collagen for Cartilage Tissue Engineering. *Engineering Part A*. Retrieved from <http://online.liebertpub.com/doi/abs/10.1089/ten.tea.2016.0055>
- Amin, H., & Ethier, C. (2016). Differential effects of tyrosine-rich amelogenin peptide on chondrogenic and osteogenic differentiation of adult chondrocytes. *Cell and Tissue Research*. Retrieved from <http://link.springer.com/article/10.1007/s00441-015-2292-7>
- Balestrini, J., Gard, A., Gerhold, K., Wilcox, E., & Liu, A. (2016). Comparative Biology of Decellularized Lung Matrix: Implications of Species Mismatch in Regenerative Medicine. *Biomaterials*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S0142961216302794>
- Balestrini, J., Liu, A., Gard, A., & Huie, J. (2016). Sterilization of Lung Matrices by Supercritical Carbon Dioxide. *Engineering Part C:* Retrieved from <http://online.liebertpub.com/doi/abs/10.1089/ten.tec.2015.0449>
- Bao, J., Wu, Q., Wang, Y., Li, Y., & Li, L. (2016). Enhanced hepatic differentiation of rat bone marrow-derived mesenchymal stem cells in spheroidal aggregate culture on a decellularized liver scaffold. *International*. Retrieved from <https://www.spandidos-publications.com/ijmm/38/2/457>
- Becher, C., Ricklefs, M., Willbold, E., & Hurschler, C. (2016). Electromechanical Assessment of Human Knee Articular Cartilage with Compression-Induced Streaming Potentials. *Cartilage*. Retrieved from <http://car.sagepub.com/content/7/1/62.short>
- Berneel, E., Philips, C., Declercq, H., & Cornelissen, R. (2016). Redifferentiation of High-Throughput Generated Fibrochondrocyte Micro-Aggregates: Impact of Low Oxygen Tension. *Cells Tissues Organs*. Retrieved from <http://www.karger.com/Article/FullText/447509>

- Berninger, M., Mohajerani, P., Kimm, M., & Masius, S. (2016). Fluorescence molecular tomography of DiR-labeled mesenchymal stem cell implants for osteochondral defect repair in rabbit knees. *European*. Retrieved from <http://link.springer.com/article/10.1007/s00330-016-4457-5>
- Bhattacharyya, S., Feferman, L., & Tobacman, J. (2016). Effect of CFTR modifiers on arylsulfatase B activity in cystic fibrosis and normal human bronchial epithelial cells. *Pulmonary Pharmacology & ...*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S109455391530016X>
- Bhattacharyya, S., Feferman, L., & Tobacman, J. (2016). Inhibition of Phosphatase Activity Follows Decline in Sulfatase Activity and Leads to Transcriptional Effects through Sustained Phosphorylation of. *PLOS ONE*. Retrieved from <http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0153463>
- Bhattacharyya, S., Feferman, L., & Tobacman, J. (2016b). Inhibition of Phosphatase Activity Follows Decline in Sulfatase Activity and Leads to Transcriptional Effects through Sustained Phosphorylation of. *PloS One*. Retrieved from <http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0153463>
- Bhattacharyya, S., Feferman, L., & Tobacman, J. (2016c). Restriction of Aerobic Metabolism by Acquired or Innate Arylsulfatase B Deficiency: A New Approach to the Warburg Effect. *Scientific Reports*. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5015117/>
- Blanquer, S., & Gebraad, A. (2016). Differentiation of adipose stem cells seeded towards annulus fibrosus cells on a designed poly (trimethylene carbonate) scaffold prepared by stereolithography. *Journal of Tissue*. Retrieved from <http://onlinelibrary.wiley.com/doi/10.1002/term.2170/full>
- Boettcher, K., Kienle, S., Nachtsheim, J., & Burgkart, R. (2016). The structure and mechanical properties of articular cartilage are highly resilient towards transient dehydration. *Acta Biomaterialia*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S1742706115301276>
- Bottagisio, M., Pellegata, A., & Boschetti, F. (2016). A new strategy for the decellularisation of large equine tendons as biocompatible tendon substitutes. *European Cells &*. Retrieved from <http://www.ecmjournal.org/journal/papers/vol032/pdf/v032a04.pdf>
- Brown, W., & Hu, J. (2016). Ammonium-Chloride-Potassium Lysing Buffer Treatment of Fully Differentiated Cells Increases Cell Purity and Resulting Neotissue Functional Properties. *Tissue Engineering Part C*. Retrieved from <http://online.liebertpub.com/doi/abs/10.1089/ten.tec.2016.0184>
- Brown, W., Hu, J., & Athanasiou, K. (2016). ACK lysing buffer treatment of fully differentiated cells increases cell purity and resulting neotissue functional properties. *Tissue Engineering. Part C*,. Retrieved from <https://escholarship.org/uc/item/67j079tj.pdf>
- Bruyneel, A., & Carr, C. (2016). Ambiguity in the Presentation of Decellularized Tissue Composition: The Need for Standardized Approaches. *Artificial Organs*. Retrieved from <http://onlinelibrary.wiley.com/doi/10.1111/aor.12838/full>
- Burrows, M. (2016). Evaluation of electrospun PLLA-ECM scaffolds as biomaterials for bone regeneration. *Teses.usp.br*. Retrieved from <http://www.teses.usp.br/teses/disponiveis/46/46136/tde-14092016-090552/en.php>
- Çelik, E., Bayram, C., Akçapınar, R., & Türk, M. (2016). The effect of calcium chloride concentration on alginate/Fmoc-diphenylalanine hydrogel networks. *Materials Science and*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S0928493116303927>
- Chajra, H., Auriol, D., Joly, F., & Pagnon, A. (2016). Reactivating the extracellular matrix synthesis of sulfated glycosaminoglycans and proteoglycans to improve the human skin aspect and its mechanical. *Clinical, Cosmetic*. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5137933/>
- Chang, C., Petrie, T., Clark, A., & Lin, X. (2016). Mesenchymal Stem Cell Seeding of Porcine Small Intestinal Submucosal Extracellular Matrix for Cardiovascular Applications. *PloS One*. Retrieved from <http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0153412>

- Chen, S., & Zhang, Q. (2016). Gelatin Scaffolds with Controlled Pore Structure and Mechanical Property for Cartilage Tissue Engineering. ... *Engineering Part C:* Retrieved from <http://online.liebertpub.com/doi/abs/10.1089/ten.TEC.2015.0281>
- Chen, W., Wang, Z., & Missinato, M. (2016). Decellularized zebrafish cardiac extracellular matrix induces mammalian heart regeneration. *Science*. Retrieved from <http://advances.sciencemag.org/content/2/11/e1600844.abstract>
- Cheng, P., Han, P., Zhao, C., Zhang, S., Wu, H., & Ni, J. (2016). High-purity magnesium interference screws promote fibrocartilaginous entheses regeneration in the anterior cruciate ligament reconstruction rabbit model via. *Biomaterials*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S0142961215009813>
- Chester, A. (2016). Effect of Side-Specific Valvular Shear Stress on the Content of Extracellular Matrix in Aortic Valves. Retrieved from <https://spiral.imperial.ac.uk/handle/10044/1/41341>
- Cisewski, S. (2016). Nutrient Related Mechanisms of Intervertebral Disc Degeneration. Retrieved from http://tigerprints.clemson.edu/all_dissertations/1738/
- Connell, P., Azimuddin, A., Kim, S., & Ramirez, F. (2016). Regurgitation hemodynamics alone cause mitral valve remodeling characteristic of clinical disease states in vitro. *Annals of Biomedical*. Retrieved from <http://link.springer.com/article/10.1007/s10439-015-1398-0>
- D'Amore, A., Soares, J., Stella, J., & Zhang, W. (2016). Large strain stimulation promotes extracellular matrix production and stiffness in an elastomeric scaffold model. *Journal of the*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S1751616116301230>
- Daly, A., Critchley, S., Rencsok, E., & Kelly, D. (2016). A comparison of different bioinks for 3D bioprinting of fibrocartilage and hyaline cartilage. *Biofabrication*. Retrieved from <http://iopscience.iop.org/article/10.1088/1758-5090/8/4/045002/meta>
- Dasgupta, A., Orgill, D., & Galiano, R. (2016). A Novel Reticular Dermal Graft Leverages Architectural and Biological Properties to Support Wound Repair. *Surgery Global Open*. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5096524/>
- Dashtdar, H., & Murali, M. (2016). Ultra-structural changes and expression of chondrogenic and hypertrophic genes during chondrogenic differentiation of mesenchymal stromal cells in. *PeerJ*. Retrieved from Dashtdar, H., Murali, M., & Selvaratnam, L. (2016). Ultra-structural changes and expression of chondrogenic and hypertrophic genes during chondrogenic differentiation of mesenchymal stromal cells in. *PeerJ*. Retrieved from <https://peerj.com/articles/1650/>
- Dearth, C., Keane, T., & Carruthers, C. (2016). The effect of terminal sterilization on the material properties and in vivo remodeling of a porcine dermal biologic scaffold. *Acta Biomaterialia*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S1742706116300381>
- Du, C., Narayanan, K., & Leong, M. (2016). Functional Kidney Bioengineering with Pluripotent Stem-Cell-Derived Renal Progenitor Cells and Decellularized Kidney Scaffolds. *Advanced*. Retrieved from <http://onlinelibrary.wiley.com/doi/10.1002/adhm.201600120/full>
- Ellsworth, K., Pollard, L., Cathey, S., & Wood, T. (2016). Measurement of Elevated Concentrations of Urine Keratan Sulfate by UPLC-MSMS in Lysosomal Storage Disorders (LSDs): Comparison of Urine Keratan Sulfate. Retrieved from http://link.springer.com/chapter/10.1007/8904_2016_1
- Felts, L. (2016). Procollagen Biosynthesis and Osteoblast Malfunction in the G610C Mouse Model of Osteogenesis Imperfecta. Retrieved from <http://repositories.tdl.org/utmb-ir/handle/2152.3/731>
- Foster, R. (2016). A nuclear magnetic resonance study of water in aggrecan solutions. *Royal Society* Retrieved from <http://rsos.royalsocietypublishing.org/content/3/3/150705.abstract>

- Frohbergh, M., Guevara, J., & Grelsamer, R. (2016). Acid ceramidase treatment enhances the outcome of autologous chondrocyte implantation in a rat osteochondral defect model. *Osteoarthritis and*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S1063458415013692>
- Fumić, B., Končić, M., & Jug, M. (2016). Therapeutic Potential of Hydroxypropyl-B-Cyclodextrin-Based Extract of *Medicago sativa* in the Treatment of Mucopolysaccharidoses. *Planta Medica*. Retrieved from <https://www.thieme-connect.com/products/ejournals/html/10.1055/s-0042-107357>
- Gao, S., Yuan, Z., Xi, T., Wei, X., & Guo, Q. (2016). Characterization of decellularized scaffold derived from porcine meniscus for tissue engineering applications. *Frontiers of Materials Science*. Retrieved from <http://link.springer.com/article/10.1007/s11706-016-0335-y>
- Gonzalez-Fernandez, T. (2016). Gene Delivery of TGF- β 3 and BMP2 in a MSC Laden Alginate Hydrogel for Articular Cartilage and Endochondral Bone Tissue Engineering. *Tissue ...* Retrieved from <http://online.liebertpub.com/doi/abs/10.1089/ten.TEA.2015.0576>
- Graham, M., Gratzner, P., & Bezuhly, M. (2016). Development and characterization of decellularized human nasoseptal cartilage matrix for use in tissue engineering. *The*. Retrieved from <http://onlinelibrary.wiley.com/doi/10.1002/lary.25884/full>
- Guneta, V., Loh, Q., & Choong, C. (2016). Cell-secreted extracellular matrix formation and differentiation of adipose-derived stem cells in 3D alginate scaffolds with tunable properties. *Journal of Biomedical Materials*. Retrieved from <http://onlinelibrary.wiley.com/doi/10.1002/jbm.a.35644/pdf>
- Gupta, P., & Chullikana, A. (2016). Efficacy and safety of adult human bone marrow-derived, cultured, pooled, allogeneic mesenchymal stromal cells (Stempeucel®): preclinical and clinical trial. *Arthritis*. Retrieved from <https://arthritis-research.biomedcentral.com/articles/10.1186/s13075-016-1195-7>
- Hadidi, P., Paschos, N., Huang, B., & Aryaei, A. (2016). Tendon and ligament as novel cell sources for engineering the knee meniscus. *Osteoarthritis and*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S106345841630187X>
- Han, S. (2016). Tissue-Engineered Dermis Graft. *Innovations and Advances in Wound Healing*. Retrieved from http://link.springer.com/chapter/10.1007/978-3-662-46587-5_4
- He, M., & Callanan, A. (2016). Optimization of SDS exposure on preservation of ECM characteristics in whole organ decellularization of rat kidneys. ... *Research Part B: ...* Retrieved from <http://onlinelibrary.wiley.com/doi/10.1002/jbm.b.33668/full>
- He, J., Jiang, Y., Alexander, P., Ulici, V., & Zhu, Y. (2016). Infrapatellar fat pad aggravates degeneration of acute traumatized cartilage: a possible role for interleukin-6. *Osteoarthritis and*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S1063458416302667>
- He, M., Callanan, A., & Lagaras, K. (2016). Optimization of SDS exposure on preservation of ECM characteristics in whole organ decellularization of rat kidneys. *Research Part B: ...* Retrieved from <http://onlinelibrary.wiley.com/doi/10.1002/jbm.b.33668/full>
- Heng, B., Zhu, S., Xu, J., Yuan, C., Gong, T., & Zhang, C. (2016). Effects of decellularized matrices derived from periodontal ligament stem cells and SHED on the adhesion, proliferation and osteogenic differentiation of human dental. *Tissue and Cell*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S0040816615300835>
- Heo, J., Kim, H., Song, S., Lew, D., Choi, Y., & Kim, S. (2016). Poly-L-Lysine Prevents Senescence and Augments Growth in Culturing Mesenchymal Stem Cells Ex Vivo. *Downloads.hindawi.com*. Retrieved from <http://downloads.hindawi.com/journals/bmri/aip/8196078.pdf>
- Holmes, B., Fang, X., Zarate, A., Keidar, M., & Zhang, L. (2016). Enhanced human bone marrow mesenchymal stem cell chondrogenic differentiation in electrospun constructs with carbon nanomaterials. *Carbon*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S0008622314011968>

- Houdek, M., Wyles, C., Packard, B., & Terzic, A. (2016). Decreased Osteogenic Activity of Mesenchymal Stem Cells in Patients With Corticosteroid-Induced Osteonecrosis of the Femoral Head. *The Journal of*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S0883540315007718>
- Hsu, H., Uemura, T., & Yamaguchi, I. (2016). Chondrogenic differentiation of human mesenchymal stem cells on fish scale collagen. *Journal of Bioscience and* Retrieved from <http://www.sciencedirect.com/science/article/pii/S1389172316000037>
- Hu, B., Shi, C., Xu, C., Cao, P., & Tian, Y. (2016). Heme oxygenase-1 attenuates IL-1 β induced alteration of anabolic and catabolic activities in intervertebral disc degeneration. *Scientific* Retrieved from <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4753421/>
- Huang, B., Huey, D., & Hu, J. (2016). Engineering biomechanically functional neocartilage derived from expanded articular chondrocytes through the manipulation of cell-seeding density and. *Journal of Tissue*. Retrieved from <http://onlinelibrary.wiley.com/doi/10.1002/term.2132/full>
- Huang, B., Hu, J., & Athanasiou, K. (2016). Effects of passage number and post-expansion aggregate culture on tissue engineered, self-assembled neocartilage. *Acta Biomaterialia*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S1742706116303798>
- Huang, G., Molina, A., Tran, N., & Collins, G. (2016). Investigating Cellulose Derived Glycosaminoglycan Mimetic Scaffolds for Cartilage Tissue Engineering Applications. *Journal of Tissue*. Retrieved from <http://onlinelibrary.wiley.com/doi/10.1002/term.2331/full>
- Hussein, K., Park, K., & Ghim, J. (2016). Three dimensional culture of HepG2 liver cells on a rat decellularized liver matrix for pharmacological studies. *Journal of Biomedical*. Retrieved from <http://onlinelibrary.wiley.com/doi/10.1002/jbm.b.33384/full>
- Islam, A., Hansen, A., & Mennan, C. (2016). Mesenchymal stromal cells from human umbilical cords display poor chondrogenic potential in scaffold-free three dimensional cultures. *European Cells &*. Retrieved from <http://www.ecmjournal.org/journal/papers/vol031/pdf/v031a26.pdf>
- Jadalannagari, S. (2016). Decellularized Wharton's jelly matrix as a three dimensional scaffold for wound healing and hair regeneration applications. Retrieved from <https://kuscholarworks.ku.edu/handle/1808/22340>
- Jalili-Firoozinezhad, S., & Rajabi-Zeleti, S. (2016). Influence of decellularized pericardium matrix on the behavior of cardiac progenitors. *Journal of Applied*. Retrieved from <http://onlinelibrary.wiley.com/doi/10.1002/app.43255/full>
- Jeong, W., Yang, X., Lee, J., & Ryoo, Y. (2016). Serial changes in the proliferation and differentiation of adipose-derived stem cells after ionizing radiation. *Cell Research &* Retrieved from <https://stemcellres.biomedcentral.com/articles/10.1186/s13287-016-0378-0>
- Joergensen, N., Foldager, C., & Le, D. (2016). Precipitant induced porosity augmentation of polystyrene preserves the chondrogenicity of human chondrocytes. *Research Part A*. Retrieved from <http://onlinelibrary.wiley.com/doi/10.1002/jbm.a.35853/full>
- Jones, S., Breen, C., Heap, F., Rust, S., & Ruijter, J. de. (2016). A phase 1/2 study of intrathecal heparan-N-sulfatase in patients with mucopolysaccharidosis IIIA. *Molecular Genetics and*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S1096719216300646>
- Kagimoto, S., Takebe, T., & Kobayashi, S. (2016). Autotransplantation of Monkey Ear Perichondrium-Derived Progenitor Cells for Cartilage Reconstruction. *Cell*. Retrieved from <http://www.ingentaconnect.com/content/cog/ct/2016/00000025/00000005/art00014>
- Kajbafzadeh, A., Khorramirouz, R., & Sabetkish, S. (2016). In vivo regeneration of bladder muscular wall using decellularized colon matrix: an experimental study. *Pediatric Surgery*. Retrieved from <http://link.springer.com/article/10.1007/s00383-016-3871-8>

- Kang, H., Lee, S., Ko, I., & Kengla, C. (2016). A 3D bioprinting system to produce human-scale tissue constructs with structural integrity. *Nature* Retrieved from <http://www.nature.com/nbt/journal/v34/n3/abs/nbt.3413.html>
- Kang, M., Kim, J., & Im, G. (2016). Thermo-responsive nanospheres with independent dual drug release profiles for the treatment of osteoarthritis. *Acta Biomaterialia*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S1742706116302148>
- Khader, A., & Sherman, L. (2016). Sodium Tungstate for Promoting Mesenchymal Stem Cell Chondrogenesis. *Stem Cells and*. Retrieved from <http://online.liebertpub.com/doi/abs/10.1089/scd.2016.0158>
- Kim, H., Lee, S., Yun, H., Yin, X., & Kim, S. (2016). In vivo degradation profile of porcine cartilage-derived extracellular matrix powder scaffolds using a non-invasive fluorescence imaging method. *Journal of*. Retrieved from <http://www.tandfonline.com/doi/abs/10.1080/09205063.2015.1120262>
- Ko, J., & Im, G. (2016). Chondrogenic and osteogenic induction from iPSCs. *Induced Pluripotent Stem (iPS) Cells: Methods and*. Retrieved from http://link.springer.com/protocol/10.1007/7651_2014_136
- Ko, J., & Im, G. (2016b). Concave microwell plate facilitates chondrogenesis from mesenchymal stem cells. *Biotechnology Letters*. Retrieved from <http://link.springer.com/article/10.1007/s10529-016-2170-8>
- Koizumi, K., Ebina, K., Hart, D., & Hirao, M. (2016). Synovial mesenchymal stem cells from osteo- or rheumatoid arthritis joints exhibit good potential for cartilage repair using a scaffold-free tissue engineering approach. *Osteoarthritis and* Retrieved from <http://www.sciencedirect.com/science/article/pii/S1063458416010645>
- Kook, Y., Kang, Y., Moon, S., & Koh, W. (2016). Bi-compartmental 3D scaffolds for the co-culture of intervertebral disk cells and mesenchymal stem cells. *Journal of Industrial and*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S1226086X1630079X>
- Krishnamurthy, V., Stout, A., Sapp, M., & Matuska, B. (2016). Dysregulation of hyaluronan homeostasis during aortic valve disease. *Matrix Biology*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S0945053X16301871>
- Lam, C., Romanova, L., Hubel, A., Janson, C., & Hansen, E. (2016). The Influence of Fibroblast on the Arachnoid Leptomeningeal Cells In-Vitro. *Brain Research*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S0006899316308137>
- Lange, P., Shah, H., & Birchall, M. (2016). Characterization of a biologically derived rabbit tracheal scaffold. *Journal of Biomedical*. Retrieved from <http://onlinelibrary.wiley.com/doi/10.1002/jbm.b.33741/full>
- Lee, H., Yang, S., Kim, M., & Kim, G. (2016). A scaffold with a bio-mimetically designed micro/nano-fibrous structure using decellularized extracellular matrix. *RSC Advances*. Retrieved from <http://pubs.rsc.org/en/content/articlehtml/2016/ra/c5ra27845g>
- Lee, P., Chau, E., Cabello, R., Yeh, A., & Sampaio, L. (2016). Inverted orientation improves decellularization of whole porcine hearts. *Acta Biomaterialia*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S1742706116306432>
- Lemmex, D., Ono, Y., Reno, C., Hart, D., & Lo, I. (2016). Increased lubricin/proteoglycan 4 gene expression and decreased modulus in medial collateral ligaments following ovariectomy in the adult rabbit: *Journal of*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S0021929015007344>
- Li, Q., Chang, Z., Oliveira, G., Xiong, M., & Smith, L. (2016). Protein turnover during in vitro tissue engineering. *Biomaterials*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S0142961215009801>
- Li, X., Chen, S., Li, J., Wang, X., Zhang, J., & Kawazoe, N. (2016). 3D culture of chondrocytes in gelatin hydrogels with different stiffness. *Polymers*. Retrieved from <http://www.mdpi.com/2073-4360/8/8/269>

- Li, Z., Ba, R., Wang, Z., & Wei, J. (2016). Angiogenic Potential of Human Bone Marrow-Derived Mesenchymal Stem Cells in Chondrocyte Brick-Enriched Constructs Promoted Stable Regeneration of. *Stem Cells*. Retrieved from http://regenhealthsolutions.info/1/upload/angiogenic_potential_of_human_bone_marrowderived.pdf
- Liang, R., Knight, K., Nolfi, A., & Abramowitch, S. (2016). Differential effects of selective estrogen receptor modulators on the vagina and its supportive tissues. *Menopause*. Retrieved from http://journals.lww.com/menopausejournal/Abstract/2016/02000/Differential_effects_of_selective_estrogen.5.aspx
- Lin, C., Kao, Y., Lin, Y., Ma, H., & Tsay, R. (2016). A fiber-progressive-engagement model to evaluate the composition, microstructure, and nonlinear pseudoelastic behavior of porcine arteries and decellularized. *Acta Biomaterialia*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S1742706116304986>
- Lin, Y., Lim, J., Lee, J., Choolani, M., & Chan, J. (2016). Expansion in microcarrier-spinner cultures improves the chondrogenic potential of human early mesenchymal stromal cells. *Cytotherapy*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S146532491630322X>
- Lindner, U. (2016). Physioxia Enhances Proliferation and Attenuates Differentiation Capacity of Human Mesenchymal Stromal Cells. *Downloads.hindawi.com*. Retrieved from <http://downloads.hindawi.com/journals/sci/aip/1216729.pdf>
- Liu, H., Wang, J., Ren, G., & Zhang, Y. (2016). The relationship between proteoglycan inhibition via xylosyltransferase II silencing and the implantation of salivary pleomorphic adenoma. *Journal of Oral Pathology*. Retrieved from <http://onlinelibrary.wiley.com/doi/10.1111/jop.12510/full>
- Loneker, A., & Faulk, D. (2016). Solubilized liver extracellular matrix maintains primary rat hepatocyte phenotype in-vitro. ... *Research Part A*. Retrieved from <http://onlinelibrary.wiley.com/doi/10.1002/jbm.a.35636/full>
- Luo, L., & Chu, J. (2016). Engineering tissues that mimic the zonal nature of articular cartilage using decellularized cartilage explants seeded with adult stem cells. ... *Science & Engineering*. Retrieved from <http://pubs.acs.org/doi/abs/10.1021/acsbiomaterials.6b00020>
- Luo, L., O'Reilly, A., & Thorpe, S. (2016). Engineering zonal cartilaginous tissue by modulating oxygen levels and mechanical cues through the depth of infrapatellar fat pad stem cell laden hydrogels. *Journal of Tissue*. Retrieved from <http://onlinelibrary.wiley.com/doi/10.1002/term.2162/full>
- Lynch, A., O'Sullivan, F., & Ahearne, M. (2016). The effect of growth factor supplementation on corneal stromal cell phenotype in vitro using a serum-free media. *Experimental Eye Research*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S0014483516302068>
- Maghsoudlou, P., Georgiades, F., Smith, H., & Milan, A. (2016). Optimization of Liver Decellularization Maintains Extracellular Matrix Micro-Architecture and Composition Predisposing to Effective Cell Seeding. *PloS One*. Retrieved from <http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0155324>
- Makitsubo, M., Adachi, N., & Nakasa, T. (2016). Differences in joint morphology between the knee and ankle affect the repair of osteochondral defects in a rabbit model. *Journal of*. Retrieved from <https://josr-online.biomedcentral.com/articles/10.1186/s13018-016-0444-4>
- Marcó, S., Pujol, A., Roca, C., & Motas, S. (2016). Progressive neurologic and somatic disease in a novel mouse model of human mucopolysaccharidosis type IIIC. *Disease Models &*. Retrieved from <http://dmm.biologists.org/content/9/9/999.eLetters>
- Martacic, J., Borozan, S., & Radovanovic, A. (2016). N-Acetyl-l-cysteine enhances ex-vivo amplification of deciduous teeth dental pulp stem cells. *Archives of Oral*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S000399691630142X>
- Mashima, R., Sakai, E., Tanaka, M., & Kosuga, M. (2016). The levels of urinary glycosaminoglycans of patients with attenuated and severe type of mucopolysaccharidosis II determined by liquid chromatography-. *Molecular Genetics and*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S2214426916300192>

- Matsumura, E., Tsuji, K., Komori, K., Koga, H., & Sekiya, I. (2016). Pretreatment of IL-1 β enhances proliferation and chondrogenic potential of synovium-derived mesenchymal stem cells. *Cytotherapy*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S1465324916305837>
- Mimura, K., Moraes, A., Miranda, A., & Greco, R. (2016). Mechanisms underlying heterologous skin scaffold-mediated tissue remodeling. *Scientific*. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5057165/>
- Mirigian, L., & Makareeva, E. (2016). Osteoblast Malfunction Caused by Cell Stress Response to Procollagen Misfolding in $\alpha 2$ (I)-G610C Mouse Model of Osteogenesis Imperfecta. *Journal of Bone and ...* Retrieved from <http://onlinelibrary.wiley.com/doi/10.1002/jbmr.2824/full>
- Mohamed, H., Untereiner, V., & Sockalingum, G. (2016). Implementation of infrared and Raman modalities for glycosaminoglycan characterization in complex systems. *Glycoconjugate*. Retrieved from <http://link.springer.com/article/10.1007/s10719-016-9743-6>
- Mongkoldhumrongkul, N., & Yacoub, M. (2016). Valve endothelial cells-not just any old endothelial cells. *Current Vascular*. Retrieved from <http://www.ingentaconnect.com/content/ben/cvp/2016/00000014/00000002/art00005>
- Mongkoldhumrongkul, N., Latif, N., & Yacoub, M. (2016). Effect of Side-Specific Valvular Shear Stress on the Content of Extracellular Matrix in Aortic Valves. *Cardiovascular*. Retrieved from <http://link.springer.com/article/10.1007/s13239-016-0280-z>
- Monteiro, S. (2016). Distal limb osteoarthritis in the horse. Retrieved from <https://dspace.uevora.pt/rdpc/handle/10174/18560>
- Mooney, R. O., Davis, N., Hoey, D., & Hogan, L. (2016). On the Automatic Decellularisation of Porcine Aortae: A Repeatability Study Using a Non-Enzymatic Approach. *Cells Tissues*. Retrieved from <http://www.karger.com/Article/Abstract/445107>
- Motas, S., Haurigot, V., Garcia, M., Marcó, S., & Ribera, A. (2016). CNS-directed gene therapy for the treatment of neurologic and somatic mucopolysaccharidosis type II (Hunter syndrome). *JCI Insight*. Retrieved from <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5033872/>
- Mrosek, E., & Chung, H. (2016). Porous tantalum biocomposites for osteochondral defect repair. *Bone and Joint*. Retrieved from <http://www.bjr.boneandjoint.org.uk/content/5/9/403.abstract>
- Müller, S., Acevedo, L., & Wang, X. (2016). Notochordal cell conditioned medium (NCCM) regenerates end-stage human osteoarthritic articular chondrocytes and promotes a healthy phenotype. *Arthritis*. Retrieved from <http://arthritis-research.biomedcentral.com/articles/10.1186/s13075-016-1026-x>
- Murienne, B. (2016). Glycosaminoglycan contribution to the structure-mechanical properties of the posterior sclera. Retrieved from <https://jscholarship.library.jhu.edu/handle/1774.2/39721>
- Nakagawa, Y., Sekiya, I., & Kondo, S. (2016). Relationship between MRI T1rho value and histological findings of intact and radially incised menisci in microminipigs. *Journal of Magnetic*. Retrieved from <http://onlinelibrary.wiley.com/doi/10.1002/jmri.24988/full>
- Naqvi, S., & Buckley, C. (2016). Bone Marrow Stem Cells in Response to Intervertebral Disc-Like Matrix Acidity and Oxygen Concentration: Implications for Cell-based Regenerative Therapy. *Spine*. Retrieved from http://journals.lww.com/spinejournal/Abstract/2016/05010/Bone_Marrow_Stem_Cells_in_Response_to.3.aspx
- Nik, A., Johansson, J., Ghiami, M., & Reyahi, A. (2016). Foxf2 is required for secondary palate development and Tgfb signaling in palatal shelf mesenchyme. *Developmental*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S001216061530333X>

- Onofri, F. (2016). Development of an extracellular matrix hydrogel for intestine tissue engineering. Retrieved from http://tesi.cab.unipd.it/51559/1/Onofri_Francesca_1084382.pdf
- Osborne, S., Daniel, R., Chen, W., & Stockwell, P. (2016). Extraction, purification and characterisation of dermatan sulphate from bovine collagen waste liquor. *Food and Bioproducts*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S0960308516300402>
- Ou, L., Przybilla, M., Koniar, B., & Whitley, C. (2016). Elements of lentiviral vector design toward gene therapy for treating mucopolysaccharidosis I. *Molecular Genetics and*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S2214426915300549>
- Papalamprou, A., & Griffiths, L. (2016). Cardiac extracellular matrix scaffold generated using sarcomeric disassembly and antigen removal. *Annals of Biomedical Engineering*. Retrieved from <http://link.springer.com/article/10.1007/s10439-015-1404-6>
- Park, J., Yi, S., Kim, H., & Park, K. (2016). Receptor-mediated gene delivery into human mesenchymal stem cells using hyaluronic acid-shielded polyethylenimine/pDNA nanogels. *Carbohydrate Polymers*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S0144861715009091>
- Park, K., Hussein, K., Hong, S., & Ahn, C. (2016). Decellularized liver extracellular matrix as promising tools for transplantable bioengineered liver promotes hepatic lineage commitments of induced pluripotent stem. *Engineering Part A*. Retrieved from <http://online.liebertpub.com/doi/abs/10.1089/ten.TEA.2015.0313>
- Parmar, P., Skaalure, S., Chow, L., & St-Pierre, J. (2016). Temporally degradable collagen-mimetic hydrogels tuned to chondrogenesis of human mesenchymal stem cells. *Biomaterials*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S0142961216301788>
- Parmar, P., St-Pierre, J., & Chow, L. (2016). Harnessing the Versatility of Bacterial Collagen to Improve the Chondrogenic Potential of Porous Collagen Scaffolds. *Advanced*. Retrieved from <http://onlinelibrary.wiley.com/doi/10.1002/adhm.201600136/full>
- Perepelyuk, M., Chin, L., & Cao, X. (2016). Normal and Fibrotic Rat Livers Demonstrate Shear Strain Softening and Compression Stiffening: A Model for Soft Tissue Mechanics. *PLoS One*. Retrieved from <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4703410/>
- Piccoli, M., Urbani, L., Alvarez-Fallas, M., & Franzin, C. (2016). Improvement of diaphragmatic performance through orthotopic application of decellularized extracellular matrix patch. *Biomaterials*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S0142961215008091>
- Poornejad, N., & Schaumann, L. (2016). The impact of decellularization agents on renal tissue extracellular matrix. *Journal of*. Retrieved from <http://jba.sagepub.com/content/early/2016/06/16/0885328216656099.abstract>
- Poornejad, N., Momtahan, N., & Salehi, A. (2016). Efficient decellularization of whole porcine kidneys improves reseeded cell behavior. *Biomedical*. Retrieved from <http://iopscience.iop.org/article/10.1088/1748-6041/11/2/025003/meta>
- Raftery, R., Woods, B., Marques, A., & Moreira-Silva, J. (2016). Multifunctional biomaterials from the sea: Assessing the effects of chitosan incorporation into collagen scaffolds on mechanical and biological functionality. *Acta Biomaterialia*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S1742706116303257>
- Raghothaman, D., & Leong, M. (2016). Cell type dependent morphological adaptation in polyelectrolyte hydrogels governs chondrogenic fate. *Biomedical ...* Retrieved from <http://iopscience.iop.org/article/10.1088/1748-6041/11/2/025013/meta>
- Reboredo, J., Weigel, T., & Steinert, A. (2016). Investigation of Migration and Differentiation of Human Mesenchymal Stem Cells on Five-Layered Collagenous Electrospun Scaffold Mimicking Native Cartilage. *Advanced*. Retrieved from <http://onlinelibrary.wiley.com/doi/10.1002/adhm.201600134/full>

- Rodenas-Rochina, J., & Kelly, D. (2016). Compositional changes to synthetic biodegradable scaffolds modulate the influence of hydrostatic pressure on chondrogenesis of mesenchymal stem cells. *Biomedical Physics*. Retrieved from <http://iopscience.iop.org/article/10.1088/2057-1976/2/3/035005/meta>
- Roosens, A., Somers, P., Somer, F. De, & Carriel, V. (2016). Impact of Detergent-Based Decellularization Methods on Porcine Tissues for Heart Valve Engineering. *Annals of Biomedical*. Retrieved from <http://link.springer.com/article/10.1007/s10439-016-1555-0>
- Rossi, M., Alviano, F., Ricci, F., Vignoli, F., & Marchionni, C. (n.d.). In vitro multilineage potential and immunomodulatory properties of adipose derived stromal/stem cells obtained from nanofat lipoaspirates. *cellr4.org*. Retrieved from <http://www.cellr4.org/wp-content/uploads/sites/2/2016/12/In-vitro-multilineage-potential-and-immunomodulatory-properties-of-adipose-derived-stromalstem-sells-obtained-from-nanofat-lipoaspirates.pdf>
- Rothrauff, B., Shimomura, K., Gottardi, R., & Alexander, P. (2016). Anatomical region-dependent enhancement of 3-dimensional chondrogenic differentiation of human mesenchymal stem cells by soluble meniscus extracellular matrix. *Acta Biomaterialia*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S1742706116306420>
- Ruane, T., Haskins, M., Cheng, A., & Wang, P. (2016). Pharmacodynamics, pharmacokinetics and biodistribution of recombinant human N-acetylgalactosamine 4-sulfatase after 6months of therapy in cats using different IV. *Molecular Genetics and*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S1096719215300640>
- San-Marina, S., Sharma, A., & Voss, S. (2016). Assessment of Scaffolding Properties for Chondrogenic Differentiation of Adipose-Derived Mesenchymal Stem Cells in Nasal Reconstruction. *JAMA Facial Plastic*. Retrieved from <http://jamanetwork.com/data/Journals/FACI/0/qoi160039.pdf>
- Sasamoto, T., & Fujimoto, K. (2016). DEC2 is a negative regulator for the proliferation and differentiation of chondrocyte lineage-committed mesenchymal stem cells. *International*. Retrieved from <https://www.spandidos-publications.com/10.3892/ijmm.2016.2660?text=abstract>
- Schagemann, J., Rudert, N., & Taylor, M. (2016). Bilayer Implants Electromechanical Assessment of Regenerated Articular Cartilage in a Sheep Model. *Cartilage*. Retrieved from <http://car.sagepub.com/content/early/2016/01/20/1947603515623992.abstract>
- Shapiro, E., Nestrail, I., & Delaney, K. (2016). A Prospective Natural History Study of Mucopolysaccharidosis Type IIIA. *The Journal of ...* Retrieved from <http://www.sciencedirect.com/science/article/pii/S0022347615014912>
- Shen, P., Li, X., Xie, G., Huangfu, X., & Zhao, J. (2016). Time-Dependent Effects of Arthroscopic Conditions on Human Articular Cartilage: An In Vivo Study. *Arthroscopy: The Journal of*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S0749806316305242>
- Shimomura, K., & Rothrauff, B. (2016). Region-Specific Effect of the Decellularized Meniscus Extracellular Matrix on Mesenchymal Stem Cell-Based Meniscus Tissue Engineering. *The American Journal of*. Retrieved from <http://ajs.sagepub.com/content/early/2016/11/21/0363546516674184.abstract>
- Simonaro, C., Tomatsu, S., Sikora, T., & Kubaski, F. (2016). Pentosan polysulfate: oral versus subcutaneous injection in mucopolysaccharidosis type I dogs. *PLoS One*. Retrieved from <http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0153136>
- Soares, J., & Sacks, M. (2016). A triphasic constrained mixture model of engineered tissue formation under in vitro dynamic mechanical conditioning. *Biomechanics and Modeling in Mechanobiology*. Retrieved from <http://link.springer.com/article/10.1007/s10237-015-0687-8>
- Soffer-Tsur, N., Peer, D., & Dvir, T. (2016). ECM-based macroporous sponges release essential factors to support the growth of hematopoietic cells. *Journal of Controlled Release*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S0168365916307921>

- Sonomoto, K., Yamaoka, K., Kaneko, H., & Yamagata, K. (2016). Spontaneous differentiation of human mesenchymal stem cells on poly-lactic-co-glycolic acid nano-fiber scaffold. *PLoS One*. Retrieved from <http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0153231>
- Sridharan, B., & Mohan, N. (2016). Material characterization of microsphere-based scaffolds with encapsulated raw materials. *Materials Science and ...*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S0928493116301308>
- Stevens, M., Parmar, P., St-Pierre, J., Chow, L., & Puetzer, J. (2016). Harnessing the versatility of bacterial collagen to improve the chondrogenic potential of porous collagen scaffolds. Retrieved from <https://spiral.imperial.ac.uk/handle/10044/1/30453>
- Sugita, N., Moriguchi, Y., Sakaue, M., Hart, D., & Yasui, Y. (2016). Optimization of human mesenchymal stem cell isolation from synovial membrane: Implications for subsequent tissue engineering effectiveness. *Regenerative*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S2352320416300529>
- Suleria, H., Hines, B., Addepalli, R., Chen, W., & Masci, P. (2016). In vitro Anti-Thrombotic Activity of Extracts from Blacklip Abalone (*Haliotis rubra*) Processing Waste. *Marine Drugs*. Retrieved from <http://www.mdpi.com/1660-3397/15/1/8/htm>
- Sumiyoshi, N., Ishitobi, H., Miyaki, S., & Miyado, K. (2016). The role of tetraspanin CD9 in osteoarthritis using three different mouse models. *Biomedical*. Retrieved from https://www.jstage.jst.go.jp/article/biomedres/37/5/37_283/_article/-char/ja/
- Tarafder, S., Koch, A., Jun, Y., Chou, C., & Awadallah, M. (2016). Micro-precise spatiotemporal delivery system embedded in 3D printing for complex tissue regeneration. Retrieved from <http://iopscience.iop.org/article/10.1088/1758-5090/8/2/025003/meta>
- Tello, M., Spenlé, C., Hemmerlé, J., Mercier, L., & Fabre, R. (2016). Generating and characterizing the mechanical properties of cell-derived matrices using atomic force microscopy. *Methods*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S1046202315300876>
- Toh, W., & Cao, T. (2016). Derivation of chondrogenic cells from human embryonic stem cells for cartilage tissue engineering. *Human Embryonic Stem Cell Protocols*. Retrieved from http://link.springer.com/protocol/10.1007/7651_2014_89
- Tsuchiya, T., Mendez, J., & Calle, E. (2016). Ventilation-Based Decellularization System of the Lung. *BioResearch Open*. Retrieved from <http://online.liebertpub.com/doi/abs/10.1089/biores.2016.0012>
- Uenoyama, A., Kakizaki, I., & Shiomi, A. (2016). Effects of C-xylopyranoside derivative on epithelial regeneration in an in vitro 3D oral mucosa model. *Bioscience*, Retrieved from <http://www.tandfonline.com/doi/abs/10.1080/09168451.2016.1153957>
- Wachs, R., Hoogenboezem, E., Huda, H., & Xin, S. (2016). Creation of an injectable in situ gelling native extracellular matrix for nucleus pulposus tissue engineering. *The Spine Journal*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S1529943016310373>
- Wang, Y., Bao, J., Wu, X., Wu, Q., Li, Y., Zhou, Y., & Li, L. (2016). Genipin crosslinking reduced the immunogenicity of xenogeneic decellularized porcine whole-liver matrices through regulation of immune cell proliferation. *Scientific Reports*. Retrieved from <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4838870/>
- Wang, J., Pan, H., Li, X., Zhang, K., & Li, Z. (2016). Hypoxia suppresses serum deprivation-induced degradation of the nucleus pulposus cell extracellular matrix through the JNK and NF- κ B pathways. *Journal of*. Retrieved from <http://onlinelibrary.wiley.com/doi/10.1002/jor.23486/full>
- Wang, Y., Bao, J., Wu, X., Wu, Q., Li, Y., Zhou, Y., & Li, L. (2016). Genipin crosslinking reduced the immunogenicity of xenogeneic decellularized porcine whole-liver matrices through regulation of immune cell proliferation. *Scientific Reports*. Retrieved from <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4838870/>

- Willey, J., Kwok, A., Moore, J., Payne, V., & Lindburg, C. (2016). Spaceflight-Relevant Challenges of Radiation and/or Reduced Weight Bearing Cause Arthritic Responses in Knee Articular Cartilage. *Radiation Research*. Retrieved from <http://www.bioone.org/doi/abs/10.1667/RR14400.1>
- Wilson, K., Terlouw, A., Roberts, K., & Wolchok, J. (2016). The characterization of decellularized human skeletal muscle as a blueprint for mimetic scaffolds. *Journal of Materials Science*. Retrieved from <http://link.springer.com/article/10.1007/s10856-016-5735-0>
- Wong, M., Wong, J., & Horn, R. (2016). Effect of urea and thiourea on generation of xenogeneic extracellular matrix scaffolds for tissue engineering. *Tissue*. Retrieved from Wong, M., Wong, J., & Horn, R. (2016). Effect of urea and thiourea on generation of xenogeneic extracellular matrix scaffolds for tissue engineering. *Tissue*. Retrieved from <http://online.liebertpub.com/doi/abs/10.1089/ten.TEC.2015.0552>
- Wu, Y., Cisewski, S., Wegner, N., & Zhao, S. (2016). Region and Strain-dependent Diffusivities of Glucose and Lactate in Healthy Human Cartilage Endplate. *Journal of*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S0021929016306649>
- Wu, Y., Yang, Z., Law, J., & He, A. (2016). The Combined Effect of Substrate Stiffness and Surface Topography on Chondrogenic Differentiation of Mesenchymal Stem Cells. *Engineering Part A*. Retrieved from <http://online.liebertpub.com/doi/abs/10.1089/ten.TEA.2016.0123>
- Yasui, Y., & Chijimatsu, R. (2016). Preparation of Scaffold-Free Tissue-Engineered Constructs Derived from Human Synovial Mesenchymal Stem Cells Under Low Oxygen Tension Enhances Their. ... *Engineering Part A*. Retrieved from <http://online.liebertpub.com/doi/abs/10.1089/ten.tea.2015.0458>
- Yimam, M., Lee, Y., Moore, B., Jiao, P., & Hong, M. (2016). UP1304, a botanical composition containing two standardized extracts of Curcuma longa and Morus alba, mitigates pain and inflammation in Adjuvant-. *Pharmacognosy*. Retrieved from <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4780136/>
- Yuan, L., Li, B., Yang, J., Ni, Y., & Teng, Y. (2016). Effects of Composition and Mechanical Property of Injectable Collagen I/II Composite Hydrogels on Chondrocyte Behaviors. *Engineering Part A*. Retrieved from <http://online.liebertpub.com/doi/abs/10.1089/ten.TEA.2015.0513>
- Yuan, Y., Zhang, G., Chai, W., & Ni, M. (2016). Silencing of microRNA-138-5p promotes IL-1 β -induced cartilage degradation in human chondrocytes by targeting FOXC1. *Bone and Joint*. Retrieved from <http://www.bjr.boneandjoint.org.uk/content/5/10/523.abstract>
- Zhang, J., Hu, Z., Turner, N., & Teng, S. (2016). Perfusion-decellularized skeletal muscle as a three-dimensional scaffold with a vascular network template. *Biomaterials*. Retrieved from <http://www.sciencedirect.com/science/article/pii/S0142961216001629>
- Zhao, L., Sundaram, S., Le, A., & Huang, A. (2016). Engineered Tissue-Stent Biocomposites as Tracheal Replacements. *Engineering Part A*. Retrieved from <http://online.liebertpub.com/doi/abs/10.1089/ten.tea.2016.0132>
- Zhao, X., Hwang, N., & Bichara, D. (2016). Chondrogenesis by bone marrow-derived mesenchymal stem cells grown in chondrocyte-conditioned medium for auricular reconstruction. *Journal of Tissue*. Retrieved from <http://onlinelibrary.wiley.com/doi/10.1002/term.2171/full>
- Zhou, Y., Zimmer, M., Yuan, H., & Naughton, G. (2016). Effects of human fibroblast-derived extracellular matrix on mesenchymal stem cells. *Stem Cell Reviews and*. Retrieved from <http://link.springer.com/article/10.1007/s12015-016-9671-7>