

2015**Human Prostate Cancer Cell Line**

Arichi, N., Misui, Y. & Hiraki, M. (2015) Versican is a potential therapeutic target in docetaxel-resistant prostate cancer. *Oncoscience* 2, No. 2, 193.
<http://www.impactjournals.com/oncoscience/files/papers/1/136/136.pdf>

Breast (MCF-7), Colorectal (HT-29), Cervical (HeLa) Cancer Cells and KMST-6 Fibroblasts

Badmus, J., Ekpo, O., & Hussein, A. (2015). Antiproliferative and Apoptosis Induction Potential of the Methanolic Leaf Extract of *Holarrhena floribunda* (G. Don). *Evidence-Based Complementary and Alternative Medicine* Vol. 2015, Article ID 756482, 11 pages. Retrieved from
<http://www.hindawi.com/journals/ecam/2015/756482/abs/>

Primary Islets and Rat Islet Cells (RINm5F)

Bae, U., Jang, H., Lim, J., & Hua, L. (2015). Polyphenols isolated from *Broussonetia kazinoki* prevent cytokine-induced β -cell damage and the development of type 1 diabetes. *Exp & Molecular Medicine* 47, e160. Retrieved from <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4351417/>

Mouse Islets and Rat Islet Cell Line (RINm5F)

Bae, U., Song, M., Jang, H., & Lim, J. (2015). Emodin isolated from *Rheum palmatum* prevents cytokine-induced β -cell damage and the development of type 1 diabetes. *Journal of Functional Foods* 16, 9 - 19. Retrieved from <http://www.sciencedirect.com/science/article/pii/S1756464615001899>

Dermal Fibroblasts and Adult Human Keratinocytes

Cho, C., Baek, I., Kim, K., & Kim, W. (2015). ID: 19: Increased heparanase expression in keratinocytes promotes dermal fibrosis in scleroderma. *Cytokine* 76, 67. Retrieved from <http://www.sciencedirect.com/science/article/pii/S1043466615003154>

Human Breast Cancer Cell Line (MCF-7)

Çiğ, B., & Nazıroğlu, M. (2015). Investigation of the effects of distance from sources on apoptosis, oxidative stress and cytosolic calcium accumulation via TRPV1 channels induced by mobile phones. *Biochimica et Biophysica Acta (BBA)-Biomembranes*, doi: 10.1016/j.2015.02.013. Retrieved from <http://www.sciencedirect.com/science/article/pii/S000527361500053X>

Primary Prostate Cancer and Normal Prostate Tissues

Costa-Pinheiro, P., & Ramalho-Carvalho, J. (2015). MicroRNA-375 plays a dual role in prostate carcinogenesis. *Clinical Epigenetics* 7, 42. Retrieved from <http://link.springer.com/article/10.1186/s13148-015-0076-2>

Human Breast Cancer Cells (MCF-7)

Esau, L., & Sagar, S. (2015). Autophagy Inhibition Enhances the Mitochondrial-Mediated Apoptosis Induced by Mangrove (*Avicennia marina*) Extract in Human Breast Cancer Cells. *European Journal of Medicinal Plants* 5 (3), 304 - 317. Retrieved from <http://search.proquest.com/openview/86651de1334838ce68dc1db27584f64d/1?pq-origsite=gscholar>

Human Hepatocytes

Jiang, X., Kanda, T., Wu, S., & Nakamoto, S. (2015). Hepatitis C Virus Nonstructural Protein 5A Inhibits MG132-Induced Apoptosis of Hepatocytes in Line with NF- κ B-Nuclear Translocation. *PLoS One* 10, e0131973. Retrieved from <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4489642/>

Human Eosophageal Squamous Cancer Cells (TE-2)

Kano, M., Matsushita, K., & Rahmutulla, B. (2015). Adenovirus-mediated FIR demonstrated TP53-independent cell-killing effect and enhanced antitumor activity of carbon-ion beams. *Gene Therapy* doi: 10.1038/gt.2015.84. Retrieved from <http://www.nature.com/gt/journal/vaop/ncurrent/full/gt201584a.html>

HeLa, MCF-7, DU145, HT1080 Cell Lines

Kaur, M., & Esau, L. (2015). Two-step protocol for preparing adherent cells for high-throughput flow cytometry. *BioTechniques* **59**, 119 - 126. Retrieved from http://www.biotechniques.com/multimedia/archive/00250/BTN5903-RP-Kaur-AOP_250598a.pdf

Mouse Macrophage Cell Line (RAW264.7 Cells)

Kim, S.K., Oh, E., & Yun, M. (2015). Palmitate induces cisternal ER expansion via the activation of XBP-1/CCT α -mediated phospholipid accumulation in RAW 264.7 cells. *Lipids in Health and Disease* **14**, 73. Retrieved from <http://lipidworld.biomedcentral.com/articles/10.1186/s12944-015-0077-3>

Human Breast Cancer Cell Line (MCF-7)

Koşar, P., Nazıroğlu, M., Övey, İ., & Çiğ, B. (2015). Synergic Effects of Doxorubicin and Melatonin on Apoptosis and Mitochondrial Oxidative Stress in MCF-7 Breast Cancer Cells: Involvement of TRPV1 Channels. *The Journal of Membrane Biology* doi: 10.1007/s00232-015-9855-0. Retrieved from <http://link.springer.com/article/10.1007/s00232-015-9855-0>

Neutrophils from Patients with Poly Cystic Ovary Syndrome

Köse, S., & Nazıroglu, M. (2015). N-acetyl cysteine reduces oxidative toxicity, apoptosis, and calcium entry through TRPV1 channels in the neutrophils of patients with polycystic ovary syndrome. *Free Radical Research* **49**, 338 - 346. Retrieved from <http://informahealthcare.com/doi/abs/10.3109/10715762.2015.1006214>

HIV-Associated Nephropathy Biopsy Tissues

Mbita, Z., Naicker, S., Goetsch, S., & Dlamini, Z. (2015). The association of RBBP6 variant 3 expressions with apoptosis in human immunodeficiency virus-associated nephropathy (HIVAN). *Experimental and Molecular Pathology* doi: 10.1016/j.yexmp.2015.04.005. Retrieved from <http://www.sciencedirect.com/science/article/pii/S001448001500091X>

Prostate Cancer Cell Lines (ETV1 and ETV4)

Mesquita, D., Barros-Silva, J., & Santos, J. (2015). Specific and redundant activities of ETV1 and ETV4 in prostate cancer aggressiveness revealed by co-overexpression cellular contexts. *Oncotarget* **6**, 5217 - 5236. Retrieved from <http://www.ncbi.nlm.nih.gov/pubmed/25595908>

Rat Neurons

Nazıroğlu, M., & Övey, İ. (2015). Involvement of apoptosis and calcium accumulation through TRPV1 channels in neurobiology of epilepsy. *Neuroscience* **293**, 55 - 66. Retrieved from <http://www.sciencedirect.com/science/article/pii/S0306452215001931>

Human Colorectal Adenocarcinoma Caco-2 Cells

Omoyeni, O., & Hussein, A. (2015). *Pleiocarpa pycnantha* leaves and its triterpenes induce apoptotic cell death in Caco-2 cells in vitro. *BMC Complementary and Alternative Medicine* **15**, 224. Retrieved from <http://www.biomedcentral.com/1472-6882/15/224>

Mouse Hippocampal Neurons

Övey, İ.S. & Nazıroglu, M. (2015) Homocysteine and cytosolic GSH depletion induce apoptosis and oxidative toxicity through cytosolic calcium overload in the hippocampus of aged mice: Involvement of TRPM2 and TRPV1 channels. *Neuroscience* **284**, 225 - 233. Retrieved from <http://www.sciencedirect.com/science/article/pii/S0306452214008483>

Rat Dorsal Root Ganglion Neurons

Özdemir, Ü., & Nazıroğlu, M. (2015). *Hypericum perforatum* Attenuates Spinal Cord Injury-Induced Oxidative Stress and Apoptosis in the Dorsal Root Ganglion of Rats: Involvement of TRPM2 and TRPV1. *Molecular Neurobiology* doi: 10.1007/s12035-015-9292-1. Retrieved from <http://link.springer.com/article/10.1007/s12035-015-9292-1>

Rat Incisor Dental Pulp Cells

Ozeki, N., Yamaguchi, H., & Hiyama, T. (2015). IL-1 β -induced matrix metalloproteinase-3 regulates cell proliferation in rat dental pulp cells. *Oral Diseases* **21**, 97 - 105. Retrieved from <http://onlinelibrary.wiley.com/doi/10.1111/odi.12219/full>

Embryonic Stem Cell-Derived Odontoblastic Cells

Ozeki, N., Hase, N., Hiyama, T., & Yamaguchi, H. (2015). Interleukin-1 β -Induced Autophagy-Related Gene 5 Regulates Proliferation of Embryonic Stem Cell-Derived Odontoblastic Cells. *PLoS ONE* doi: 10.1371/journal.pone.0124542. Retrieved from <http://dx.plos.org/10.1371/journal.pone.0124542>

Purified Odontoblast-Like Cells from Human Skeletal Muscle Stem Cells

Ozeki, N., Hase, N., & Kawai, R. (2015) Unique proliferation response in odontoblastic cells derived from human skeletal muscle stem cells by cytokine-induced matrix metalloproteinase-3. *Experimental Cell Research* **331**, 105 - 114. Retrieved from <http://www.sciencedirect.com/science/article/pii/S0014482714004042>

Human Cancer Cell lines (HepG2, MCF7, H157 and HT29) and Non-Cancerous Cell line KMST6

Saibu, G., Katerere, D., Rees, D., & Meyer, M. (2015). *In vitro* cytotoxic and pro-apoptotic effects of water extracts of *Tulbaghia violacea* leaves and bulbs. *Journal of Ethnopharmacology* **164**, 203 - 209. Retrieved from <http://www.sciencedirect.com/science/article/pii/S0378874115000550>

Human Prostate Cancer Cell Lines (LNCaP and VCaP)

Santos, J., Mesquita, D., & Barros-Silva, J. (2015). Uncovering potential downstream targets of oncogenic GRPR overexpression in prostate carcinomas harbouring ETS rearrangements. *Impactjournals.com, Oncoscience* Vol.2, No. 5. Retrieved from <http://www.impactjournals.com/oncoscience/index.php?pii=142>

Human Umbilical Vein Endothelial Cells

Shibata, A., & Nakagawa, K. (2015). α -Tocopherol suppresses antiangiogenic effect of δ -tocotrienol in human umbilical vein endothelial cells. *The Journal of Nutritional Biochemistry* **26**, 345 - 350. Retrieved from <http://www.sciencedirect.com/science/article/pii/S0955286314002605>

Human Gingival Fibroblasts

Takeuchi, R., & Hiratsuka, K. (2015). Possible pharmacotherapy for nifedipine-induced gingival overgrowth: 18 α -glycyrrhetic acid inhibits human gingival fibroblast growth. *British Journal of Pharmacology* doi: 10.1111/bph.13410. Retrieved from <http://onlinelibrary.wiley.com/doi/10.1111/bph.13410/abstract>

Thirteen Cell Lines, Cancerous and Non-Cancerous

Traut-Johnstone, T., & Kanyanda, S. (2015). Heteroditopic P, N ligands in gold (I) complexes: Synthesis, structure and cytotoxicity. *Journal of Inorganic Biochemistry* **145**, 108 - 120. Retrieved from <http://www.sciencedirect.com/science/article/pii/S0162013415000318>

Human Neuronal Cell Line (SH-SY5Y)

Uğuz, A., Öz, A., & Nazıroğlu, M. (2015). Curcumin inhibits apoptosis by regulating intracellular calcium release, reactive oxygen species and mitochondrial depolarization levels in SH-SY5Y neuronal cells. *Journal of Receptors and Signal Transduction* doi: 10.3109/10799893.2015.1108337. Retrieved from <http://www.tandfonline.com/doi/abs/10.3109/10799893.2015.1108337>

Human Neuronal Cell Line (SH-SY5Y)

Uğuz, A., & Öz, A. (2015). Melatonin attenuates apoptosis and mitochondrial depolarization levels in hypoxic conditions of SH-SY5Y neuronal cells induced by cobalt chloride (CoCl₂). *Turkish Journal of Biology* doi: 10.3906/biy-1505-100. Retrieved from <http://journals.tubitak.gov.tr/biology/abstract.htm?id=17332>

Cutaneous and Uveal Melanoma Cells

Venza, M., Visalli, M., Biondo, C., & Oteri, R. (2015). Epigenetic marks responsible for cadmium-induced melanoma cell overgrowth. *Toxicology in Vitro* **29**, 242 - 250. Retrieved from <http://www.sciencedirect.com/science/article/pii/S0887233314002112>

Melanoma Cells

Venza, M., Visalli, M., & Oteri, R. (2015). The overriding of TRAIL resistance by the histone deacetylase inhibitor MS-275 involves c-myc up-regulation in cutaneous, uveal, and mucosal melanoma. *International Immunopharmacology* **28**, 313 - 321. Retrieved from <http://www.sciencedirect.com/science/article/pii/S1567576915300023>

Rat Insulinoma Cell Line (RINm5F)

Wang, J., Song, M., & Bae, U. (2015). n-3 Polyunsaturated fatty acids protect against pancreatic β-cell damage due to ER stress and prevent diabetes development. *Molecular Nutrition & Food Research* **59**, 1791 - 1802. Retrieved from <http://onlinelibrary.wiley.com/doi/10.1002/mnfr.201500299/full>

Hepatocellular Carcinoma Sub-Cell Lines

Wang, L., & Wang, Y. (2015). MicroRNA-215 is upregulated by treatment with Adriamycin and leads to the chemoresistance of hepatocellular carcinoma cells and tissues. *Molecular Medicine Reports* **12**, 5274 - 5280. Retrieved from <http://www.spandidos-publications.com/mmr/12/4/5274>

Human Fibroblast-Like Synoviocytes

Yoo, S., Park, J., & Hwang, S. (2015). Placental Growth Factor-1 and-2 Induce Hyperplasia and Invasiveness of Primary Rheumatoid Synoviocytes. *The Journal of Immunology* **194**, 2513 - 2521. Retrieved from <http://www.jimmunol.org/content/194/6/2513.short>

Rat Hippocampus

Yürüker, V., Nazıroğlu, M., & Şenol, N. (2015). Reduction in traumatic brain injury-induced oxidative stress, apoptosis, and calcium entry in rat hippocampus by melatonin: Possible involvement of TRPM2 channels. *Metabolic Brain Disease* **30**, 223 - 231. Retrieved from <http://link.springer.com/article/10.1007/s11011-014-9623-3>

Hepatocytes

Zhou, L., Koh, H., Bae, U., & Park, B. (2015). Aggravation of post-ischemic liver injury by overexpression of insulin-like growth factor binding protein 3. *Scientific Reports* **5**, Article No. 11231. Retrieved from <http://www.nature.com/srep/2015/150615/srep11231/full/srep11231.html?message-global=remove>

2014

Rat Pheochromocytoma-Derived Cell Line (PC12)

Akpınar, A., Uğuz, A. C., and Nazıroğlu, M. (2014) Agomelatine and Duloxetine Synergistically Modulates Apoptotic Pathway by Inhibiting Oxidative Stress Triggered Intracellular Calcium Entry in Neuronal PC12 Cells: Role of TRPM2 and Voltage-Gated calcium Channels. *The Journal of Membrane Biology* **247**, 451 - 459.

Human Colonic Tumour Line (Caco2)

Alkatani, S. H. (2014) The Steroidal Na⁺/K⁺ ATPase Inhibitor 3-[(R)-3-Pyrrolidinyl] oxime Derivative (3-R-POD) Induces Potent Pro-Apoptotic Responses in Colonic Tumor Cells. *Anticancer Research* **34**, 2967 - 2971.

Prostate Cancer Cells (22Rv1, DU145, LNCaP, PC-3, VCaP)

Almeida, M., and Costa, V. (2014) Epigenetic regulation of EFEMP1 in prostate cancer: biological relevance and clinical potential. *Journal of Cellular and Molecular Medicine* doi: 10.1111/jcmm.12394.

Human Retinal Pigment Cell Line (ARPE-19)

Argun, M., Tök, L., Uğuz, A. C., Çelik, Ö., Tök, Ö. Y., and Nazıroğlu, M. (2014) Melatonin and amfenac modulate calcium entry, apoptosis, and oxidative stress in ARPE-19 cell culture exposed to blue light irradiation (405 nm). *Eye* **28**, 752 - 760.

Human Oesophageal Carcinoma Cells (OE33 and OAC)

Beales, I. L. P., Garcia-Morales, C., Ogunwobi, O. O., and Mutungi, G. (2014) Adiponectin inhibits leptin-induced oncogenic signalling in oesophageal cancer cells by activation of PTP1B. *Molecular and Cellular Endocrinology* **382**, 150 - 158.

Ovarian Cancer Cells (SKOV3)

Cohen, M., Pierredon, S., Wuillemin, C., Delie, F., and Petignat, P. (2014) Acellular fraction of ovarian cancer ascites induce apoptosis by activating JNK and inducing BRCA1, Fas and FasL expression in ovarian cancer cells. <http://www.impactjournals.com/oncoscience>. *Oncoscience* 2014, vol.1, No.4.

Bone Graft Substitute

Ghag, A. K., Gough, J. E., and Downes, S. (2014) The osteoblast and osteoclast responses to phosphonic acid containing poly (ϵ -caprolactone) electrospun scaffolds. *Biomaterials Science* **2**, 233 - 241.

Murine Dorsal Root Ganglion and Rat Hippocampus

Ghazizadeh, V., and Nazıroğlu, M. (2014) Electromagnetic radiation (Wi-Fi) and epilepsy induce calcium entry and apoptosis through activation of TRPV1 channel in hippocampus and dorsal root ganglion of rats. *Metabolic Brain Disease* **29**, 787 - 799.

Human Prostate Cancer Cell Lines (LNCaP, 22Rv1, DU145 and PC-3)

Graça, I., Sousa, E. J., Baptista, T., & ... (2014). Anti-tumoral effect of the non-nucleoside DNMT inhibitor RG108 in human prostate cancer cells. *Current Pharmaceutical Design* **20**, 1803 - 1811. Retrieved from <http://www.ingentaconnect.com/content/ben/cpd/2014/00000020/00000011/art00023>

Human Hepatocytes and Liver Carcinoma Cell Lines (HepG2 and Huh7)

Jiang, X., Kanda, T., Wu, S., & Nakamoto, S. (2014). Hepatitis C Virus Nonstructural Protein 5A Inhibits Thapsigargin-Induced Apoptosis. *PLoS ONE* **9**(11): e113499. doi:10.1371/journal.pone.0113499. Retrieved from <http://dx.plos.org/10.1371/journal.pone.0113499.g001>

Human Hepatoma

Jiang, X., Kanda, T., Nakamoto, S., Miyamura, T., Wu, S., and Yokosuka, O. (2014) Involvement of androgen receptor and glucose-regulated protein 78kDa in human hepatocarcinogenesis. *Experimental Cell Research* **323**, 326 - 336.

Human Breast Cancer Cell Line (MDA-MB-231)

Kahya, M. C., Nazıroğlu, M., and Çiğ, B. (2014) Selenium Reduces Mobile Phone (900 MHz)-Induced Oxidative Stress, Mitochondrial Function, and Apoptosis in Breast Cancer Cells. *Biological Trace Element Research* **16**, 285 - 293.

Human Breast Carcinomas (HCC70, ZR75-1), Human Oesophageal Carcinomas (TE-9, KYSE30, KYSE150 and KYSE220) and Human Fibrosarcoma (HT1080)

Kunogi, H., and Sakanishi, T. (2014) Prediction of Radiosensitivity Using Phosphorylation of Histone H2AX and Apoptosis in Human Tumour Cell Lines. *International Journal of Radiation Biology* **90**, 587 - 593.

Murine Fibroblast-Like Synoviocytes

Lee, H. -S., Woo, S. J., Koh, H. -W., Ka, S. -O., Zhou, L., Jang, K. Y., Lim, H. S., Kim, H. -O., Lee, S. -I. and Park, B. -H. (2014) Regulation of Apoptosis and Inflammatory Responses by Insulin-like Growth Factor Binding Protein 3 in Fibroblast-like Synoviocytes and Experimental Animal Models of Rheumatoid Arthritis. *Arthritis and Rheumatology* **66**, 863 - 873.

Cervical Squamous Cell Carcinoma Cells (HeLa) and Colon Adenocarcinoma Cells (SW480)

Matsushita, K., Shimada, H., Ueda, Y., Inoue, M., Hasegawa, M., Tomonaga, T., Matsubara, H. and Nomura, F. (2014) Non-transmissible Sendai virus vector encoding c-myc suppressor FBP-interacting repressor for cancer therapy. *World Journal of Gastroenterology* **20**, 4316 - 4328.

Rat Hippocampus

Nazırođlu, M., & Özkan, F. (2014). Epilepsy But Not Mobile Phone Frequency (900 MHz) Induces Apoptosis and Calcium Entry in Hippocampus of Epileptic Rat: Involvement of TRPV1 Channels. *The Journal of Membrane Biology* doi: 10.1007/s00232-014-9744-y. Retrieved from <http://link.springer.com/article/10.1007/s00232-014-9744-y>

Human Neutrophils

Nazırođlu, M., Şahin, M., Çiğ, B., Aykur, M., Erturan, İ. and Ugan, Y. (2014) Hypericum perforatum Modulates Apoptosis and Calcium Mobilization Through Voltage-Gated and TRPM2 Calcium Channels in Neutrophil of Patients with Behcet's Disease. *The Journal of Membrane Biology* **247**, 253 - 262.

Rat Hippocampus

Nazırođlu, M., Şenol, N., Ghazizadeh, V., and Yürüker, V. (2014) Neuroprotection Induced by N-acetylcysteine and Selenium Against Traumatic Brain Injury-Induced Apoptosis and Calcium Entry in Hippocampus of Rat. *Cellular and Molecular Neurobiology* **34**, 895 - 903.

Human Macrophages

Öhman, T., Teirilä, L., Lahesmaa-Korpinen, A.-M., Cypryk, W., Veckman, V., Saijo, S., Wolff, H., Hautaniemi, S., Nyman, T. A. and Matikainen, S. (2014) Dectin-1 Pathway Activates Robust Autophagy-Dependent Unconventional Protein Secretion in Human Macrophages. *The Journal of Immunology* **192**, 5952 - 5962.

Murine Hippocampus

Övey, İ., and Nazırođlu, M. (2014) Homocysteine and Cytosolic GSH Depletion Induce Apoptosis and Oxidative Toxicity Through Cytosolic Calcium Overload in Hippocampus of Aged Mice: Involvement of TRPM2 and tRPV1 Channels. *Neuroscience* doi: 10.1016/j.neuroscience.2014.09.078.

Embryonic Stem Cell-Derived Odontoblastic Cells

Ozeki, N., Hase, N., and Hiyama, T. (2014) IL-1 β -induced, matrix metalloproteinase-3-regulated proliferation of embryonic stem cell-derived odontoblastic cells is mediated by the Wnt5 signaling pathway. *Experimental Cell Research* **328**, 69 - 86.

Human Skeletal Muscle Odontoblast-Like Cells

Ozeki, N., Hase, N., and Kawai, R. (2014) Unique proliferation response in odontoblastic cells derived from human skeletal muscle stem cells by cytokine-induced matrix metalloproteinase-3. *Experimental Cell* doi: 10.1016/j.yexcr.2014.09.015.

Human Osteoblast-Like Cells (α 7+hSMSc-OB)

Ozeki, N., Kawai, R., and Yamaguchi, H. (2014) IL-1 β -induced matrix metalloproteinase-13 is activated by a disintegrin and metalloprotease-28-regulated proliferation of human osteoblast-like cells. *Experimental Cell Research* **323**, 165 - 177.

Human Monocyte-Derived Macrophages

Palomäki, J., Sund, J., & Vippola, M. (2014). A secretomics analysis reveals major differences in the macrophage responses towards different types of carbon nanotubes. *Nanotoxicology* doi: 10.3109/17435390.2014.969346. Retrieved from <http://informahealthcare.com/doi/abs/10.3109/17435390.2014.969346>

Mouse Synovial Cells

Park, Y.J., Yoo, S.A., Kim, W.U. (2014). Role of endoplasmic reticulum stress in rheumatoid arthritis pathogenesis. *J Korean Med Sci* **29**, 2 - 11. Retrieved from <http://synapse.koreamed.org/DOIx.php?id=10.3346/jkms.2014.29.1.2>

Mouse Embryo Fibroblast Cell Line (NIH3T3)

Pretorius, A., & Meyer, M. (2014). Silencing of Mouse RBBP6 Using Interference RNA Implicates It in Apoptosis and the Cell Cycle. *GSTF International Journal of BioSciences* **2**, 50 - 58. Retrieved from <http://dl6.globalstf.org/index.php/jbio/article/viewFile/366/386>

Breast Adenocarcinoma (MCF-7), Breast Carcinoma (BT20), Prostate Carcinoma (DU145), Hepatocellular Carcinoma (HepG2) and Normal Skin Fibroblasts (BJ)

Sagar, S., Esau, L., and Moosa, B. (2014) Cytotoxicity and Apoptosis Induced by a Plumbagin Derivative in Estrogen Positive MCF-7 Breast Cancer Cells. *Anti-Cancer Agents Med Chem.* **14**, 170 - 180.

Human Cancer Cell Lines and the Non Cancerous Cell Line KMST-6

Saibu, M., Sagar, S., Green, I., Ameer, F., and Meyer, M. (2014) Evaluating the Cytotoxic Effects of Novel Quinone Compounds. *Anticancer Research* **34**, 4077 - 4086.

Human Umbilical Vein Endothelial Cells

Shibata, A., Nakagawa, K., Tsuzuki, T. & Miyazawa, T. (2014) α -Tocopherol suppresses anti-angiogenic effect of δ -tocotrienol in human umbilical vein endothelial cells. *The Journal of Nutritional Biochemistry* doi: 10.1016/j.jnutbio.2014.11.010. Retrieved from: <http://www.sciencedirect.com/science/article/pii/S0955286314002605>

Murine Pancreatic Islets

Song, M. Y., Bae, U. J., Jang, K. Y., and Park, B. H. (2014) Transplantation of betacellulin-transduced islets improves glucose intolerance in diabetic mice. *Experimental and Molecular Medicine* **46**, e98.

Adipose Derived Stromal Cells

Takahara, K., Ii, M., Inamoto, T., Komura, K. and Ibuki, N., (2014) Adipose-derived stromal cells inhibit prostate cancer cell proliferation inducing apoptosis. *Biochemical and Biophysical Research Communications* **446**, 1102 - 1107.

Rat Adrenal Medulla Cell Line (PC12)

Tök, L., Naziroglu, M., Uguz, A. C., and Tök, Ö (2014) Elevated hydrostatic pressures induce apoptosis and oxidative stress through mitochondrial membrane depolarization in PC12 neuronal cells: A cell culture model of glaucoma. *Journal of Receptors and Signal Transduction* **34**, 410 - 416.

Human Cutaneous and Uveal Melanoma Cells

Venza, I., Visalli, M., Oteri, R., Teti, D., and Venza, M. (2014). Class I-specific histone deacetylase inhibitor MS-275 overrides TRAIL-resistance in melanoma cells by downregulating c-FLIP. *International Immunopharmacology* **21**, 439 - 446.

Uveal and Cutaneous Melanoma Cells

Venza, M., Visalli, M., Biondo, C., & Oteri, R. (2014). Epigenetic marks responsible for cadmium-induced melanoma cell overgrowth. *Toxicology in Vitro* **29**, 242 - 250. Retrieved from <http://www.sciencedirect.com/science/article/pii/S0887233314002112>

Murine MC3T3E1 Osteoblasts and Human Periodontal Ligament Fibroblasts

Williams, C., Johnson, B., Svrčina, H., Kawsy, B., and Jones, D. (2014) Use of geranylgeraniol to rescue osteoblasts and periodontal ligament fibroblasts from zoledronate-induced apoptosis (663.16). *The FASEB Journal* **28**, no.1 suppl. 663.16.

Porcine Aortic Valve Interstitial Cells (VICs)

Witt, W., Büttner, P., Jannasch, A., Matschke, K., and Waldow, T. (2014) Reversal of myofibroblastic activation by polyunsaturated fatty acids in valvular interstitial cells from aortic valves. Role of RhoA/G-actin/MRTF signalling. *Journal of Molecular and Cellular Cardiology* **74**, 127 - 138.

Human Histiocytic Lymphoma Cell Line (U937), Human Colon Cancer Cell Line (HCT 116), and Human Cervical Cancer Cell Line (HeLa)

Yamamoto, T., Takano, N., and Ishiwata, K. (2014). Reduced methylation of PFKFB3 in cancer cells shunts glucose towards the pentose phosphate pathway. *Nature Communications* **5**, article number: 3480.

Rat Hippocampus

Yürüker, V., Nazıroğlu, M., & Şenol, N. (2014). Reduction in traumatic brain injury-induced oxidative stress, apoptosis, and calcium entry in rat hippocampus by melatonin: Possible involvement of TRPM2 channels. *Metabolic Brain Disease* doi: 10.1007/s11011-014-9623-3. Retrieved from <http://link.springer.com/article/10.1007/s11011-014-9623-3>

2013**CaCO2 Colon Cancer Cells**

Alkahtani,S. (2013) Testosterone induced apoptosis in colon cancer cells is regulated by PI3K/Rac1 signaling. *Asian Journal of Andrology* **15**, 831 - 834.

Prostate and Colon Cancer Cells

Anagnostopoulou,V., Padiaditakis,I., Alkahtani,S., Alarifi,S.A., Schmidt,E.M., Lang,F., Gravanis,A., Charalampopoulos,I. and Stournaras,C. (2013) Differential Effects of Dehydroepiandrosterone and Testosterone in Prostate and Colon Cancer Cell Apoptosis: The Role of Nerve Growth Factor (NGF) Receptors. *Endocrinology*, **154**, 2446-2456.

Rat Insulinoma Cell Line RINm5F Cells and Pancreatic Islets

Bae,U.J., Song,M.Y., Jang,H.Y., Gim,H.J., Ryu,J.H., Lee,S.M., Jeon,R. and Park,B.H. (2013) The efficacy of SPA0355 in protecting β cells in isolated pancreatic islets and in a murine experimental model of type 1 diabetes. *Experimental & Molecular Medicine*, **45**, e51.

Human Oesophageal Cancer Cell Line (OE33)

Beales,I.L., Garcia-Morales,C., Ogunwobi,O.O. and Mutungi,G. (2014) Adiponectin inhibits leptin-induced oncogenic signalling in oesophageal cancer cells by activation of PTP1B. *Molecular and Cellular Endocrinology* **382**, 150-158.

Retinal Ganglion Cells (RGC-5)

del Olmo-Aguado,S., Núñez-Álvarez,C., Ji,D., Manso,A.G. and Osborne,N.N. (2013) RTP801 immunoreactivity in retinal ganglion cells and its down-regulation in cultured cells protect them from light and cobalt chloride. *Brain Research Bulletin*, **98**, 132-144.

Human LNCaP Cells

Dubois,C., Vanden Abeele,F., Sehgal,P., Olesen,C., Junker,S., Christensen,S.r.B., Prevarskaya,N. and Møller,J.V. (2013) Differential effects of thapsigargin analogues on apoptosis of prostate cancer cells. *FEBS Journal*, **280**, 5430-5440.

Human Valve Interstitial Cells (VICs)

El Hussein,D., Boulanger,M.C., Fournier,D., Mahmut,A., Bossé,Y., Pibarot,P. and Mathieu,P. (2013) High Expression of the Pi-Transporter SLC20A1/Pit1 in Calcific Aortic Valve Disease Promotes Mineralization through Regulation of Akt-1. *PloS one*, **8**, e53393.

Osteoblasts and Osteoclasts

Ghag,A.K., Gough,J.E. and Downes,S. (2014) The osteoblast and osteoclast responses to phosphonic acid containing poly (ϵ -caprolactone) electrospun scaffolds. *Biomaterials Science* doi: 10.1039/C3BM60188A.

Human Hepatoma Cell Line (HepG2)

Jiang,X., Kanda,T., Tanaka,T., Wu,S., Nakamoto,S., Imazeki,F. and Yokosuka,O. (2013) Lipopolysaccharide blocks induction of unfolded protein response in human hepatoma cell lines. *Immunology letters* **152**, 8 - 15.

Bladder Urothelial Cell Carcinoma (BUCC)

Junqueira-Neto,S., Vieira,F.Q., Montezuma,D., Costa,N.R., Antunes,L., Baptista,T., Oliveira,A., Graça,I., Rodrigues,Â. and Magalhães,J.S. (2013) Phenotypic impact of deregulated expression of class I histone deacetylases in urothelial cell carcinoma of the bladder. *Molecular Carcinogenesis* doi: 10.1002/mc.22117.

Pancreatic β -Cell Line INS-1 β -cells (clone 832/13)

Kim,S-J., Ao,Z., Warnock,G. and McIntosh,C.H.S. (2013) Incretin-stimulated interaction between β -cell Kv1. 5 and Kv β 2 channel proteins involves acetylation/deacetylation by CBP/SirT1. *Biochemical Journal* **451**, 227 - 234.

Murine Primary Osteoblasts (mPOBs)

Kuriwaka-Kido,R., Kido,S., Miyatani,Y., Ito,Y., Kondo,T., Omatsu,T., Dong,B., Endo,I., Miyamoto,K.i. and Matsumoto,T. (2013) Parathyroid Hormone (1-34) Counteracts the Suppression of Interleukin-11 Expression by Glucocorticoid in Murine Osteoblasts: A Possible Mechanism for Stimulating Osteoblast Differentiation Against Glucocorticoid Excess. *Endocrinology*, **154**, 1156-1167.

Fibroblast Like Synoviocytes

Lee,H., Woo,S.J., Koh,H., Ka,S., Zhou,L., Jang,K.Y., Lim,H.S., Kim,H., Lee,S. and Park,B. (2013) Regulation of apoptosis and inflammatory responses by IGFBP-3 in fibroblast-like synoviocytes and experimental animal models of rheumatoid arthritis. *Arthritis & Rheumatism* doi: 10.1002/art.38303.

Chinese Hamster Ovary, MCF7 and HeLa Cells

Lyantagaye,S.L. (2013) Methyl- α -D-glucopyranoside from *Tulbaghia violacea* extract induces apoptosis in vitro in cancer cells. *Bangladesh Journal of Pharmacology*, **8**, 93-101.

Retinal Ganglion Cell Line (RGC-5)

Majid,A.S.A., Majid,A.M.S.A., Yin,Z.Q. and Ji,D. (2013) Slow Regulated Release of H₂S Inhibits Oxidative Stress Induced Cell Death by Influencing Certain Key Signaling Molecules. *Neurochemical research*, doi: 10.1007/s11064-013-1034-2.

Human Cervical Cancer (HeLa) and Human Osteosarcoma Cell Lines (U205)

Matsushita,K., Tamura,M. and Tanaka,N. (2013) Interactions between SAP155 and FUSE-binding protein - interacting repressor bridges cMyc and P27Kip1 expression. *Mol. Cancer Res.* **11**, 689 - 698.

Human Breast (MCF-7) and Human Colon (HT-29) Cancer Cells

Motswainyana,W.M., Onani,M.O., Madiehe,A.M., Saibu,M., Thovhogi,N. and Lalancette,R.A. (2013) Imino-phosphine palladium (II) and platinum (II) complexes: Synthesis, molecular structures and evaluation as antitumor agents. *Journal of inorganic biochemistry*, **129**, 112-118.

Murine Insulinoma Min6 Cells

Ogasawara,A., Simizu,S., Ito,A., Kawai,T., Saisho,Y., Takei,I. and Umezawa,K. (2013) Inhibition of NO-induced B-cell death by novel NF- κ B inhibitor (-)-DHMEQ via activation of Nrf2-ARE pathway. *Biochemical and Biophysical Research Communications* **433**, 181 - 187.

Rat Embryonic Stem Cell-Derived Odontoblast-Like Cells

Ozeki,N., Yamaguchi,H., Kawai,R., Hiyama,T., Nakata,K., Mogi,M. and Nakamura,H. (2013) Cytokines induce MMP-3-regulated proliferation of embryonic stem cell-derived odontoblast-like cells. *Oral diseases* doi: 10.1111/odi.12165.

Rat Embryonic Stem Cell-Derived Odontoblast-Like Cells

Ozeki,N., Yamaguchi,H., Hiyama,T., Kawai,R., Nakata,K., Mogi,M. and Nakamura,H. (2013) IL-1 β -induced matrix metalloproteinase-3 regulates cell proliferation in rat dental pulp cells. *Oral diseases* doi: 10.1111/odi.12219.

Rat Bone Marrow Mesenchymal Stem Cells

Peng,Y., Huang,S., Wu,Y., Cheng,B., Nie,X., Liu,H., Ma,K., Zhou,J., Gao,D. and Feng,C. (2013) Platelet rich plasma clot releasate preconditioning induced PI3K/AKT/NFκB signaling enhances survival and regenerative function of rat bone marrow mesenchymal stem cells in hostile microenvironments. *Stem cells and development* **22**, 3236 - 3251.

Progesterone/Oestrogen-Mediated Ovarian Surface Epithelial Cells

Saddick,S.Y. (2013) *In Vivo* and *in Vitro* Studies on Apoptosis in OSE Cells and Inclusion Cysts of Pregnant Heifers. *Saudi Journal of Biological Sciences*, **20**, 281 - 289.

Human Cancer Cell Lines HeLa, MCF7 and DU145

Sagar,S., Esau,L., Hikmawan,T., Antunes,A., Holtermann,K., Stingl,U., Bajic,V.B. and Kaur,M. (2013) Cytotoxic and apoptotic evaluations of marine bacteria isolated from brine-seawater interface of the Red Sea. *BMC complementary and alternative medicine*, **13**, 29.

Normal BJ Cells and HepG2 Cells

Sagar,S., Esau,L., Moosa,B., Khashab,N.M., Bajic,V.B. and Kaur,M. (2013) Cytotoxicity and Apoptosis Induced by a Plumbagin Derivative in Estrogen Positive MCF-7 Breast Cancer Cells. *Anti-cancer agents in medicinal chemistry*. Oct 21 [EPub ahead of print]. PMID: 24164046.

Human Cancer Cell lines HeLa, MCF7 and DU145

Sagar,S., Esau,L., Holtermann,K., Hikmawan,T., Zhang,G., Stingl,U., Bajic,V.B. and Kaur,M. (2013) Induction of apoptosis in cancer cell lines by the Red Sea brine pool bacterial extracts. *BMC complementary and alternative medicine*, **13**, 344.

Murine Macrophages (J774.2)

Shiomi,N. and Watanabe,K. (2013) Effects of oleic acid on murine macrophage dysfunction. *J. Biomedical Science and Engineering* **6**, 654 - 660.

Prostate Cancer Cell Lines

Sousa,E., Graça,I., Baptista,T., Vieira,F.Q., Palmeira,C., Henrique,R. and Jerónimo,C. (2013) Enoxacin inhibits growth of prostate cancer cells and effectively restores microRNA processing. *Epigenetics*, **8**, 548-558.

B Cells

Su-Jin,K., Ziliang,A., Garth,W. and Christopher,H.S. (2013) Incretin-stimulated interaction between beta-cell Kv1. 5 and Kvbeta2 channel proteins involves acetylation/deacetylation by CBP/SirT1. *Biochemical Journal* **451**, 227 - 234.

Cutaneous and Uveal Melanoma Cell Lines

Venza,M., Visalli,M., Catalano,T., Fortunato,C., Oteri,R., Teti,D. and Venza,I. (2013) Impact of DNA methyltransferases on the epigenetic regulation of tumor necrosis factor-related apoptosis-inducing ligand (TRAIL) receptor expression in malignant melanoma. *Biochemical and biophysical research communications*, **441**, 743-750.

Murine Macrophage Cell Line (Raw264.7)

Watanabe,J., Nakagawa,M., Watanabe,N. and Nakamura,M. (2013) Ubiquitin-like protein MNSFB covalently binds to Bcl-G and enhances lipopolysaccharide/interferon γ-induced apoptosis in macrophages. *FEBS Journal* **280**, 1281 - 1293.

2012

Murine Fibroblast Cells (NIH/3T3)

Auchincvole, C.A.R., Richardson, P., McGuinness, C., Mallikarjun, V., Donaldson, K., McNab, H. and Campbell, C.J. (2012) Monitoring Intracellular Redox Potential Changes Using SERS Nanosensors. *ACS Nano* **6**, 888 - 896.

Chinese Hamster Ovary Cells

Çelik, Ö. and Naziroğlu, M. (2012) Melatonin modulates apoptosis and TRPM2 channels in transfected cells activated by oxidative stress. *Physiology & Behavior* **107**, 458 - 465.

Human Breast Adenocarcinoma and Ductal Carcinoma Cell Lines

Chang, C.C., Fu, C.F., Yang, W.T., Chen, T.Y. and Hsu, Y.C. (2012) The cellular uptake and cytotoxic effect of curcuminoids on breast cancer cells. *Taiwanese Journal of Obstetrics and Gynecology*, **51**, 368-374.

Colorectal Cells

Chen, M.J., Cheng, Y.M., Lai, P.H., Wu, J.F. and Hsu, Y.C. (2012) In vitro biocompatibility of thermally gelling liquid mucoadhesive loaded curcuminoids in colorectal cancer chemoprevention. *International Journal of Colorectal Disease*, **27**, 869 - 878.

Valvular Interstitial Cells

Côté, N., Hussein, D.E., Pépin, A., Guauque-Olarte, S., Ducharme, V., Bouchard-Cannon, P., Audet, A., Fournier, D., Gaudreault, N., Derbali, H., McKee, M.D., Simard, C., Després, J.-P., Pibarot, P., Bossé, Y. and Mathieu, P. (2012) ATP acts as a survival signal and prevents the mineralization of aortic valve. *Journal of Molecular and Cellular Cardiology* **52**, 1191 - 1202.

Bewo Trophoblast Derived-Choriocarcinoma Cell Line

Fradet, S., Pierredon, S., Ribaux, P., Epiney, M., Ya, K.S., Irion, O. and Cohen, M. (2012) Involvement of Membrane GRP78 in Trophoblastic Cell Fusion. *PloS one*, **7**, e40596.

Human Hepatocellular Carcinoma Cell Line

Gwak, G.Y., Moon, T.G., Lee, D.H. and Yoo, B.C. (2012) Glycyrrhizin attenuates HMGB1-induced hepatocyte apoptosis by inhibiting the p38-dependent mitochondrial pathway. *World Journal of Gastroenterology: WJG*, **18**, 679 - 684.

Murine Neonatal Dorsal Skin Epidermal Cells

Hirobe, T. and Terunuma, E. (2012) Reduced Proliferative and Differentiative Activity of Mouse Pink-Eyed Dilution Melanoblasts is Related to Apoptosis. *Zoological Science*, **29**, 725-732.

Rat Retinal Ganglion (RGC-5) Cell Line

Kamalden, T.A., Ji, D. and Osborne, N.N. (2012) Rotenone-Induced Death of RGC-5 Cells is Caspase Independent, Involves the JNK and p38 Pathways and is Attenuated by Specific Green Tea Flavonoids. *Neurochemical Research*, **37**, 1091 - 1101.

Breast Cancer Cell Lines

Kampa, M., Notas, G., Pelekanou, V., Troullinaki, M., Andrianaki, M., Azariadis, K., Kampouri, E., Lavrentaki, K. and Castanas, E. (2012) Early membrane initiated transcriptional effects of estrogens in breast cancer cells: First pharmacological evidence for a novel membrane estrogen receptor element (ERx). *Steroids*, **77**, 959 - 967.

Human Monocytic Cell Line THP-1

Kato,S., Nakashima,K., Nagasawa,T., Abiko,Y. and Furuichi,Y. (2012) Involvement of Toll-like receptor 2 in apoptosis of *Aggregatibacter actinomycetemcomitans*-infected THP-1 cells. *Journal of Microbiology, Immunology and Infection*, doi: 10.1016/j.jmii.2012.02.003.

Human Neutrophils

Kayan,M., Naziroğlu,M., Övey,I.S., Aykur,M., Uğuz,A.C. and Yürekli,V.A. (2012) Non-Ionic Contrast Media Induces Oxidative Stress and Apoptosis Through Ca²⁺ Influx in Human Neutrophils. *Journal of Membrane Biology*, **245**, 833 - 840.

Murine Leukaemic Monocyte Macrophage Cell Line (RAW 264.7 Cells)

Kim,S.K., Seo,G., Oh,E., Jin,S.H., Chae,G.T. and Lee,S.B. (2012) Palmitate induces RIP1-dependent necrosis in RAW 264.7 cells. *Atherosclerosis* **225**, 315 - 321.

Various CD133+ Solid Tumour Cells

Lin,S.P., Lee,Y.T., Wang,J.Y., Miller,S.A., Chiou,S.H., Hung,M.C. and Hung,S.C. (2012) Survival of Cancer Stem Cells under Hypoxia and Serum Depletion via Decrease in PP2A Activity and Activation of p38-MAPKAPK2-Hsp27. *PloS one*, **7**, e49605.

Human Cancer Cells

Mbita,Z., Meyer,M., Skepu,A., Hosie,M., Rees,J. and Dlamini,Z. (2012) De-regulation of the RBBP6 isoform 3/DWNN in human cancers. *Molecular and Cellular Biochemistry* **362**, 249 - 262.

Human Primary Macrophages

Miettinen,J.J., Matikainen,S. and Nyman,T.A. (2012) Global secretome characterisation of Herpes simplex virus 1 infected human primary macrophages. *Journal of Virology*, doi: 10.1128/JV1.01545-12.

Human Prostate Cancer Cell Lines

Mitsui,Y., Shiina,H., Hiraki,M., Arichi,N., Hiraoka,T., Sumura,M., Honda,S., Yasumoto,H. and Igawa,M. (2012) Tumor suppressor function of PGP9. 5 is associated with epigenetic regulation in prostate cancer-novel predictor of biochemical recurrence after radical surgery. *Cancer Epidemiology Biomarkers & Prevention* **21**, 487 - 496.

Human Breast Cell Line (MCF-7) and Human Ovarian Cell Line (A2780)

Motswainyana,W.M., Onani,M.O. and Madiehe,A.M. (2012) Bis (ferrocenylimine) palladium (II) and platinum (II) complexes: synthesis, molecular structures and evaluation as antitumor agents. *Polyhedron*, **41**, 44 - 51.

Human Endometrial Carcinoma

Nickkho-Amiry,M., McVey,R. and Holland,C. (2012) Peroxisome Proliferator-Activated Receptors Modulate Proliferation and Angiogenesis in Human Endometrial Carcinoma. *Molecular Cancer Research*, **10**, 441-453.

Rat Retinal Ganglion Cells (RGC-5)

Osborne,N.N., Ji,D., Majid,A.S.A., Sodato,P.D. and Sparatore,A. (2012) Glutamate oxidative injury to RGC-5 cells in culture is necrostatin sensitive and blunted by a hydrogen sulfide (H₂S)-releasing derivative of aspirin (ACS14). *Neurochemistry International* **60**, 365 - 378.

Extravillous Trophoblasts from Placental Bed Biopsy Specimens

Petsas,G., Jeschke,U., Richter,D.U., Minas,V., Hammer,A., Kalantaridou,S., Toth,B., Tsatsanis,C., Friese,K. and Makrigiannakis,A. (2012) Aberrant expression of corticotropin-releasing hormone in pre-eclampsia induces expression of FasL in maternal macrophages and extravillous trophoblast apoptosis. *Molecular Human Reproduction* **18**, 535 - 545.

Rat Beta Cell Line (832/13)

Poungvarin,N., Lee,J.K., Yechoor,V.K., Li,M.V., Assavapokee,T., Suksaranjit,P., Thepsongwajja,J.J., Saha,P.K., Oka,K. and Chan,L. (2012) Carbohydrate response element-binding protein (ChREBP) plays a pivotal role in beta cell glucotoxicity. *Diabetologia*, **55**, 1783 - 1796.

Colorectal Cancer Cell Lines

Ragusa,M., Statello,L., Maugeri,M., Majorana,A., Barbagallo,D., Salito,L., Sammito,M., Santonocito,M., Angelica,R. and Cavallaro,A. (2012) Specific alterations of the microRNA transcriptome and global network structure in colorectal cancer after treatment with MAPK/ERK inhibitors. *Journal of Molecular Medicine*, **90**, 1421 - 1438.

Endothelial and an Embryonic Kidney Cell Line (293T)

Schuepbach,R.A., Madon,J., Ender,M., Galli,P. and Riewald,M. (2012) Protease Activated Receptor-1 Cleaved at R46 Mediates Cytoprotective Effects. *Journal of Thrombosis and Haemostasis*, **10**, 1675 - 1684.

Murine Macrophage Cell Line (RAW 264.7)

Sjölander,M., Altenbacher,G., Hagner,M., Sun,W., Schedin-Weiss,S. and Sjölander,H. (2012) Meningococcal Outer Membrane Protein NhHA Triggers Apoptosis in Macrophages. *PloS one*, **7**, e29586.

Rat Notochordal Cells

Suhl,K.H., Park,J.B., Park,E.Y. and Rhee,S.K. (2012) Effect of nerve growth factor and its transforming tyrosine kinase protein and low-affinity nerve growth factor receptors on apoptosis of notochordal cells. *International Orthopaedics*, doi: 10.1007/s00264-012-1586-6.

Human Lung Cancer Cell Lines (LSqr1 and A549)

Thafeni,M.A. (2012) Biological effects of South African plant extracts on RBBp6 as anti-cancer therapy in lung cancer. <http://hdl.handle.net/10539/11598>.

Rat Dorsal Root Ganglion Neurons

Uğuz,A.C. and Naziroğlu,M. (2012) Effects of Selenium on Calcium Signaling and Apoptosis in Rat Dorsal Root Ganglion Neurons Induced by Oxidative Stress. *Neurochemical Research*, **37**, 1631 - 1638.

Lung Cancer Cell Lines

Yang,L., Chen,Y., Cui,T., Knösel,T., Kai,A., Huber,O. and Petersen,I. (2012) Desmoplakin acts as a tumour suppressor by inhibition of the Wnt/ β -catenin signalling pathway in human lung cancer. *Carcinogenesis* doi: 10.1093/carcin/bgs226.

Murine Rheumatoid Arthritis Synoviocytes

Yoo,S.A., You,S., Yoon,H.J., Kim,D.H., Kim,H.S., Lee,K., Ahn,J.H., Hwang,D., Lee,A.S. and Kim,K.J. (2012) A novel pathogenic role of the ER chaperone GRP78/BiP in rheumatoid arthritis. *The Journal of Experimental Medicine*, **209**, 871-886.

Human Cervical Cancer Cell Line (HeLa)

Zou,J., Zhang,C., Marjanovic,J., Kisseleva,M.V., Majerus,P.W. and Wilson,M.P. (2012) Myotubularin-related protein (MTMR) 9 determines the enzymatic activity, substrate specificity, and role in autophagy of MTMR8. *Proceedings of the National Academy of Sciences*, **109**, 9539-9544.

2011

Human Umbilical Vein Endothelial EA.hy926 Cells

Áinle, F.N., O'Donnell, J.S., Johnson, J.A., Brown, L., Gleeson, E.M., Smith, O.P. and Preston, R.J.S. (2011) Activated protein C N-linked glycans modulate cytoprotective signaling function on endothelial cells. *Journal of Biological Chemistry*, **286**, 1323.

Human Tumour-Derived Saos-2 Osteoblasts

Arbon, K.S., Christensen, C.M., Harvey, W.A. and Hegglund, S.J. (2011) Cadmium exposure activates the ERK signaling pathway leading to altered osteoblast gene expression and apoptotic death in Saos-2 cells. *Food and Chemical Toxicology* **50**, 198 - 205.

Human Derived Mesothelioma Cell Line (ACC-MESO-1 Cells)

Asakura, K., Izumi, Y., Yamamoto, M., Yamauchi, Y., Kawai, K., Serizawa, A., Mizushima, T., Ohmura, M., Kawamura, M. and Wakui, M. (2011) The Cytostatic Effects of Lovastatin on ACC-MESO-1 Cells. *Journal of Surgical Research* **170**, e197 - e209.

Osteocyte-Like MLO-Y4 Cells

Cheung, W.Y., Liu, C., Tonelli-Zasarsky, R.M.L., Simmons, C.A. and You, L. (2011) Osteocyte apoptosis is mechanically regulated and induces angiogenesis in vitro. *Journal of Orthopaedic Research* doi: 10.1002/jor.21283.

Ovarian Cancer Cell Line (SKOV-3)

Cohen, M. and Petignat, P. (2011) Purified autoantibodies against glucose-regulated protein 78 (GRP78) promote apoptosis and decrease invasiveness of ovarian cancer cells. *Cancer Letters* **309**, 104 - 109.

Human Endometrial Epithelial Cell

Deghmane, A.E., El Kafsi, H., Giorgini, D., Abaza, A. and Taha, M.K. (2011) Late Repression of NF- κ B Activity by Invasive but Not Non-Invasive Meningococcal Isolates Is Required to Display Apoptosis of Epithelial Cells. *PLoS Pathogens*, **7**, e1002403.

Human T-Cell Leukemia Cells

Ding, N., Yamashita, U., Matsuoka, H., Sugiura, T., Tsukada, J., Noguchi, J. and Yoshida, Y. (2011) Apoptosis induction through proteasome inhibitory activity of cucurbitacin D in human T-Cell leukemia. *Cancer* **117**, 2735 - 2746.

Human Caco2 Colon Cancer Cell Line

Gu, S., Papadopoulou, N., Nasir, O., Föller, M., Alevizopoulos, K., Lang, F. and Stournaras, C. (2011) Activation of Membrane Androgen Receptors in Colon Cancer Inhibits the Prosurvival Signals Akt/Bad In Vitro and In Vivo and Blocks Migration via Vinculin/Actin Signaling. *Molecular Medicine*, **17**, 48 - 58.

Human Prostate Cancer Cell Line DU145

Hayashi, T., Oue, N., Sakamoto, N., Anami, K., Oo, H.Z., Sentani, K., Ohara, S., Teishima, J., Matsubara, A. and Yasui, W. (2011) Identification of Transmembrane Protein in Prostate Cancer by the Escherichia coli Ampicillin Secretion Trap: Expression of CDON Is Involved in Tumor Cell Growth and Invasion. *Pathobiology*, **78**, 277-284.

Rat Retinal Ganglion Cells (RGC-5 Cells)

Ji, D., Kamalden, T.A., del Olmo-Aguado, S. and Osborne, N.N. (2011) Light-and sodium azide-induced death of RGC-5 cells in culture occurs via different mechanisms. *Apoptosis*, **16**, 425 - 437.

Pancreatic B-Cells

Kim,S.J., Widenmaier,S.B., Choi,W.S., Nian,C., Ao,Z., Warnock,G. and McIntosh,C.H.S. (2011) Pancreatic B-cell prosurvival effects of the incretin hormones involve post-translational modification of Kv2.1 delayed rectifier channels. *Cell Death & Differentiation* **19**, 333 - 344.

Human Malignant Pleural Mesothelioma Cell Lines and Non-Tumour Immortalised Mesothelial Cells

Kitamura,A., Matsushita,K., Takiguchi,Y., Shimada,H., Tada,Y., Yamanaka,M., Hiroshima,K., Tagawa,M., Tomonaga,T. and Matsubara,H. (2011) Synergistic effect of non-transmissible Sendai virus vector encoding the c-myc suppressor FUSE-binding protein-interacting repressor plus cisplatin in the treatment of malignant pleural mesothelioma. *Cancer Science*, **102**, 1366-1373.

Human Hepatocarcinoma Cells and Monkey Kidney Cells

Kohl,Y., Kaiser,C., Bost,W., Stracke,F., Fournelle,M., Wischke,C., Thielecke,H., Lendlein,A., Kratz,K. and Lemor,R. (2011) Preparation and biological evaluation of multifunctional PLGA-nanoparticles designed for photoacoustic imaging. *Nanomedicine: Nanotechnology, Biology and Medicine*, **7**, 228-237.

Rabbit Kidney Cells

Langford,M.P., McGee,D.J., Ta,K.H., Redens,T.B. and Texada,D.E. (2011) Multiple Caspases Mediate Acute Renal Cell Apoptosis Induced by Bacterial Cell Wall Components. *Renal Failure*, **33**, 192-206.

Human Colon Carcinoma Cells

Löw,K., Knobloch,T., Wagner,S., Wiehe,A., Engel,A., Langer,K. and Briesen,H. (2011) Comparison of intracellular accumulation and cytotoxicity of free mTHPC and mTHPC-loaded PLGA nanoparticles in human colon carcinoma cells. *Nanotechnology*, **22**, 245102.

Human Primary Macrophages

Lietzén,N., Öhman,T., Rintahaka,J., Julkunen,I., Aittokallio,T., Matikainen,S. and Nyman,T.A. (2011) Quantitative Subcellular Proteome and Secretome Profiling of Influenza A Virus-Infected Human Primary Macrophages. *PLoS Pathogens*, **7**, e1001340.

Human Diploid Lung Fibroblast Cell Line IMR90

Mahalingam,D., Tay,L.L., Tan,W.H., Chai,J.H. and Wang,X. (2011) Mutant telomerase RNAs induce DNA damage and apoptosis via the TRF2-ATM pathway in telomerase-over expressing primary fibroblasts. *FEBS Journal* **278**, 3724 - 3738.

Osteosarcoma Cell Lines

Marion,A., Dieudonné,F.X., Patiño Garcia,A., Lecanda,F., Marie,P.J. and Modrowski,D. (2011) Calpain 6 is an endothelin 1 signaling dependent protective factor in chemoresistant osteosarcoma. *International Journal of Cancer*, doi: 10.1002/ijc.26246.

Breast Cancer Cells (MCF7:5C)

Maximov,P., Sengupta,S., Lewis-Wambi,J.S., Kim,H.R., Curpan,R.F. and Jordan,V.C. (2011) The conformation of the estrogen receptor directs estrogen-induced apoptosis in breast cancer: a hypothesis. *Hormone Molecular Biology and Clinical Investigation*, **5**, 27 - 34.

Rat Bladder Cancer Cell Line (RT4)

Memon,A.A., Munk,M., Nexo,E. and Sorensen,B.S. (2011) Calcium-induced apoptosis is delayed by HER1 receptor signalling through the Akt and PLC pathways in bladder cancer cells. *Scandinavian Journal of Clinical & Laboratory Investigation*, **71**, 45 - 51.

Human Endometrioid Endometrial Cancers and Normal Endometrium

Nickkho-Amiry,M., McVey,R. and Holland,C. (2011) Peroxisome proliferator-activated receptors modulate proliferation and angiogenesis in human endometrial carcinoma. *Molecular Cancer Research* doi: 10.1158/1541-7786.MCR11-0233.

Vascular Smooth Muscle Cells

Ohta,S., Hattori,Y., Nakanishi,N., Sugimoto,H. and Kasai,K. (2011) Differential Modulation of Immunostimulant-Triggered NO Production by Endoplasmic Reticulum Stress Inducers in Vascular Smooth Muscle Cells. *Journal of Cardiovascular Pharmacology*, **57**, 434 - 438.

Human Leukemia Cells (Jurkat)

Ovadge,P., Chatterjee,S., Griffin,C., Tran,C., Hamm,C. and Pandey,S. (2011) Selective induction of apoptosis through activation of caspase-8 in human leukemia cells (Jurkat) by dandelion root extract. *Journal of Ethnopharmacology*, **133**, 86-91.

Human Macrophages

Rintahaka,J., Lietzén,N., Öhman,T., Nyman,T.A. and Matikainen,S. (2011) Recognition of Cytoplasmic RNA Results in Cathepsin-Dependent Inflammasome Activation and Apoptosis in Human Macrophages. *The Journal of Immunology*, **186**, 3085.

Human Epithelial Colorectal Adenocarcinoma (CaC0-2) Cells and Human Breast Cancer Cells (MCF-7)

Rodríguez-Luccioni,H.L., Latorre-Esteves,M., Méndez-Vega,J., Soto,O., Rodríguez,A.R., Rinaldi,C. and Torres-Lugo,M. (2011) Enhanced reduction in cell viability by hyperthermia induced by magnetic nanoparticles. *International Journal of Nanomedicine*, **6**, 373.

Human Gingival Fibroblasts

Takeuchi,R., Matsumoto,H., Akimoto,Y. and Fujii,A. (2011) Reduction in lipopolysaccharide-induced apoptosis of fibroblasts obtained from a patient with gingival overgrowth during nifedipine-treatment. *Archives of Oral Biology*, **56**, 1073 - 1080.

Human Liver Cell Line (HepG2 Cells)

Tamura,R., Kanda,T., Imazeki,F., Wu,S., Nakamoto,S., Tanaka,T., Arai,M., Fujiwara,K., Saito,K. and Roger,T. (2011) Hepatitis C Virus Nonstructural 5A Protein Inhibits Lipopolysaccharide-Mediated Apoptosis of Hepatocytes by Decreasing Expression of Toll-Like Receptor 4. *Journal of Infectious Diseases*, **204**, 793-801.

Pharyngeal Squamous Cancer Cell Lines

Tonoike,Y., Matsushita,K., Tomonaga,T., Katada,K., Tanaka,N., Shimada,H., Nakatani,Y., Okamoto,Y. and Nomura,F. (2011) Adhesion molecule periplakin is involved in cellular movement and attachment in pharyngeal squamous cancer cells. *BMC cell biology*, **12**, 41.

Astroglomas and Other Brain Tumours

Venza,M., Visalli,M., Alafaci,C., Caffo,M., Caruso,G., Salpietro,F.M., Tomasello,F. and Teti,D. (2011) Interleukin-8 Overexpression in Astrocytomas Is Induced by Prostaglandin E2 and Is Associated With the Transcription Factors CCAAT/Enhancer-Binding Protein- β and CCAAT/Enhancer-Binding Homologous Protein. *Neurosurgery*, **69**, 713.

Pancreatic β -Cells (MIN6)

Wang,H.W., Mizuta,M., Saitoh,Y., Noma,K., Ueno,H. and Nakazato,M. (2011) Glucagon-like peptide-1 and candesartan additively improve glucolipotoxicity in pancreatic β -cells. *Metabolism* **60**, 1081 - 1089.

Human Lymphoblastoid TK6 Cells

Yamamoto,A., Sakamoto,Y., Masumura,K., Honma,M. and Nohmi,T. (2011) Involvement of mismatch repair proteins in adaptive responses induced by N-methyl-N'-nitro-N-nitrosoguanidine against γ -induced genotoxicity in human cells. *Mutation Research/Fundamental and Molecular Mechanisms of Mutagenesis* **713**, 56 - 63.

Human U937 Lymphoma Cells

Yurinskaya,V.E., Rubashkin,A.A., Shirokova,A.V. and Vereninov,A.A. (2011) Regulatory volume increase (RVI) and apoptotic volume decrease (AVD) in U937 cells in hypertonic medium. *Cell and Tissue Biology*, **5**, 487-494.

2010

Human Oesophageal Adenocarcinoma Cell Lines (OE33 and FLO).

Beales,I.L.P. and Ogunwobi,O.O. (2010) Microsomal prostaglandin E synthase 1 inhibition blocks proliferation and enhances apoptosis in oesophageal adenocarcinoma cells without affecting endothelial prostacyclin production. *International Journal of Cancer*, **126**, 2247-2255.

Zebra Mussel (*Dreissena polymorpha*)

Binelli,A., Cogni,D., Parolini,M. and Provini,A. (2010) Multi-biomarker approach to investigate the state of contamination of the R. Lambro/R. Po confluence (Italy) by zebra mussel (*Dreissena polymorpha*). *Chemosphere*, **79**, 518 - 528.

Fibroblasts and Human Melanoma Cell Lines (C8161 and MV3)

Edward,M., Quinn,J.A., Pasonen-Seppänen,S.M., McCann,B.A. and Tammi,R.H. (2010) 4-Methylumbelliferone inhibits tumour cell growth and the activation of stromal hyaluronan synthesis by melanoma cell-derived factors. *British Journal of Dermatology*, **162**, 1224-1232.

Retinal Ganglion RGC5 Cell Line

Jung,S.H., Kim,B.J., Lee,E.H. and Osborne,N.N. (2010) Isoquercitrin is the most effective antioxidant in the plant *Thuja orientalis* and able to counteract oxidative-induced damage to a transformed cell line (RGC-5 cells). *Neurochemistry International*, **7**, 713 - 721.

Rat Retinal Ganglion RGC-5 Cells

Kang,K.D., Andrade da Costa,B.L.S. and Osborne,N.N. (2010) Stimulation of Prostaglandin EP2 Receptors on RGC-5 Cells in Culture Blunts the Negative Effect of Serum Withdrawal. *Neurochemical Research*, **35**, 820-829.

Human Hepatocarcinoma Cells (HepG2) and Monkey Kidney Cells (Vero)

Kohl,Y., Kaiser,C., Bost,W., Stracke,F., Fournelle,M., Wischke,C., Thielecke,H., Lendlein,A., Kratz,K. and Lemor,R. (2010) Preparation and Biological Evaluation of Multifunctional PLGA-Nanoparticles designed for Photoacoustic Imaging. *Nanomedicine: Nanotechnology, Biology and Medicine*, doi:10.1016/j.nano.2010.07.006.

Mouse Embryonic Fibroblast -Adipose Like Cell Line 3T3-L1

Kojima,T., Norose,T., Tsuchiya,K. and Sakamoto,K. (2010) Mouse 3T3-L1 cells acquire resistance against oxidative stress as the adipocytes differentiate via the transcription factor FoxO. *Apoptosis*, **15**, 83-93.

Murine Synoviocytes

Kong,J.S., Yoo,S.A., Kim,H.S., Kim,H.A., Yea,K., Ryu,S.H., Chung,Y.J., Cho,C.S. and Kim,W.U. (2010) Inhibition of synovial hyperplasia, rheumatoid T cell activation, and experimental arthritis in mice by sulforaphane, a naturally occurring isothiocyanate. *Arthritis & Rheumatism*, **62**, 159-170.

Murine CT26 Colon Cancer Cells

Lan,K.L., Ou-Yang,F., Yen,S.H., Shih,H.L. and Lan,K.H. (2010) Cationic liposome coupled endostatin gene for treatment of peritoneal colon cancer. *Clinical and Experimental Metastasis*, **27**, 307-318.

Various Human Cancer Cells

Lee,Y.B., Gong,Y.D., Yoon,H., Ahn,C.H., Jeon,M.K. and Kong,J.Y. (2010) Synthesis and anticancer activity of new 1-[(5 or 6-substituted 2-alkoxyquinoxalin-3-yl) aminocarbonyl]-4-(hetero) arylpiperazine derivatives. *Bioorganic & Medicinal Chemistry* **18**, 7966 - 7974.

Rat PC12 Pheochromocytoma Cells

Lemcke,S., Hönnscheidt,C., Waschatko,G., Bopp,A., Lütjohann,D., Bertram,N. and Gehrig-Burger,K. (2010) DHEA-Bodipy - A functional fluorescent DHEA analog for live cell imaging. *Molecular and Cellular Endocrinology*, **314**, 31-40.

Human Retinal Pigment Cell (ARPE-19 Cells)

Li,G.Y., Fan,B. and Zheng,Y.C. (2010) Calcium Overload Is A Critical Step in Programmed Necrosis of ARPE-19 Cells Induced by High-Concentration H₂O₂. *Biomedical and Environmental Sciences: BES*, **23**, 371 - 377.

Murine Osteocyte-like MLO-Y4 (Murine Long-Bone Osteocyte) Cells

Liu,C., Zhao,Y., Cheung,W.Y., Gandhi,R., Wang,L. and You,L. (2010) Effects of cyclic hydraulic pressure on osteocytes. *Bone*, **46**, 1449-1456.

Human and Murine Hepatoma Cells

Luo,Y., Yang,C., Lu,W., Xie,R., Jin,C., Huang,P., Wang,F. and McKeenan,W.L. (2010) Metabolic regulator Bklotho interacts with fibroblast growth factor receptor 4 (FGFR4) to induce apoptosis and inhibit tumor cell proliferation. *Journal of Biological Chemistry*, **285**, 30069 - 30078.

Murine C3H10T1/2 Mesenchymal Cells

Miraoui,H., Severe,N., Vaudin,P., Pages,J.C. and Marie,P.J. (2010) Molecular silencing of Twist1 enhances osteogenic differentiation of murine mesenchymal stem cells: Implication of FGFR2 signaling. *Journal of cellular biochemistry*, **110**, 1147-1154.

Human Gingival Fibroblasts

Nomura,Y., Bhawal,U.K., Nishikiori,R., Sawajiri,M., Maeda,T. and Okazaki,M. (2010) Effects of high-dose major components in oral disinfectants on the cell cycle and apoptosis in primary human gingival fibroblasts in vitro. *Dental Materials Journal*, **29**, 75-83.

Rat RGC-5 Retinal Ganglion Cells

Osborne,N.N., Ji,D., bdul Majid,A.S., Fawcett,R.J., Sparatore,A. and Soldato,P.D. (2010) ACS67, a Hydrogen Sulfide-Releasing Derivative of Latanoprost Acid, Attenuates Retinal Ischemia and Oxidative Stress to RGC-5 Cells in Culture. *Investigative Ophthalmology and Visual Science*, **51**, 284 - 294.

Human Retinal Pigment Epithelium (hRPE) Cells

Papadaki,T., Tsimbaris,M., Pallikaris,I. and Thermos,K. (2010) Somatostatin receptor activation (sst₁-sst₅) differentially influences human retinal pigment epithelium cell viability. *Acta Ophthalmologica*, **88**, e228-e233.

Human Endothelial Cells

Pasciu,V., Posadino,A.M., Cossu,A., Sanna,B., Tadolini,B., Gaspa,L., Marchisio,A., Dessole,S., Capobianco,G. and Pintus,G. (2010) Akt Downregulation by Flavin Oxidase-Induced ROS Generation Mediates Dose-Dependent Endothelial Cell Damage Elicited by Natural Antioxidants. *Toxicological Sciences*, **114**, 101 - 112.

Human Cervical Cancer Cell Line (HeLa)

Sagar,S., Kaur,M., Minneman,K.P. and Bajic,V.B. (2010) Anti-Cancer Activities Of Diospyrin, Its Derivatives And Analogues. *European Journal of Medicinal Chemistry*, **45**, 3519 - 3530.

Human DLD-1 Colorectal Adenocarcinoma Cells

Shibata,A., Nakagawa,K., Sookwong,P., Tsuduki,T., Asai,A. and Miyazawa,T. (2010) α -Tocopherol attenuates the cytotoxic effect of δ -tocotrienol in human colorectal adenocarcinoma cells. *Biochemical and Biophysical Research Communications* **397**, 214 - 219.

Immortalized Murine Schwann Cells (IMS) and Rat Primary Schwann Cells

Suzuki,J., Akahane,K., Nakamura,J., Naruse,K., Kamiya,H., Himeno,T., Nakamura,N., Shibata,T., Kondo,M. and Nagasaki,H. (2010) Palmitate Induces Apoptosis in Schwann Cells via both Ceramide-Dependent and Independent Pathways. *Neuroscience*, doi: 10.1016/j.neuroscience.2010.11.035.

Rat Cardiac Myoblasts (H9c2), Rat Thoracic Myoblasts (A-10) and Human Embryonic Epithelial Cells (HEK-2937)

Wang,Y.H., Ahmar,H. and Irving,H.R. (2010) Induction of apoptosis by plant natriuretic peptides in rat cardiomyoblasts. *Peptides* **31**, 1213 - 1218.

2009

Human Breast Adenocarcinoma Cell Line (MCF7)

Androulidaki,A., Dermitzaki,E., Venihaki,M., Karagianni,E., Rassouli,O., Andreakou,E., Stournaras,C., Margioris,A.N. and Tsatsanis,C. (2009) Corticotropin Releasing Factor promotes breast cancer cell motility and invasiveness. *Molecular Cancer*, **8**, 30.

Human Endothelial Cells

Cao,G., Fehrenbach,M.L., Williams,J.T., Finklestein,J.M., Zhu,J.X. and DeLisser,H.M. (2009) Angiogenesis in Platelet Endothelial Cell Adhesion Molecule-1-Null Mice. *American Journal of Pathology*, **175**, 903-915.

Porcine Aortic Valve Interstitial Cells

Chen,J.H., Yip,C.Y.Y., Sone,E.D. and Simmons,C.A. (2009) Identification and Characterization of Aortic Valve Mesenchymal Progenitor Cells with Robust Osteogenic Calcification Potential. *American Journal of Pathology*, **174**, 1109-1119.

Human Ovarian Cancer Epithelial Cells (SLOV3) and NIH-3T3 Murine Fibroblasts

Cole,E.T., Zhan,Y., Abi Saab,W.F., Korchnak,A.C., Ashburner,B.P. and Chadee,D.N. (2009) Mixed lineage kinase 3 negatively regulates IKK activity and enhances etoposide-induced cell death. *BBA-Molecular Cell Research*, **1793**, 1811-1818.

Human Epithelial Cells

Deghmane,A.E., Veckerlé,C., Giorgini,D., Hong,E., Ruckly,C. and Taha,M.K. (2009) Differential Modulation of TNF- α Induced Apoptosis by *Neisseria meningitidis*. *PLoS Pathogens*, **5**, e1000405.

Murine Osteoblast Cells

Fromigue,O., Hay,E., Barbara,A., Petrel,C., Traiffort,E., Ruat,M. and Marie,P.J. (2009) Calcium sensing receptor-dependent and-independent activation of osteoblast replication and survival by strontium ranelate. *Journal of Cellular and Molecular Medicine*, doi: 10.1111/j.1582-4934.2008.00673.x.

BeWo Choriocarcinoma Cell Line

Heazell,A.E.P., Taylor,N.N.J., Greenwood,S.L., Baker,P.N. and Crocker,I.P. (2009) Does altered oxygenation or reactive oxygen species alter cell turnover of BeWo choriocarcinoma cells? *Reproductive BioMedicine Online*, **18**, 111-119.

Murine Liver Cells

Huang,X., Yang,C., Jin,C., Luo,Y., Wang,F. and McKeehan,W.L. (2009) Resident hepatocyte fibroblast growth factor receptor 4 limits hepatocarcinogenesis. *Molecular Carcinogenesis*, **48**, 553-562.

Human Hodgkin Lymphoma Cell Lines

Jayanthan,A., Howard,S.C., Trippett,T., Horton,T., Whitlock,J.A., Daisley,L., Lewis,V. and Narendran,A. (2009) Targeting the Bcl-2 family of proteins in Hodgkin lymphoma: in vitro cytotoxicity, target modulation and drug combination studies of the Bcl-2 homology 3 mimetic ABT-737. *Leukemia & lymphoma*, **50**, 1174-1182.

Retinal Ganglion Cells (RGC-5)

Kang,K. and Osborne,N.N. (2009) Butaprost, a prostaglandin EP2 receptor agonist, counteracts the negative effect of serum deprivation to retinal ganglion cells. *Acta Ophthalmologica*, doi: 10.1111/j.1755-3768.2009.261.x.

Human Bladder Cancer Cell Lines

Khin,S.S., Kitazawa,R., Win,N., Aye,T.T., Mori,K., Kondo,T. and Kitazawa,S. (2009) BAMBI gene is epigenetically silenced in subset of high-grade bladder cancer. *International Journal of Cancer* **125**, 328-338.

Retinal Ganglion Cells (RGC-5)

Li,G.Y., Fan,B. and Su,G.F. (2009) Acute energy reduction induces caspase-dependent apoptosis and activates p53 in retinal ganglion cells (RGC-5). *Experimental Eye Research*, **89**, 581-589.

Retinoblastoma Cells

Lupescu,A., Geiger,C., Zahir,N., Aberle,S., Lang,P.A., Kramer,S., Wesselborg,S., Kandolf,R., Föller,M. and Lang,F. (2009) Inhibition of Na/H Exchanger Activity by Parvovirus B19 Protein NS1. *Cell Physiol Biochem*, **23**, 211-220.

Retinal Ganglion Cells (RGC-5)

Majid,A.S.A. and Osborne,N.N. (2009) N-Acetyl cysteine (NAC) attenuates neuronal cell death in culture not solely by up regulating glutathione (GSH). *Acta Ophthalmologica*, doi: 10.1111/j.1755-3768.2009.262.x.

Bone Cancer Cells

Marion,A., Dieudonné,F., Patiño,A., Lecanda,F., Marie,P. and Modrowski,D. (2009) Identification of calpain-6 as a new target involved in cell death of bone cancer cells. *Bone*, **44**, 247.

Murine Mesenchymal C3H10T1/2 Cells and Calvaria Osteoblasts MC3T3-E1

Miraoui,H., Oudina,K., Petite,H., Tanimoto,Y., Moriyama,K. and Marie,P.J. (2009) Fibroblast Growth Factor Receptor 2 Promotes Osteogenic Differentiation in Mesenchymal Cells via ERK1/2 and Protein Kinase C Signaling. *Journal of Biological Chemistry*, **284**, 4897-4904.

Mouse Embryo Fibroblasts

Mori,K., Hirao,E., Toya,Y., Oshima,Y., Ishikawa,F., Nose,K. and Shibamura,M. (2009) Competitive Nuclear Export of Cyclin D1 and Hic-5 Regulates Anchorage Dependence of Cell Growth and Survival. *Molecular Biology of the Cell*, **20**, 218-232.

Retinal Ganglion Cells (RGC-5)

Osborne,N.N., Ji,D., Majid,A., Fawcett,R., Sparatore,A. and Soldato,P. (2009) ACS67, a hydrogen sulphide-releasing derivative of latanoprost acid, attenuates retinal ischemia and oxidative stress to RGC-5 cells in culture. *Investigative Ophthalmology & Visual Science*, doi: 10.1167/iavs.09-3999.

Human Umbilical Vein Endothelial Cells

Perez-Casal,M., Downey,C., Cutillas-Moreno,B., Zuzel,M., Fukudome,K. and Toh,C.H. (2009) Microparticle-associated endothelial protein C receptor and the induction of cytoprotective and anti-inflammatory effects. *Haematologica*, **94**, 387-394.

Epithelial Renal Tubule Cell Lines (NRK-52E, LLC-PK1, MDCK, HK2)

Rodriguez-Garcia,M.E., Quiroga,A.G., Castro,J., Ortiz,A., Aller,P. and Mata,F. (2009) Inhibition of p38-MAPK potentiates cisplatin-induced apoptosis via GSH depletion and increases intracellular drug accumulation in growth-arrested kidney tubular epithelial cells. *Toxicological Sciences*, **111**, 413.

Human Breast Adenocarcinoma Cell Line (MCF-7), Human Cervical Cancer Cell Line (HeLa) and Human Osteosarcoma Cell Line (MG63)

Sagar,S. and Green,I.R. (2009) Pro-apoptotic activities of novel synthetic quinones in human cancer cell lines. *Cancer Letters*, **285**, 23-27.

Human Colon Carcinoma HCA-7, Human Breast Cancer MDA-MB231, Human Colon Adenocarcinoma Grade II HT-29, Human Colon Carcinoma HCT-116, Human Embryonic Kidney HEK293 and Human Breast Adenocarcinoma MCF-7 Cell Lines

Schiffmann,S., Sandner,J., Schmidt,R., Birod,K., Wobst,I., Schmidt,H., Angioni,C., Geisslinger,G. and Grösch,S. (2009) The selective COX-2 inhibitor celecoxib modulates sphingolipid synthesis. *The Journal of Lipid Research*, **50**, 32-40.

Human Osteoblast-Like Saos-2 Cells

Smith,S.S., Reyes,J.R., Arbon,K.S., Harvey,W.A., Hunt,L.M. and Heggland,S.J. (2009) Cadmium-induced decrease in RUNX2 mRNA expression and recovery by the antioxidant N-acetylcysteine (NAC) in the human osteoblast-like cell line, Saos-2. *Toxicology in Vitro*, **23**, 60-66.

Non-Hodgkin Lymphoma (NHL) Cells

Sniderhan,L.F., Garcia-Bates,T.M., Burgart,M., Bernstein,S.H., Phipps,R.P. and Maggirwar,S.B. (2009) Neurotrophin signaling through tropomyosin receptor kinases contributes to the survival and proliferation of Non-Hodgkin Lymphoma. *Experimental Hematology*, **37**, 1295 - 1309.

Mouse Leukaemic Monocyte Macrophage Cell Line (RAW 264.7), CB2^{+/+} and CB2^{-/-} Peritoneal Macrophages and Mouse Liver Microsomes

Thewke,D., Freeman-Anderson,N., Pickle,T., Netherland,C. and Chilton,C. (2009) AM-251 and SR144528 are acyl CoA: cholesterol acyltransferase inhibitors. *Biochemical and Biophysical Research Communications*, **381**, 181-186.

Various Cell Lines (COS-7, HEK293, PC12, M23)

Vilar,M., Charalampopoulos,I., Kenchappa,R.S., Reversi,A., Klos-Applequist,J.M., Karaca,E., Simi,A., Spuch,C., Choi,S. and Friedman,W.J. (2009) Ligand-independent signaling by disulfide-crosslinked dimers of the p75 neurotrophin receptor. *Science's STKE*, **122**, 3351-3357.

Rat Insulinoma Cell Line (INS-1)

Widenmaier,S.B., Ao,Z., Kim,S.J., Warnock,G. and McIntosh,C.H.S. (2009) Suppression of p38 MAPK and JNK via Akt-mediated Inhibition of Apoptosis Signal-regulating Kinase 1 Constitutes a Core Component of the β -Cell Pro-survival Effects of Glucose-dependent Insulinotropic Polypeptide. *Journal of Biological Chemistry*, **284**, 30372.

Primary Porcine Aortic Valve Interstitial Cells (VICs)

Yip,C.Y.Y., Chen,J.H., Zhao,R. and Simmons,C.A. (2009) Calcification by Valve Interstitial Cells Is Regulated by the Stiffness of the Extracellular Matrix. *Arteriosclerosis, Thrombosis, and Vascular Biology*, **29**, 936.

Human Cervical Cancer HeLa Cell Line

Zou,J., Chang,S.C., Marjanovic,J. and Majerus,P.W. (2009) MTMR9 increases MTMR6 enzyme activity, stability, and role in apoptosis. *Journal of Biological Chemistry*, **284**, 2064-2071.

2008

Neural Crest Derived PC12 Cells

Charalampopoulos,I., Margioris,A.N. and Gravanis,A. (2008) Neurosteroid dehydroepiandrosterone exerts anti-apoptotic effects by membrane-mediated, integrated genomic and non-genomic pro-survival signaling pathways. *Journal of Neurochemistry*, **107**, 1457.

Human Islet Cells and Mouse Insulinoma-Derived MIN6B Cell Line

Dror,V., Kalynyak,T.B., Bychkivska,Y., Frey,M.H.Z., Tee,M., Jeffrey,K.D., Nguyen,V., Luciani,D.S. and Johnson,J.D. (2008) Glucose and Endoplasmic Reticulum Calcium Channels Regulate HIF-1 β via Presenilin in Pancreatic β -Cells. *Journal of Biological Chemistry*, **283**, 9909-9916.

Rat ELT-3 Leiomyoma Cells

Isobe,A., Takeda,T., Sakata,M., Miyake,A., Yamamoto,T., Minekawa,R., Nishimoto,F., Oskamoto,Y., Walker,C.L. and Kimura,T. (2008) Dual repressive effect of angiotensin II-type 1 receptor blocker telmisartan on angiotensin II-induced and estradiol-induced uterine leiomyoma cell proliferation. *Human Reproduction*, **23**, 440-446.

Rat Retinal Tissue and Retinal Ganglion (RGC-5) Cells

Jung,S.H., Kang,K.D., Ji,D., Fawcett,R.J., Safa,R., Kamalden,T.A. and Osborne,N.N. (2008) The flavonoid baicalin counteracts ischemic and oxidative insults to retinal cells and lipid peroxidation to brain membranes. *Neurochemistry International*, **53**, 325-337.

Rat Adrenal Medulla PC12 Cell Line

Kasivisvanathan, V., McArthur, S., Gillies, G., and Solito, E. (2008) The influence of Annexin A1 on the apoptosis of PC12 cells. *Endocrine Abstracts*, **15**, 211.

Human Acute Monocytic Leukaemia THP-1 Cell Line

Kato,S. (2008) Involvement of TLR2 in apoptosis of *Aggregatibacter actinomycetemcomitans*-infected monocytes. 2166 http://iadr.confex.com/iadr/2008Toronto/techprogram/abstract_103857.htm.

Chinese Hamster Ovary Cells

Keter,F.K., Kanyanda,S., Lyantagaye,S.S.L., Darkwa,J., Rees,D.J.G. and Meyer,M. (2008) In vitro evaluation of dichloro-bis(pyrazole)palladium(II) and dichloro-bis(pyrazole) platinum (II) complexes as anticancer agents. *Cancer Chemotherapy and Pharmacology*, **63**, 127 - 138.

Human Dermal Fibroblasts

Kim,J.Y., Kwok,S.K., Hur,K.H., Kim,H.J., Kim,N.S., Yoo,S.A., Kim,W.U. and Cho,C.S. (2008) Up-regulated macrophage migration inhibitory factor protects apoptosis of dermal fibroblasts in patients with systemic sclerosis. *Clinical & Experimental Immunology*, **152**, 328-335.

Basal Cell Carcinoma Cells and a Keratinocytic Cell Line

Kump,E., Ji,J., Wernli,M., Häusermann,P., Erb,P. and Contact,N.P.G. (2008) Gli2 upregulates cFlip and renders basal cell carcinoma cells resistant to death ligand-mediated apoptosis. *Oncogene*, **27**, 3856.

Rat RGC-5 Retinal Ganglion Cells

Li,G.Y. and Osborne,N.N. (2008) Oxidative-induced apoptosis to an immortalized ganglion cell line is caspase independent but involves the activation of poly (ADP-ribose) polymerase and apoptosis-inducing factor. *Brain Research*, **1188**, 35-43.

Human Colon Cancer NCT116 Cell Line

Masuda,K., Teshima-Kondo,S., Mukaijo,M., Yamagishi,N., Nishikawa,Y., Nishida,K., Kawai,T. and Rokutan,K. (2008) A Novel Tumor-Promoting Function Residing in the 5' Non-coding Region of Vascular Endothelial Growth Factor mRNA. *PLoS Med*, **5**, e94.

Rat TGC-5 Retinal Ganglion Cells

Osborne,N.N., Li,G.Y., Ji,D., Mortiboys,H.J. and Jackson,S. (2008) Light affects mitochondria to cause apoptosis to cultured cells: possible relevance to ganglion cell death in certain optic neuropathies. *Journal of Neurochemistry*, **105**, 2013-2028.

Human Gastric Epithelial Cell Lines

Otsubo,T., Akiyama,Y., Yanagihara,K. and Yuasa,Y. (2008) SOX2 is frequently down regulated in gastric cancers and inhibits cell growth through cell-cycle arrest and apoptosis. *British Journal of Cancer*, **98**, 824-831.

Human Prostate Cancer DU145 Cell Line

Papadopoulou,N., Charalampopoulos,I., Alevizopoulos,K., Gravanis,A. and Stournaras,C. (2008) Rho/ROCK/actin signaling regulates membrane androgen receptor induced apoptosis in prostate cancer cells. *Experimental Cell Research*, **314**, 3162-3174.

Mouse Endothelial Cell Line MS1

Qiao,L., Gu,Q., Dai,Y., Shen,Z., Liu,X., Qi,R., Ma,J., Zou,B., Li,Z., Lan,H.Y. and Wong,B.C.Y. (2008) XIAP-Associated Factor 1 (XAF1) Suppresses Angiogenesis in Mouse Endothelial Cells. *Tumor Biology*, **29**, 122-129.

Human Gingival Fibroblast HGF-1 Cell Line

Reti,R., Kwon,E., Qui,P., Wheeler,M. and Sosne,G. (2008) Thymosin Beta-4 is Cytoprotective in Human Gingival Fibroblasts. *Eur. J. Oral Sci.*, **116**, 424-430.

Primary Endothelial Cells

Schroit, A. J., Balasubramanian, K., and McCarty, M. B-2-glycoprotein is an inhibitor of angiogenesis. *United States Patent*, US 7,329,642,B2.

Human Tumor Epithelial Cell Lines

Serebriiskii,I., Castelló-Cros,R., Lamb,A., Golemis,E.A. and Cukierman,E. (2008) Fibroblast-derived 3D matrix differentially regulates the growth and drug-responsiveness of human cancer cells. *Matrix Biology*, **27**, 573-585.

Microvascular Endothelial Cell (MEC), Human Hepatocellular Carcinoma Murine Hepa1-6 and Rat McA-RH7777 Cell Lines

Shen,Z., Wong,O.G.W., Yao,R.Y., Liang,J., Kung,H.F. and Lin,M.C.M. (2008) A novel and effective hepatocyte growth factor kringle 1 domain and p53 cocktail viral gene therapy for the treatment of hepatocellular carcinoma. *Cancer Letters*, doi:10.1016/j.canlet.2008.03.064.

Rat Hepatocellular Carcinoma McA-RH7777 and Mouse Microvascular-Endothelial SVEC4-10EE2 Cell Lines

Shen,Z., Yang,Z.F., Gao,Y., Li,J.C., Chen,H.X., Liu,C.C., Poon,R.T.P., Fan,S.T., Luk,J.M. and Sze,K.H. (2008) The Kringle 1 Domain of Hepatocyte Growth Factor Has Antiangiogenic and Antitumor Cell Effects on Hepatocellular Carcinoma. *Cancer Research*, **68**, 404-414.

Commonly Used Laboratory Cell Lines Derived from Diverse Cell Lineages

Singh,M.K., Dadke,D., Nicolas,E., Serebriiskii,I.G., Apostolou,S., Canutescu,A., Egleston,B.L. and Golemis,E.A. (2008) A Novel Cas Family Member, HEPL, Regulates FAK and Cell Spreading. *Molecular Biology of the Cell*, **19**, 1627-1636.

Human Osteoblast-Like Cell Line Saos-2

Smith,S.S., Reyes,J.R., Arbon,K.S., Harvey,W.A., Hunt,L.M. and Hegglund,S.J. (2008) Cadmium-induced decrease in RUNX2 mRNA expression and recovery by the antioxidant N-acetylcysteine (NAC) in the human osteoblast-like cell line, Saos-2. *Toxicology in Vitro*, **23**, 60-66.

Human Pancreatic Cancer Cell Line

Takano,S., Yoshitomi,H., Togawa,A., Sogawa,K., Shida,T., Kimura,F., Shimizu,H., Tomonaga,T., Nomura,F. and Miyazaki,M. (2008) Apolipoprotein C-1 maintains cell survival by preventing from apoptosis in pancreatic cancer cells. *Oncogene*, **27**, 2810-2822.

Human Gingival Fibroblasts

Takeuchi,R. (2008) Relationship between Gingival Overgrowth and Lipopolysaccharide Induced Apoptosis. 1376 http://iadr.confex.com/iadr/2008Toronto/techprogram/abstract_105559.htm

Murine Articular Chondrocytes

Tare,R.S., Townsend,P.A., Packham,G.K., Inglis,S. and Oreffo,R.O.C. (2008) Bcl-2-associated athanogene-1 (BAG-1): A transcriptional regulator mediating chondrocyte survival and differentiation during endochondral ossification. *Bone*, **42**, 113-128.

Human Intestinal CACO-2 Cell Line

Wald,F.A., Oriolo,A.S., Mashukova,A., Fregien,N.L., Langshaw,A.H. and Salas,P.J.I. (2008) Atypical Protein Kinase C (iota) mediates local ezrin activation in the apical domain of intestinal epithelial cells. *Journal of Cell Science*, **121**, 644-654.

Human Gall Bladder Carcinoma Cell Lines

Washiro,M., Ohtsuka,M., Kimura,F., Shimizu,H., Yoshidome,H., Sugimoto,T., Seki,N. and Miyazaki,M. (2008) Upregulation of topoisomerase IIa expression in advanced gallbladder carcinoma: a potential chemotherapeutic target. *Journal of Cancer Research and Clinical Oncology*, **134**, 793-801.

Human Epithelial Cells

Zarantonelli,M.L., Lancellotti,M., Deghmane,A.E., Giorgini,D., Hong,E., Ruckly,C., Alonso,J.M. and Taha,M.K. (2008) Hyperinvasive genotypes of *Neisseria meningitidis* in France. *Clinical Microbiology and Infection*, **14**, 467-472.

Rat RGC-5 Retinal Ganglion Cells

Zhang,B., Rusciano,D. and Osborne,N.N. (2008) Orally administered epigallocatechin gallate attenuates retinal neuronal death in vivo and light-induced apoptosis in vitro. *Brain Research*, **1198**, 141-152.

Undetermined Experimental Model

Yamagata,K., Daitoku,H., Takahashi,Y., Namiki,K., Hisatake,K., Kako,K., Mukai,H., Kasuya,Y. and Fukamizu,A. (2008) Arginine Methylation of FOXO Transcription Factors Inhibits Their Phosphorylation by Akt. *Molecular Cell*, **32**, 221-231.

2007

Human Malignant Mesothelioma NCI-H2052 and Mesothelial MeT-5A Cells Lines

Aung,W., Hasegawa,S., Furukawa,T. and Saga,T. (2007) Potential role of ferritin heavy chain in oxidative stress and apoptosis in human mesothelial and mesothelioma cells: implications for asbestos-induced oncogenesis. *Carcinogenesis*, **28**, 2047-2052.

Human Renal Carcinoma Cell Line

Fujimoto,N., Nomura,M., Nishi,H. and Matsumoto,T. (2007) MP-16.10: Nitrogen-containing bisphosphonates inhibit the growth of renal cell carcinoma cells. *Urology*, **70**, 124-125.

Human Primary Polymorphonuclear Leukocyte Cell Line

Higurashi,H., Arai,M., Watanabe,A., Igari,H., Seki,N., Kamei,K. and Kuriyama,T. (2007) Gene Expression Profiling of Polymorphonuclear Leukocytes Treated with the Culture Filtrate of *Aspergillus fumigatus* and Gliotoxin *Microbiology and Immunology*, **51**, 407-419.

Human LNCaP, MCF-7, DU 145, MDA MB231 Prostate, Breast, Renal Caki-1, Urinary Bladder J82, Colon HCT 116 and Lung A 549 Cancer Cell Lines

Hostanska,K., Suter,A., Melzer,J. and Saller,R. (2007) Evaluation of cell death caused by an ethanolic extract of *Serenoa repentis fructus* (Prostasan) on human carcinoma cell lines. *Anticancer Res*, **27**, 873-881.

Human Primary Aortic Endothelial Cell Line

Hung,S.C., Pochampally,R.R., Chen,S.C., Hsu,S.C. and Prockop,D.J. (2007) Angiogenic Effects of Human Multipotent Stromal Cells (MSCs). Conditioned Medium Activates the PI3K-Akt Pathway in Hypoxic Endothelial Cells to Inhibit Apoptosis, Increase Survival, and Stimulate Angiogenesis. *Stem Cells*, **25**, 2363-2370.

Human Multipotent Stromal Cell Line

Hung,S.C., Pochampally,R.R., Hsu,S.C., Sanchez,C., Chen,S.C., Spees,J. and Prockop,D.J. (2007) Short-Term Exposure of Multipotent Stromal Cells to Low Oxygen Increases Their Expression of CX3CR1 and CXCR4 and Their Engraftment In Vivo. *PLoS ONE*, **2**, e416.

Rat RGC-5 Retinal Ganglion Cells

Ji,D., Li,G.Y. and Osborne,N.N. (2007) Nicotinamide attenuates retinal ischemia and light insults to neurones. *Neurochemistry International*, **52**, 786-798.

Human Cholangiocarcinoma Cell Line

Jinawath,A., Akiyama,Y., Sripa,B. and Yuasa,Y. (2007) Dual blockade of the Hedgehog and ERK1/2 pathways coordinately decreases proliferation and survival of cholangiocarcinoma cells. *Journal of Cancer Research and Clinical Oncology*, **133**, 271-278.

Mouse Mammary Epithelial, COS7 and A549 Cell Lines

Kanome,T., Itoh,N., Ishikawa,F., Mori,K., Kim-Kaneyama,J.R., Nose,K. and Shibanuma,M. (2007) Characterization of Jumping translocation breakpoint (JTB) gene product isolated as a TGF- β 1-inducible clone involved in regulation of mitochondrial function, cell growth and cell death. *Oncogene*, **26**, 5991-6001

Human Monocyte THP-1 Cell Line

Kato,S. (2007) Role of TNF- α in apoptosis of *A. actinomycetemcomitans*-infected monocytes. Thesis.

Mouse Hepatocyte Primary Culture

Kawao,N., Okada,K., Kawata,S., Okamoto,C., Tsuritani,M., Ueshima,S. and Matsuo,O. (2007) Plasmin decreases the BH3-only protein BimEL via the ERK1/2 signaling pathway in hepatocytes. *BBA-Molecular Cell Research*, **1773**, 718-727.

Human and Mouse Colon Cancer Cell Lines, HCT-116 and CT-26

Lan,K.L., Yen,S.H., Liu,R.S., Shih,H.L., Tseng,F.W. and Lan,K.H. (2007) Mutant Bik gene transferred by cationic liposome inhibits peritoneal disseminated murine colon cancer. *Clinical and Experimental Metastasis*, **24**, 461-470.

Human Extravillous Trophoblast Hybridoma Cell Line

Minas,V., Jeschke,U., Kalantaridou,S.N., Richter,D.U., Reimer,T., Mylonas,I., Friese,K. and Makrigiannakis,A. (2007) Abortion is associated with increased expression of FasL in decidual leukocytes and apoptosis of extravillous trophoblasts: a role for CRH and urocortin. *Molecular Human Reproduction*, **13**, 663.

Buffalo Primary Luteal Cell Lines

Mishra,D.P. and Dhali,A. (2007) Endotoxin induces luteal cell apoptosis through the mitochondrial pathway. *Prostaglandins and Other Lipid Mediators*, **83**, 75-88.

Monkey Vero E6 Cell Line

Mizutani,T., Fukushi,S., Kenri,T., Sasaki,Y., Ishii,K., Endoh,D., Zamoto,A., Saijo,M., Kurane,I. and Morikawa,S. (2007) Enhancement of cytotoxicity against Vero E6 cells persistently infected with SARS-CoV by *Mycoplasma fermentans*. *Archives of Virology*, **152**, 1019-1025.

Human Bladder Carcinoma RT4 and T24 Cell Line

Munk,M., Memon,A.A., Nexo,E. and Sorensen,B.S. (2007) Inhibition of the epidermal growth factor receptor in bladder cancer cells treated with the DNA-damaging drug etoposide markedly increases apoptosis. *BJU International*, **99**, 196-201.

Human Cervical Carcinoma HeLa and Rat Glioma RGC-6 Cell Lines

Nguyen,L.T., Atobe,K., Barichello,J.M., Ishida,T. and Kiwada,H. (2007) Complex Formation with Plasmid DNA Increases the Cytotoxicity of Cationic Liposomes. *Biological & Pharmaceutical Bulletin*, **30**, 751-757.

Human Renal Cancer OUR-10 and ACHN Cell Lines

Oka,D., Nishimura,K., Shiba,M., Nakai,Y., Arai,Y., Nakayama,M., Takayama,H., Inoue,H., Okuyama,A. and Nonomura,N. (2007) Sesquiterpene lactone parthenolide suppresses tumor growth in a xenograft model of renal cell carcinoma by inhibiting the activation of NF- κ B. *Int.J.Cancer*, **120**, 2576-2581.

Human Osteosarcoma MG63,U2OS, SaOS2, and OHS4 and Primary Osteoblast Cell Lines

Orosco,A., Fromigue,O., Bazille,C., Entz-Werle,N., Levillain,P., Marie,P.J. and Modrowski,D. (2007) Syndecan-2 Affects the Basal and Chemotherapy-Induced Apoptosis in Osteosarcoma. *Cancer Research*, **67**, 3708.

Human Bone Marrow-Derived Mesenchymal Cells

Oshina,H., Sotome,S., Yoshii,T., Torigoe,I., Sugata,Y., Maehara,H., Marukawa,E., Omura,K. and Shinomiya,K. (2007) Effects of continuous dexamethasone treatment on differentiation capabilities of bone marrow-derived mesenchymal cells. *Bone*, **41**, 575-583.

Mouse Fibroblast 3T3 Cell Line

Prima,V. and Hunger,S.P. (2007) Cooperative transformation by MEF2D/DAZAP1 and DAZAP1/MEF2D fusion proteins generated by the variant t (1; 19) in acute lymphoblastic leukemia. *Leukemia*, **21**, 2470-2475.

Human Gingival Fibroblasts

Reti,R. (2007) Cultured Gingival Fibroblasts as a Model of Oral Mucosa Inflammation. Thesis.

Mouse Transgenic Mammary Cancer Model TgN (MMTVneu)202Mul Cell Line

Schug,T.T., Berry,D.C., Shaw,N.S., Travis,S.N. and Noy,N. (2007) Opposing Effects of Retinoic Acid on Cell Growth Result from Alternate Activation of Two Different Nuclear Receptors. *Cell*, **129**, 723-733.

Human Osteosarcoma H2OS and Adenocarcinoma MCF7 Cell Lines

Singh,M.K., Nicolas,E., Gherraby,W., Dadke,D., Lessin,S. and Golemis,E.A. (2007) HEI10 negatively regulates cell invasion by inhibiting cyclin B/Cdk1 and other promotility proteins. *Oncogene*, **26**, 4825-4832.

Human Leukaemic Monocyte U937 Cell Line

Teruya,T., Konishi,T., Uechi,S., Tamaki,H. and Tako,M. (2007) Anti-proliferative activity of oversulfated fucoidan from commercially cultured *Cladosiphon okamuranus* TOKIDA in U937 cells. *International Journal of Biological Macromolecules*, **41**, 221-226.

Rat Immortalized Chondrocyte and Primary Articular Chondrocyte Cell Lines

Yang,L., McBurney,D., Tang,S.C., Carlson,S.G. and Horton Jr,W.E. (2007) A novel role for Bcl-2 associated-athanogene-1 (Bag-1) in regulation of the endoplasmic reticulum stress response in mammalian chondrocytes. *Journal of Cellular Biochemistry*, **102**, 786-800.

Rat Retinal Ganglion RGC-5 Cell Line

Zhang,B., Safa,R., Rusciano,D. and Osborne,N.N. (2007) Epigallocatechin gallate, an active ingredient from green tea, attenuates damaging influences to the retina caused by ischemia/reperfusion. *Brain Research*, **1159**, 40-53.

2006

Mouse DRG Neuronal and PC12 Cell Lines

Arthur,D.B., Georgi,S., Akassoglou,K. and Insel,P.A. (2006) Inhibition of Apoptosis by P2Y2 Receptor Activation: Novel Pathways for Neuronal Survival. *Journal of Neuroscience*, **26**, 3798-3804.

Mouse Primary Endothelial Cell Line

Cao,G., Savani,R.C., Fehrenbach,M., Lyons,C., Zhang,L., Coukos,G. and DeLisser,H.M. (2006) Involvement of Endothelial CD44 during in Vivo Angiogenesis. *American Journal of Pathology*, **169**, 325-336.

Human Lung Fibroblast Wi38 & Chang's Conjunctival Cell Lines

Chen,D., Texada,D.E., Duggan,C., Deng,Y., Redens,T.B. and Langford,M.P. (2006) Caspase-3 and-7 mediate apoptosis of human Chang's conjunctival cells induced by enterovirus. *Virology*, **347**, 307-322.

Human Transfected Lung Carcinoma NCI-H23 and Colon Carcinoma HCT-8 Cell Lines

Gautam,A. and Bepler,G. (2006) Suppression of Lung Tumor Formation by the Regulatory Subunit of Ribonucleotide Reductase. *Cancer Research*, **66**, 6497-6502.

Rat Lung Primary Microvascular Endothelial Cell Line

DeLisser,H.M., Helmke,B.P., Cao,G., Egan,P.M., Taichman,D., Fehrenbach,M., Zaman,A., Cui,Z., Mohan,G.S. and Baldwin,H.S. (2006) Loss of PECAM-1 Function Impairs Alveolarization. *Journal of Biological Chemistry*, **281**, 8724-8731.

Rat Primary Osteoblast Cell Line

Grey,A., Zhu,Q., Watson,M., Callon,K. and Cornish,J. (2006) Lactoferrin potently inhibits osteoblast apoptosis, via an LRP1-independent pathway. *Molecular and Cellular Endocrinology*, **251**, 96-102.

ITO-II, TCam-2 Cell Lines, and Colo201 Colon Cancer Cell Line

Kitazawa,S., Takenaka,A., Kondo,T., Mizoguchi,A. and Kitazawa,R. (2006) Protruding disordered loop of gC1qR is specifically exposed and related to antiapoptotic property in germ cell lineage. *Histochemistry and Cell Biology*, **126**, 665-677.

Rat Hepatocellular Carcinoma

Lum,C.T., Yang,Z.F., Li,H.Y., Wai-Yin Sun,R., Fan,S.T., Poon,R.T., Lin,M.C., Che,C.M. and Kung,H.F. (2006) Gold (III) compound is a novel chemocytotoxic agent for hepatocellular carcinoma. *International Journal of Cancer*, **118**, 1527-1538.

Human Cholangiocarcinoma KMC-1, Mz-ChA-1, TFK-1 and CC-LP-1 Cell Lines

Meng,F., Yamagiwa,Y., Ueno,Y. and Patel,T. (2006) Over-expression of interleukin-6 enhances cell survival and transformed cell growth in human malignant cholangiocytes. *J Hepatol*, **44**, 1055-1065.

Human Gastric Cancer AGS, MKN74, MKN1, MKN45 and Kato3 Cell Lines

Mikata,R., Yokosuka,O., Fukai,K., Imazeki,F., Arai,M., Tada,M., Kurihara,T., Zhang,K., Kanda,T. and Saisho,H. (2006) Analysis of genes upregulated by the demethylating agent 5-aza-2'-deoxycytidine in gastric cancer cell lines. *International Journal of Cancer*, **119**, 1616-1622.

SCID Mouse/Human Skin Tumor Growth and Angiogenesis Model

Nakada,M.T., Cao,G., Sassoli,P.M. and DeLisser,H.M. (2006) c7E3 Fab inhibits human tumor angiogenesis in a SCID mouse human skin xenograft model. *Angiogenesis*, **9**, 171-176.

Human Hepatocellular carcinoma HepG2 Cell Line

Notas,G., Nifli,A.P., Kampa,M., Vercauteren,J., Kouroumalis,E. and Castanas,E. (2006) Resveratrol exerts its antiproliferative effect on HepG2 hepatocellular carcinoma cells, by inducing cell cycle arrest, and NOS activation. *Biochimica et Biophysica Acta (BBA)-General Subjects*, **1760**, 1657-1666.

Human Colorectal Adenocarcinoma & Mucosal Epithelia Cell Lines

Rychahou,P.G., Jackson,L.N., Silva,S.R., Rajaraman,S. and Evers,B.M. (2006) Targeted molecular therapy of the PI3K pathway: therapeutic significance of PI3K subunit targeting in colorectal carcinoma. *Ann Surg*, **243**, 833-844.

A375, UACC647, UACC1227, UACC827 and UACC612 Human Melanoma Cell Lines, Fibroblasts, Normal Melanocytes, BxPc3, MiaPaCa and Hs766T Human Pancreatic Cancer Cell Lines and Jurkat T-Cell Line

Shi,J., Kahle,A., Hershey,J.W.B., Honchak,B.M., Warneke,J.A., Leong,S.P.L. and Nelson,M.A. (2006) Decreased expression of eukaryotic initiation factor 3f deregulates translation and apoptosis in tumor cells. *Oncogene*, **25**, 4923-4936.

Rat Primary Mesenchymal Progenitor Cell Line

Stolzinger, A. and Scutt, A. (2006) Age-related impairment of mesenchymal progenitor cell function. *Aging Cell*, **5**, 213-224.

Rat, Human and Pig Primary Bone Marrow Mesenchymal Stem Cell Lines

Tamama, K., Fan, V.H., Griffith, L.G., Blair, H.C. and Wells, A. (2006) Epidermal Growth Factor as a Candidate for Ex Vivo Expansion of Bone Marrow-Derived Mesenchymal Stem Cells. *Stem Cells*, **24**, 686-695.

Rat Kidney Proximal Tubular Epithelial Cell Line

Yi, X., Wang, J., Seol, D.W. and Dong, Z. (2006) Characterization of cell clones stably transfected with short form caspase-9: Apoptotic resistance and Bcl-XL expression. *Molecular and Cellular Biochemistry*, **282**, 1-12.

2005

Human Lung Fibroblast Wi38 & Lens Epithelial SRA01/04 Cell Lines

Chen, D., Duggan, C., Texada, D.E., Deng, Y., Liang, C., Reden, T.B. and Langford, M.P. (2005) Induction of Caspase-dependent Apoptosis by Enterovirus 70 in Human Lens Epithelial SRA01/04 Cells. *American Journal of Infectious Diseases*, **1**, 90-106.

Chinese Hamster Ovary, Human Caski Cervical Carcinoma & Jurkat T Lymphoma Cell Lines

Chinkwo, K.A. (2005) *Sutherlandia frutescens* extracts can induce apoptosis in cultured carcinoma cells. *Journal of Ethnopharmacology*, **98**, 163-170.

Human Microvascular Endothelial Cell Line

Francischetti, I.M.B., Mather, T.N. and Ribeiro, J.M.C. (2005) Tick saliva is a potent inhibitor of endothelial cell proliferation and angiogenesis. *Thrombosis and Haemostasis*, **94**, 167-174.

Human Sarcoma RD, Rh4 (RMS), Rh1 (Ewing's Sarcoma) and A204 Cell Lines

Ganjavi, H., Gee, M., Narendran, A., Freedman, M.H. and Malkin, D. (2005) Adenovirus-mediated p53 gene therapy in pediatric soft-tissue sarcoma cell lines: sensitization to cisplatin and doxorubicin. *Cancer Gene Therapy*, **12**, 397-406.

Mouse Primary Dermal Fibroblast Cell Line

Gao, Z., Sasaoka, T., Fujimori, T., Oya, T., Ishii, Y., Sabit, H., Kawaguchi, M., Kurotaki, Y., Naito, M. and Wada, T. (2005) Deletion of the PDGFR- β Gene Affects Key Fibroblast Functions Important for Wound Healing. *Journal of Biological Chemistry*, **280**, 9375-9389.

Human Endothelial Cell Line

Griffin, J.H., Mosnier, L.O. and Gale, A.J. (2005) Activated protein C variants with normal cytoprotective activity but reduced anticoagulant activity. *Blood*, **104**, 1740-1744.

Human Prostatic Carcinoma LNCaP and Du145 Cell Lines

Hatzoglou, A., Kampa, M., Kogia, C., Charalampopoulos, I., Theodoropoulos, P. A., Anezinis, P., Dambaki, C., Papakonstanti, E. A., Stathopoulos, E. N., and Stournaras, C. (2005) Membrane Androgen Receptor Activation Induces Apoptotic Regression of Human Prostate Cancer Cells in Vitro and in Vivo. *Journal of Clinical Endocrinology & Metabolism*, **90**, 893-903.

Human Hepatoma Cell Lines Huh-7, HLE and HepG2, HeLa Cell Line and Pancreatic Carcinoma Cell Line Panc-1 and MIA PaCa-2

Kanda, T., Tada, M., Imazeki, F., Yokosuka, O., Nagao, K. and Saisho, H. (2005) 5-aza-2'-deoxycytidine sensitizes hepatoma and pancreatic cancer cell lines. *Oncol Rep*, **14**, 975-979.

Human Squamous Carcinoma SCC-25 Cell Line

Mishima, K., Nariai, Y. and Yoshimura, Y. (2005) Etodolac, a selective cyclo-oxygenase-2 inhibitor, enhances carboplatin-induced apoptosis of human tongue carcinoma cells by down-regulation of FAP-1 expression. *Oral Oncology*, **41**, 77-81.

Human Umbilical Vein Endothelial, Lung Endothelial, Adipose Microvascular Endothelial, St. Georges Hospital Placental Trophoblast, Asian Endometrial Adenocarcinoma (Ishikawa) and Caucasian Endometrial Adenocarcinoma (MFE-296) Cell Lines

Rutland, C.S., Mukhopadhyay, M., Underwood, S., Clyde, N., Mayhew, T.M. and Mitchell, C.A. (2005) Induction of Intrauterine Growth Restriction by Reducing Placental Vascular Growth with the Angioinhibin TNP-470. *Biology of Reproduction*, **73**, 1164-1173.

Human Gastric Cancer KATO-III Cell Line

Sakakura, C., Hasegawa, K., Miyagawa, K., Nakashima, S., Yoshikawa, T., Kin, S., Nakase, Y., Yazumi, S., Yamagishi, H., and Okanoue, T. (2005) Possible Involvement of RUNX3 Silencing in the Peritoneal Metastases of Gastric Cancers. *Clinical Cancer Research*, **11**, 6479-6488.

Mouse Leukaemic Monocyte Macrophage RAW 264.7 Cell Line

Tsatsanis, C., Androulidaki, A., Dermitzaki, E., Charalampopoulos, I., Spiess, J., Gravanis, A. and Margioris, A.N. (2005) Urocortin 1 and Urocortin 2 induce macrophage apoptosis via CRFR2. *FEBS Lett*, **579**, 4259-4264.

Human Embryonic Kidney HEK293 Cell Line

Verbsky, J. and Majerus, P.W. (2005) Increased Levels of Inositol Hexakisphosphate (InsP6) Protect HEK293 Cells from Tumor Necrosis Factor α -and Fas-induced Apoptosis. *Journal of Biological Chemistry*, **280**, 29263-29268.

Human Primary Monocyte and Umbilical Vein Endothelial Cell Lines and Erythroleukemia K562 Cell Line

Williams, J.M., Colman, R., Brookes, C.J., Savage, C.O. and Harper, L. (2005) Anti-endothelial cell antibodies from lupus patients bind to apoptotic endothelial cells promoting macrophage phagocytosis but do not induce apoptosis. *Rheumatology*, **44**, 879.

Human Primary Pancreatic Islet Cell Line

Yang, Z., Chen, M., Ellett, J.D., Carter, J.D., Brayman, K.L. and Nadler, J.L. (2005) Inflammatory Blockade Improves Human Pancreatic Islet Function and Viability. *American Journal of Transplantation*, **5**, 475-483.

2004

Human Glioblastoma and Neuroblastoma Cell Lines

Akudugu, J.M., Binder, A., Serafin, A., Slabbert, J., Giese, A. and Bohm, L. (2004) Changes in G1-phase populations in human glioblastoma and neuroblastoma cell lines influence p66/Be neutron-induced micronucleus yield. *Life Sci*, **75**, 623-632.

Rat Adrenal Medulla PC12 Cell Line

Alexaki, V. I., Charalampopoulos, I., Kampa, M., Vassalou, H., Theodoropoulos, P., Stathopoulos, E. N., Hatzoglou, A., Gravanis, A., and Castanas, E. (2004) Estrogen exerts neuroprotective effects via membrane estrogen receptors and rapid Akt/NOS activation. *The FASEB Journal*, **18**, 1594-1596.

Mouse Primary Hepatocyte Cell Line

Black,D., Bird,M.A., Hayden,M., Schrum,L.W., Lange,P., Samson,C., Hatano,E., Rippe,R.A., Brenner,D.A. and Behrns,K.E. (2004) TNF α -induced hepatocyte apoptosis is associated with alterations of the cell cycle and decreased stem loop binding protein. *Surgery*, **135**, 619-628.

Human Macrophage RAW264.7 Cell Line

Chang,J.H., Ryang,Y.S., Kim,S.K. and Park,J.Y. (2004) *Trichomonas vaginalis*-induced apoptosis in RAW264. 7 cells is regulated through Bcl-xL, but not Bcl-2. *Parasite Immunology*, **26**, 141-150.

Rat PC12 and Primary Chromaffin Adrenal Medulla Cell Lines

Charalampopoulos,I., Tsatsanis,C., Dermitzaki,E., Alexaki,V.I., Castanas,E., Margioris,A.N. and Gravanis,A. (2004) Dehydroepiandrosterone and allopregnanolone protect sympathoadrenal medulla cells against apoptosis via antiapoptotic Bcl-2 protein. *Proceedings of the National Academy of Sciences*, **101**, 8209-8214.

Human Erythroblast K562, Megakaryoblast Meg-01 and Jurkat T Cell Lymphoma Cell Lines

Crist,S.A., Elzey,B.D., Ludwig,A.T., Griffith,T.S., Staack,J.B., Lentz,S.R. and Ratliff,T.L. (2004) Expression of TNF-related apoptosis-inducing ligand (TRAIL) in megakaryocytes and platelets. *Exp Hematol*, **32**, 1073-1081.

Human Immortalized Foreskin Fibroblast IMR90, HeLa and LinXA (293Tt) Cell Lines

Du,J. and Hannon,G.J. (2004) Suppression of p160ROCK bypasses cell cycle arrest after Aurora-A/STK15 depletion. *Proceedings of the National Academy of Sciences*, **101**, 8975-8980.

Human Endometrial Carcinoma, Complex Hyperplasia and Benign Endometrial Cell Lines

Holland,C.M., Saidi,S.A., Evans,A.L., Sharkey,A.M., Latimer,J.A., Crawford,R.A.F., Charnock-Jones,D.S., Print,C.G. and Smith,S.K. (2004) Transcriptome analysis of endometrial cancer identifies peroxisome proliferator-activated receptors as potential therapeutic targets. *Molecular Cancer Therapeutics*, **3**, 993-1001.

Human and Mouse Pancreatic β -Cell Lines

Johnson,J.D., Han,Z., Otani,K., Ye,H., Zhang,Y., Wu,H., Horikawa,Y., Mislser,S., Bell,G.I. and Polonsky,K.S. (2004) RyR2 and Calpain-10 Delineate a Novel Apoptosis Pathway in Pancreatic Islet. *Journal of Biological Chemistry*, **279**, 24794.

Chinese Hamster Ovary and Human Fibroblast Cell Lines

Keter,F.K. (2004) Pyrazole and Pyrazolyl Palladium (II) and Platinum (II) Complexes; Synthesis And In Vitro Evaluation As Anticancer Agents. Thesis

Human Prostate Cancer PC-3, DU145 and LNCaP Cell Lines

Kikuno, N., Moriyama-Gonda, N., Yoshino, T., Yoneda, T., Urakami, S., Terashima, M., Yoshida, M., Kishi, H., Shigeno, K., and Shiina, H. (2004) Blockade of Paclitaxel-Induced Thymidine Phosphorylase Expression Can Accelerate Apoptosis in Human Prostate Cancer Cells. *Cancer Research*, **64**, 7526-7532.

Human Chang's Hepatocyte Cell Line

Kubota,T., Fujisaki,K., Itoh,Y., Yano,T., Sendo,T. and Oishi,R. (2004) Apoptotic injury in cultured human hepatocytes induced by HMG-CoA reductase inhibitors. *Biochem Pharmacol*, **67**, 2175-2186.

Mouse Embryonic Fibroblast MC3T3-E1

Leclerc,N., Luppen,C.A., Ho,V.V., Nagpal,S., Hacia,J.G., Smith,E. and Frenkel,B. (2004) Gene expression profiling of glucocorticoid-inhibited osteoblasts. *Journal of Molecular Endocrinology*, **33**, 175-193.

Human Endothelial EA.hy925 Cell Line

Mosnier, L.O., Gale, A.J., Yegneswaran, S. and Griffin, J.H. (2004) Activated protein C variants with normal cytoprotective but reduced anticoagulant activity. *Blood*, **104**, 1740-1744.

Human Ovarian Carcinoma 2008 and 2008 C-13 Cell Lines

Murata, T., Haisa, M., Uetsuka, H., Nobuhisa, T., Ookawa, T., Tabuchi, Y., Shirakawa, Y., Yamatsuji, T., Matsuoka, J. and Nishiyama, M. (2004) Molecular mechanism of chemoresistance to cisplatin in ovarian cancer cell lines. *Int J Mol Med*, **13**, 865-868.

Human Primary Mononuclear and T-cell Cell Lines

Ogawa, Y., Kobayashi, T., Kariya, S., Nishioka, A., Nakayama, K., Seguchi, H. and Yoshida, S. (2004) Prevention of hydrogen peroxide-induced apoptosis of human peripheral T cells by a lysosomotropic iron chelator, ammonium chloride. *International Journal of Molecular Medicine*, **14**, 1007-1013.

Opossum Kidney Epithelial Cell Line

Papakonstanti, E.A. and Stournaras, C. (2004) Tumor Necrosis Factor- α Promotes Survival of Opossum Kidney Cells via Cdc42-induced Phospholipase C- γ 1 Activation and Actin Filament Redistribution. *Molecular Biology of the Cell*, **15**, 1273-1286.

Human Neuroblastoma SH-SY5Y Cell Line

Prabhakaran, K., Sampson, D.A. and Hoehner, J.C. (2004) Neuroblastoma survival and death: an in vitro model of hypoxia and metabolic stress. *Journal of Surgical Research*, **116**, 288-296.

Human Ovarian Carcinoma IGROV-1 Cell Line

Spagnou, S., Miller, A.D. and Keller, M. (2004) Lipidic carriers of siRNA: differences in the formulation, cellular uptake, and delivery with plasmid DNA. *Biochemistry*, **43**, 13348-13356.

Human Oral Carcinoma Cell Line

Sun, T.B., Chen, R.L. and Hsu, Y.H. (2004) The effect of hyperbaric oxygen on human oral cancer cells. *Undersea Hyperb Med*, **31**, 251-260.

Pig Primary Valvular Interstitial Cell Line

Walker, G. A., Masters, K. S., Shah, D. N., Anseth, K. S., and Leinwand, L. A. (2004) Valvular Myofibroblast Activation by Transforming Growth Factor- β Implications for Pathological Extracellular Matrix Remodeling in Heart Valve Disease. *Circulation Research*, **95**, 253-260.

Rat Pancreatic B-cell INS-1 Cell Line

Wang, Q., Li, L., Xu, E., Wong, V., Rhodes, C. and Brubaker, P.L. (2004) Glucagon-like peptide-1 regulates proliferation and apoptosis via activation of protein kinase B in pancreatic INS-1 beta cells. *Diabetologia*, **47**, 478-487.

Human Pancreatic Islet Cells

Yang, Z., Chen, M., Ellett, J.D., Fialkow, L.B., Carter, J.D. and Nadler, J.L. (2004) The novel anti-inflammatory agent lisofylline prevents autoimmune diabetic recurrence after islet transplantation. *Transplantation*, **77**, 55-60.

Human Prostatic Cancer PC-3 Cell Lines

Yasumoto, H., Matsubara, A., Mutaguchi, K., Usui, T. and McKeehan, W.L. (2004) Restoration of Fibroblast Growth Factor Receptor2 Suppresses Growth and Tumorigenicity of Malignant Human Prostate Carcinoma PC-3 Cells. *The Prostate*, **61**, 236-242.

2003

Mouse Osteoblast MC3T3-E1 Cell Line

Chua, C.C., Chua, B.H., Chen, Z., Landy, C. and Hamdy, R.C. (2003) Dexamethasone induces caspase activation in murine osteoblastic MC3T3-E1 cells. *Biochim Biophys Acta*, **1642**, 79-85.

Human Umbilical Venous Endothelial and Immortalized Endothelial EA.hy926 Cell Lines

Ciaccia, A.V., Gelbert, L.M., Grinnell, B.W., Jones, B.E. and Joyce, D.E. (2003) Methods of treating diseases with activated protein C. US Patent 7204981.

Human Primary Gingival Fibroblast Cell Line

Janke, V., von Neuhoff, N., Schlegelberger, B., Leyhausen, G., and Geurtsen, W. (2003) TEGDMA Causes Apoptosis in Primary Human Gingival Fibroblasts. *Journal of Dental Research*, **82**, 814-818.

Mouse Pancreatic Islet Cell Line

Johnson, J.D., Ahmed, N.T., Luciani, D.S., Han, Z., Tran, H., Fujita, J., Mislser, S., Edlund, H. and Polonsky, K.S. (2003) Increased islet apoptosis in Pdx1^{+/-} mice. *Journal of Clinical Investigation*, **111**, 1147-1160.

Human Kidney Epithelial K293 and Endothelial EA.hy 926 Cell Lines

Mosnier, L.O., Gale, A.J. and Griffin, J.H. (2003) Characterization of the anti-apoptotic effect of activated protein C Abstract number: OC298. *Journal of Thrombosis and Haemostasis*, **1**, 1.

Human Endothelial EA.hy 926 Cell Line

Mosnier, L.O. and Griffin, J.H. (2003) Inhibition of staurosporine-induced apoptosis of endothelial cells by activated protein C requires protease-activated receptor-1 and endothelial cell protein C receptor. *Biochem.J.*, **373**, 65-70.

Human Prostate Cancer Du145, DuPro, LNCaP, PC-3 and ND-1 and Benign Hyperplastic Epithelial BPH-1 Cell Line

Mutaguchi, K., Yasumoto, H., Mita, K., Matsubara, A., Shiina, H., Igawa, M., Dahiya, R., and Usui, T. (2003) Restoration of Insulin-Like Growth Factor Binding Protein-Related Protein 1 Has a Tumor-Suppressive Activity through Induction of Apoptosis in Human Prostate Cancer. *Cancer Research*, **63**, 7717-7723.

Human Prostatic Carcinoma LNCaP and PC-3 Cell Lines

Nakanishi, H., Mazda, O., Satoh, E., Asada, H., Morioka, H., Kishida, T., Nakao, M., Mizutani, Y., Kawauchi, A. and Kita, M. (2003) Nonviral genetic transfer of Fas ligand induced significant growth suppression and apoptotic tumor cell death in prostate cancer in vivo. *Gene Therapy*, **10**, 434-442.

Human Embryonic Kidney HEK293 Cell Line

Sun, Y., Mochizuki, Y. and Majerus, P.W. (2003) Inositol 1, 3, 4-Trisphosphate 5/6-Kinase Inhibits Tumor Necrosis Factor-induced Apoptosis. *Journal of Biological Chemistry*, **278**, 43645-43653.

Mouse Pancreatic Islet Cells

Yang, Z., Chen, M., Fialkow, L.B., Ellett, J.D., Wu, R. and Nadler, J.L. (2003) The novel anti-inflammatory compound, lisofylline, prevents diabetes in multiple low-dose streptozotocin-treated mice. *Pancreas*, **26**, e99-104.

Human Lung Large Cell Carcinoma H1299 Cell Line

Zhang, L., Sharma, S., Zhu, L. X., Kogai, T., Hershman, J. M., Brent, G. A., Dubinett, S. M. and Huang, M. (2003) Nonradioactive Iodide Effectively Induces Apoptosis in Genetically Modified Lung Cancer Cells. *Cancer Research*, **63**, 5065-5072.

2002

Mouse Cerebral Endothelial MB114En Cell Line

Constantin,D., Ala'Aldeen,D. and Murphy,S. (2002) Transcriptional activation of nitric oxide synthase-2, and NO-induced cell death, in mouse cerebrovascular endothelium exposed to *Neisseria meningitidis*. *Journal of Neurochemistry*, **81**, 270-276.

Human Primary Embryonic Kidney Cells

Kisseleva,M.V., Cao,L. and Majerus,P.W. (2002) Phosphoinositide-specific Inositol Polyphosphate 5-Phosphatase IV Inhibits Akt/Protein Kinase B Phosphorylation and Leads to Apoptotic Cell Death. *Journal of Biological Chemistry*, **277**, 6266-6272.

Mouse Chondrocyte ATDC5 Cell Line

Mushtaq,T., Farquharson,C., Seawright,E. and Ahmed,S.F. (2002) Glucocorticoid effects on chondrogenesis, differentiation and apoptosis in the murine ATDC5 chondrocyte cell line. *Journal of Endocrinology*, **175**, 705-713.

Rat Glioma C6 and Human Epithelial Breast Carcinoma MCF7 Cell Lines

Shoshani,T., Faerman,A., Mett,I., Zelin,E., Tenne,T., Gorodin,S., Moshel,Y., Elbaz,S., Budanov,A. and Chajut,A. (2002) Identification of a Novel Hypoxia-Inducible Factor 1-Responsive Gene, RTP801, Involved in Apoptosis. *Molecular and Cellular Biology*, **22**, 2283-2293.

2001

Human Umbilical Vein Endothelial Cell, HUVEC PO96, P146 and P150 Cell Lines

Joyce,D.E., Gelbert,L., Ciaccia,A., DeHoff,B. and Grinnell,B.W. (2001) Gene Expression Profile of Antithrombotic Protein C Defines New Mechanisms Modulating Inflammation and Apoptosis. *Journal of Biological Chemistry*, **276**, 11199-11203.